

Package ‘COVIDIBGE’

April 22, 2021

Type Package

Title Downloading, Reading and Analysing PNAD COVID19 Microdata

Version 0.1.3

Description Provides tools for downloading, reading and analysing the PNAD COVID19, a household survey from Brazilian Institute of Geography and Statistics - IBGE. The data must be downloaded from the official website <<https://www.ibge.gov.br/>>. Further analysis must be made using package 'survey'.

Depends R (>= 3.2.0)

Imports survey, readr, dplyr, magrittr, projmgr, httr, RCurl, utils, timeDate, readxl, tibble

Suggests tidyverse, convey

License GPL-3

Encoding UTF-8

RoxygenNote 7.0.1

NeedsCompilation no

Author Gabriel Assuncao [aut, cre],
Luna Hidalgo [aut],
Douglas Braga [ctb]

Maintainer Gabriel Assuncao <pacotesipd@ibge.gov.br>

Repository CRAN

Date/Publication 2021-04-22 04:50:34 UTC

R topics documented:

| | |
|--------------------------|---|
| covid_deflator | 2 |
| covid_design | 3 |
| covid_example | 4 |
| covid_labeller | 5 |
| get_covid | 6 |
| read_covid | 7 |

| | |
|--------------|----------|
| Index | 9 |
|--------------|----------|

| | |
|----------------|---|
| covid_deflator | <i>Add deflator variables to PNAD COVID19 microdata</i> |
|----------------|---|

Description

This function adds deflator variables to PNAD COVID19 microdata. For deflation of income variables, the documentation provided through the following address must be used: https://ftp.ibge.gov.br/Trabalho_e_Rendimento/Pesquisa_Nacional_por_Amostra_de_Domicilios_PNAD_COVID19/Microdados/Documentacao/COVIDIBGE_Deflator.pdf.

Usage

```
covid_deflator(data_covid, deflator.file)
```

Arguments

`data_covid` A tibble of PNAD COVID19 microdata read with `read_covid` function.

`deflator.file` The deflator file for selected survey available on official website: (select the deflator zip file) - https://ftp.ibge.gov.br/Trabalho_e_Rendimento/Pesquisa_Nacional_por_Amostra_de_Domicilios_PNAD_COVID19/Microdados/Documentacao/.

Value

A tibble with the data provided from PNAD COVID19 survey and the deflator variables added for use.

Note

For more information, visit the survey official website <<https://www.ibge.gov.br/estatisticas/investigacoes-experimentais/estatisticas-experimentais/27946-divulgacao-semanal-pnadcovid1?t=o-que-e>> and consult the other functions of this package, described below.

See Also

[get_covid](#) for downloading, labelling, deflating and creating survey design object for PNAD COVID19 microdata.

[read_covid](#) for reading PNAD COVID19 microdata.

[covid_labeller](#) for labelling categorical variables from PNAD COVID19 microdata.

[covid_design](#) for creating PNAD COVID19 survey design object.

[covid_example](#) for getting the path of the PNAD COVID19 example files.

Examples

```
# Using data read from disk
data_path <- covid_example(path="exampledata.csv")
dictionary.path <- covid_example(path="dictionaryexample.xls")
deflator.path <- covid_example(path="deflatorexample.xls")
covid.df <- read_covid(microdata=data_path, vars="C002")
```

```
covid.df <- covid_labeller(data_covid=covid.df, dictionary.file=dictionary.path)
covid.df <- covid_deflator(data_covid=covid.df, deflator.file=deflator.path)

# Downloading data
covid.df2 <- get_covid(year=2020, month=5, vars="C002",
                      labels=TRUE, deflator=FALSE, design=FALSE, savedir=tempdir())
deflator.path2 <- covid_example(path="deflatorexample.xls")
covid.df2 <- covid_deflator(data_covid=covid.df2, deflator.file=deflator.path2)
```

covid_design

Create PNAD COVID19 survey object with its sample design

Description

This function creates PNAD COVID19 survey object with its sample design for analysis using survey package functions.

Usage

```
covid_design(data_covid)
```

Arguments

`data_covid` A tibble of PNAD COVID19 microdata read with `read_covid` function.

Value

An object of class `survey.design` with the data from PNAD COVID19 and its sample design.

Note

For more information, visit the survey official website <<https://www.ibge.gov.br/estatisticas/investigacoes-experimentais/estatisticas-experimentais/27946-divulgacao-semanal-pnadcovid1?t=o-que-e>> and consult the other functions of this package, described below.

See Also

[get_covid](#) for downloading, labelling, deflating and creating survey design object for PNAD COVID19 microdata.

[read_covid](#) for reading PNAD COVID19 microdata.

[covid_labeller](#) for labelling categorical variables from PNAD COVID19 microdata.

[covid_deflator](#) for adding deflator variables to PNAD COVID19 microdata.

[covid_example](#) for getting the path of the PNAD COVID19 example files.

Examples

```
# Using data read from disk
data_path <- covid_example(path="exampledata.csv")
dictionary.path <- covid_example(path="dictionaryexample.xls")
deflator.path <- covid_example(path="deflatorexample.xls")
covid.df <- read_covid(microdata=data_path, vars="C002")
covid.df <- covid_labeller(data_covid=covid.df, dictionary.file=dictionary.path)
covid.df <- covid_deflator(data_covid=covid.df, deflator.file=deflator.path)

covid.svy <- covid_design(data_covid=covid.df)
# Calculating temporarily away from work rate
if (!is.null(covid.svy)) survey::svymean(x=~C002, design=covid.svy, na.rm=TRUE)

# Downloading data
covid.df2 <- get_covid(year=2020, month=5, vars="C002",
                      labels=TRUE, deflator=TRUE, design=FALSE, savedir=tempdir())
covid.svy2 <- covid_design(data_covid=covid.df2)
# Calculating temporarily away from work rate
if (!is.null(covid.svy2)) survey::svymean(x=~C002, design=covid.svy2, na.rm=TRUE)
```

covid_example

Get the path of the PNAD COVID19 example files

Description

This function provides the path of the microdata from month 5 of year 2020 of the PNAD COVID19 example files, loaded with this package.

Usage

```
covid_example(path = NULL)
```

Arguments

path Name of file. If NULL, the PNAD COVID19 example files names will be listed.

Value

A vector with names of all the available PNAD COVID19 example files or the path for specific requested PNAD COVID19 example file.

Note

For more information, visit the survey official website <<https://www.ibge.gov.br/estatisticas/investigacoes-experimentais/estatisticas-experimentais/27946-divulgacao-semanal-pnadcovid1?t=o-que-e>> and consult the other functions of this package, described below.

See Also

[get_covid](#) for downloading, labelling, deflating and creating survey design object for PNAD COVID19 microdata.

[read_covid](#) for reading PNAD COVID19 microdata.

[covid_labeller](#) for labelling categorical variables from PNAD COVID19 microdata.

[covid_deflator](#) for adding deflator variables to PNAD COVID19 microdata.

[covid_design](#) for creating PNAD COVID19 survey design object.

Examples

```
covid_example()  
covid_example(path="exampledata.csv")  
covid_example(path="dictionaryexample.xls")  
covid_example(path="deflatorexample.xls")
```

covid_labeller

Label categorical variables from PNAD COVID19 microdata

Description

This function labels categorical variables from PNAD COVID19 microdata.

Usage

```
covid_labeller(data_covid, dictionary.file)
```

Arguments

`data_covid` A tibble of PNAD COVID19 microdata read with `read_covid` function.

`dictionary.file`

The dictionary file for selected survey available on official website: (select a dictionary xls file) - https://ftp.ibge.gov.br/Trabalho_e_Rendimento/Pesquisa_Nacional_por_Amostra_de_Domicilios_PNAD_COVID19/Microdados/Documentacao/.

Value

A tibble with the data provided from PNAD COVID19 survey and its categorical variables as factors with related labels.

Note

For more information, visit the survey official website <<https://www.ibge.gov.br/estatisticas/investigacoes-experimentais/estatisticas-experimentais/27946-divulgacao-semanal-pnadcovid1?t=o-que-e>> and consult the other functions of this package, described below.

See Also

[get_covid](#) for downloading, labelling, deflating and creating survey design object for PNAD COVID19 microdata.

[read_covid](#) for reading PNAD COVID19 microdata.

[covid_deflator](#) for adding deflator variables to PNAD COVID19 microdata.

[covid_design](#) for creating PNAD COVID19 survey design object.

[covid_example](#) for getting the path of the PNAD COVID19 example files.

Examples

```
# Using data read from disk
data_path <- covid_example(path="exampledata.csv")
dictionary.path <- covid_example(path="dictionaryexample.xls")
covid.df <- read_covid(microdata=data_path, vars="C002")
covid.df <- covid_labeller(data_covid=covid.df, dictionary.file=dictionary.path)

# Downloading data
covid.df2 <- get_covid(year=2020, month=5, vars="C002",
                      labels=FALSE, deflator=FALSE, design=FALSE, savedir=tempdir())
dictionary.path2 <- covid_example(path="dictionaryexample.xls")
covid.df2 <- covid_labeller(data_covid=covid.df2, dictionary.file=dictionary.path2)
```

get_covid

Download, label, deflate and create survey design object for PNAD COVID19 microdata

Description

Core function of package. With this function only, the user can download a PNAD COVID19 microdata from a month and get a sample design object ready to use with survey package functions.

Usage

```
get_covid(
  year,
  month,
  vars = NULL,
  labels = TRUE,
  deflator = TRUE,
  design = TRUE,
  savedir = tempdir()
)
```

Arguments

year The year of the data to be downloaded. Must be a number equal to 2020. Vector not accepted.

| | |
|----------|--|
| month | The month of the year of the data to be downloaded. Must be number from 5 to 11. Vector not accepted. |
| vars | Vector of variable names to be kept for analysis. Default is to keep all variables. |
| labels | Logical value. If TRUE, categorical variables will be presented as factors with labels corresponding to the survey's dictionary. |
| deflator | Logical value. If TRUE, deflator variables will be available for use in the microdata. |
| design | Logical value. If TRUE, will return an object of class <code>survey.design</code> . It is strongly recommended to keep this parameter as TRUE for further analysis. If FALSE, only the microdata will be returned. |
| savedir | Directory to save the downloaded data. Default is to use a temporary directory. |

Value

An object of class `survey.design` with the data from PNAD COVID19 and its sample design, or a tibble with selected variables of the microdata, including the necessary survey design ones.

Note

For more information, visit the survey official website <<https://www.ibge.gov.br/estatisticas/investigacoes-experimentais/estatisticas-experimentais/27946-divulgacao-semanal-pnadcovid1?t=o-que-e>> and consult the other functions of this package, described below.

See Also

[read_covid](#) for reading PNAD COVID19 microdata.
[covid_labeller](#) for labelling categorical variables from PNAD COVID19 microdata.
[covid_deflator](#) for adding deflator variables to PNAD COVID19 microdata.
[covid_design](#) for creating PNAD COVID19 survey design object.
[covid_example](#) for getting the path of the PNAD COVID19 example files.

Examples

```
covid.svy <- get_covid(year=2020, month=5, vars=c("C001", "C002", "C003"),
                      labels=TRUE, deflator=TRUE, design=TRUE, savedir=tempdir())
if (!is.null(covid.svy)) survey::svymean(x=~C002, design=covid.svy, na.rm=TRUE)
```

read_covid

Read PNAD COVID19 microdata

Description

This function reads PNAD COVID19 microdata.

Usage

```
read_covid(microdata, vars = NULL)
```

Arguments

| | |
|-----------|---|
| microdata | A comma-separated values file containing microdata from PNAD COVID19 survey, available on official website: (select a microdata file) - https://ftp.ibge.gov.br/Trabalho_e_Rendimento/Pesquisa_Nacional_por_Amostra_de_Domicilios_PNAD_COVID19/Microdados/Dados/ . |
| vars | Vector of variable names to be kept for analysis. Default is to keep all variables. |

Value

A tibble with selected variables of the microdata, including the necessary survey design ones.

Note

For more information, visit the survey official website <<https://www.ibge.gov.br/estatisticas/investigacoes-experimentais/estatisticas-experimentais/27946-divulgacao-semanal-pnadcovid1?t=o-que-e>> and consult the other functions of this package, described below.

See Also

[get_covid](#) for downloading, labelling, deflating and creating survey design object for PNAD COVID19 microdata.

[covid_labeller](#) for labelling categorical variables from PNAD COVID19 microdata.

[covid_deflator](#) for adding deflator variables to PNAD COVID19 microdata.

[covid_design](#) for creating PNAD COVID19 survey design object.

[covid_example](#) for getting the path of the PNAD COVID19 example files.

Examples

```
data_path <- covid_example(path="exempladata.csv")
covid.df <- read_covid(microdata=data_path, vars="C002")
```

Index

covid_deflator, 2, 3, 5–8
covid_design, 2, 3, 5–8
covid_example, 2, 3, 4, 6–8
covid_labeller, 2, 3, 5, 5, 7, 8

get_covid, 2, 3, 5, 6, 6, 8

read_covid, 2, 3, 5–7, 7