

Package ‘IRkernel’

May 2, 2019

Title Native R Kernel for the 'Jupyter Notebook'

Description The R kernel for the 'Jupyter' environment executes R code which the front-end ('Jupyter Notebook' or other front-ends) submits to the kernel via the network.

Version 1.0.1

Depends R (>= 3.2.0)

Suggests testthat, roxygen2

SystemRequirements jupyter, jupyter_kernel_test (Python package for testing)

License MIT + file LICENSE

LazyData true

Encoding UTF-8

Imports repr (>= 0.4.99), methods, evaluate (>= 0.10), IRdisplay (>= 0.3.0.9999), pbdZMQ (>= 0.2-1), crayon, jsonlite (>= 0.9.6), uuid, digest

Collate 'class_unions.r' 'logging.r' 'comm_manager.r' 'compat.r' 'completion.r' 'environment_runtime.r' 'environment_shadow.r' 'options.r' 'execution.r' 'handlers.r' 'help.r' 'installspec.r' 'utils.r' 'kernel.r' 'main.r' 'onload.r'

RoxygenNote 6.1.1

NeedsCompilation no

Author Thomas Kluyver [aut, cph],
Philipp Angerer [aut, cph, cre]
(<<https://orcid.org/0000-0002-0369-2888>>),
Jan Schulz [aut, cph],
Karthik Ram [aut, cph]

Maintainer Philipp Angerer <phil.angerer@gmail.com>

Repository CRAN

Date/Publication 2019-05-02 11:30:10 UTC

R topics documented:

| | |
|-----------------------------|---|
| Comm-class | 2 |
| CommManager-class | 2 |
| comm_manager | 2 |
| installspec | 3 |
| IRkernel | 3 |
| log_* | 4 |
| main | 5 |

| | |
|--------------|----------|
| Index | 6 |
|--------------|----------|

| | |
|------------|-----------------|
| Comm-class | <i>The Comm</i> |
|------------|-----------------|

Description

Has methods able to register and handle message callbacks

| | |
|-------------------|------------------------|
| CommManager-class | <i>The CommManager</i> |
|-------------------|------------------------|

Description

Has methods able to register comms/targets and process comm messages

| | |
|--------------|--|
| comm_manager | <i>Get global CommManager instance</i> |
|--------------|--|

Description

Get global CommManager instance

Usage

```
comm_manager()
```

Value

[CommManager](#) instance if a kernel is running, else NULL

| | |
|-------------|---|
| installspec | <i>Install the kernelspec to tell Jupyter about IRkernel.</i> |
|-------------|---|

Description

This can be called multiple times for different R interpreter, but you have to give a different name (and displayname to see a difference in the notebook UI). If the same name is give, it will overwrite older versions of the kernel spec with that name!

Usage

```
installspec(user = NULL, name = "ir", displayname = "R",
            rprofile = NULL, prefix = NULL)
```

Arguments

| | |
|-------------|--|
| user | Install into user directory (<code>\$XDG_DATA_HOME/jupyter/kernels</code>) or globally? (default: NULL but treated as TRUE if "prefix" is not specified) |
| name | The name of the kernel (default "ir") |
| displayname | The name which is displayed in the notebook (default: "R") |
| rprofile | (optional) Path to kernel-specific Rprofile (defaults to system-level settings) |
| prefix | (optional) Path to alternate directory to install kernelspec into (default: NULL) |

Value

Exit code of the jupyter kernelspec install call.

| | |
|----------|---------------------------------|
| IRkernel | <i>An R kernel for Jupyter.</i> |
|----------|---------------------------------|

Description

Jupyter speaks a JSON+ZMQ protocol to a 'kernel' which is responsible for executing code. This package is a kernel for the R language.

Usage

```
jupyter_option_defaults
```

Format

An object of class list of length 6.

Options

The following can be set/read via `options(opt.name = ...) / getOption('opt.name')`

`jupyter.log_level` 1L (errors), 2L (warnings), or 3L (debug). 1L is the default.

`jupyter.pager_classes` Classes to use the pager for instead of displaying them inline. Default: help pages

`jupyter.in_kernel` TRUE if this code is executed in a running kernel. Set to pretend being/not being in a kernel

`jupyter.rich_display` Use more than just text display

`jupyter.display_mimetypes` The formats emitted when any return value is to be displayed (default: all mimetypes listed [here](#))

`jupyter.plot_mimetypes` The plot formats emitted to the frontend when a plot is displayed. (default: image/png, application/pdf, and image/svg+xml)

See Also

[installspec](#)

| | |
|-------|---------------------------------|
| log_* | <i>Kernel logging functions</i> |
|-------|---------------------------------|

Description

A set of exported logging utilities that have the capability to be used in upstream projects. Log level and log file can be set via R package options e.g. `options(jupyter.log_level = 2L)` or from the environment variables `JUPYTER_LOG_LEVEL` and `JUPYTER_LOGFILE`.

Usage

`log_debug(...)`

`log_info(...)`

`log_error(...)`

Arguments

... message to log

| | |
|------|--------------------------------------|
| main | <i>Initialise and run the kernel</i> |
|------|--------------------------------------|

Description

Initialise and run the kernel

Usage

```
main(connection_file = "")
```

Arguments

connection_file
The path to the Jupyter connection file, written by the frontend

Index

*Topic **datasets**

IRkernel, 3

Comm (Comm-class), 2

Comm-class, 2

comm_manager, 2

CommManager, 2

CommManager (CommManager-class), 2

CommManager-class, 2

installspec, 3, 4

IRkernel, 3

IRkernel-options (IRkernel), 3

IRkernel-package (IRkernel), 3

jupyter_option_defaults (IRkernel), 3

log_*, 4

log_debug (log_*), 4

log_error (log_*), 4

log_info (log_*), 4

main, 5