

Package ‘smnet’

October 14, 2022

Type Package

Title Smoothing for Stream Network Data

Version 2.1.2

Date 2020-11-08

Depends R (>= 3.0.1), SSN

Imports graphics, grDevices, methods, RSQLite, spam, splines, stats

Author Alastair Rushworth

Maintainer Alastair Rushworth <alastairrushworth@gmail.com>

Description Fits flexible additive models to data on stream networks, taking account of flow-connectivity of the network. Models are fitted using penalised least squares.

License GPL-2

LazyLoad yes

Language en-GB

URL <https://github.com/alastairrushworth/smnet/>

BugReports <https://github.com/alastairrushworth/smnet/issues>

ByteCompile yes

Repository CRAN

Suggests testthat

RoxygenNote 7.1.1

NeedsCompilation no

Date/Publication 2020-11-09 08:00:02 UTC

R topics documented:

| | |
|-------------------------|---|
| get_adjacency | 2 |
| m | 3 |
| network | 4 |
| plot.smnet | 5 |
| predict.smnet | 6 |

| | |
|-------------------------|----|
| show_weights | 7 |
| smnet | 8 |
| summary.smnet | 11 |

| | |
|--------------|-----------|
| Index | 15 |
|--------------|-----------|

| | |
|---------------|--|
| get_adjacency | <i>Construct a Stream Network Adjacency Matrix</i> |
|---------------|--|

Description

Builds a sparse adjacency matrix from a user specified SSN data directory, by extracting and processing the binaryID.db table. The resulting output of this function is required input for fitting spatial additive network models to SSN objects using the main [smnet](#) function.

Usage

```
get_adjacency(ssn_directory, netID = 1)
```

Arguments

| | |
|---------------|---|
| ssn_directory | Required character string indicating the path to the location of the .ssn directory which contains the binaryID.db table. |
| netID | Logical. Integer specifying the particular stream network of interest within the SSN object. Defaults to 1. |

Value

List object with components

- adjacency: Sparse adjacency matrix of class `spam` with row and column dimension equal to the number of stream segments. If the i^{th} column has non-zero elements j_1 and j_2 then this indicates that j_1 and j_2 are direct upstream neighbours of i . If the i^{th} column has sum 1, then this indicates that i has only one upstream neighbour, and therefore no confluence lies between them; by default the spatial penalties treat these differently.
- bid: Character vector of binary identifiers for each stream segment, used only for automatic calculation of Shreve's stream order within `smnet`

Author(s)

Alastair Rushworth

See Also

[smnet](#), [plot.smnet](#), [predict.smnet](#)

`m`*Specify Smooth Terms in Formulae*

Description

Function used to set up univariate or bivariate smooth terms based on P-splines, for use within a call to [smnet](#).

Usage

```
m(..., k = -1, cyclic = F)
```

Arguments

| | |
|---------------------|---|
| <code>...</code> | one or more variables for creating P-spline smooths. |
| <code>k</code> | integer defining the number of uniformly spaced B-spline basis functions for the smooth, default is 10. For 2d (and higher) smooths, this is the marginal basis size. |
| <code>cyclic</code> | logical vector indicating whether the smooth should be cyclic. Based on the harmonic smoother of Eiler and Marx (2004) |

Value

List object with components

- `term`: character vector of the names of the variables involved in the smooth to be set up
- `bs.dim`: number of B-spline basis functions to be used in the smooth

Author(s)

Alastair Rushworth

References

Modified version of `s` originally from package `mgcv`, Simon Wood (2014).

See Also

[smnet](#), [plot.smnet](#), [predict.smnet](#)

network

Specify Network Smoother in Formulae

Description

This function specifies all of the information required to smooth parameters over the segments of a stream network using an adjacency matrix, and a vector of flow weights.

Usage

```
network(adjacency = NULL, weight = "autoShreve", fixed.df = NULL)
```

Arguments

| | |
|-----------|---|
| adjacency | A sparse adjacency matrix of class <code>spam</code> that describes the flow connectedness of the stream network. <code>adjacency</code> is typically obtained from a call to get_adjacency |
| weight | A character string indicating the column name of a numeric vector of flow weights contained in the <code>data.object</code> that has been passed to <code>smnet</code> . Defaults to "autoShreve" which automatically constructs a weighting based on Shreve order, useful if data does not include an appropriate weight. For more information on choosing appropriate weight inputs from a given data set, see show_weights . |
| fixed.df | Positive scalar indicating a fixed number of degrees of freedom to allocate to the stream network component, overriding the criterion minimisation for this component. Under the default setting, <code>NULL</code> , the degrees of freedom are chosen automatically. |

Value

A list combining the processed input components above. For internal use within `smnet`.

- `adjacency`: Sparse adjacency matrix
- `weight`: Numeric vector of flow weights
- `netID`: Integer identifying network of interest

Author(s)

Alastair Rushworth

plot.smnet

*Visualise a Fitted Stream Network Model***Description**

Plot linear, univariate and bivariate smooth effects and network smooth terms that resulting from a call to `smnet()`.

Usage

```
## S3 method for class 'smnet'
plot(
  x,
  type = "covariates",
  se = FALSE,
  res = FALSE,
  weight = NULL,
  sites = FALSE,
  sites.col = NULL,
  sites.cex = 1,
  network.col = NULL,
  shadow = 0,
  key = TRUE,
  legend.text = NULL,
  legend.range = NULL,
  ...
)
```

Arguments

| | |
|---------------------|--|
| <code>x</code> | An object of class smnet . |
| <code>type</code> | Character string identifying the type of plot to be produced. The default, <code>type = 'covariates'</code> , produces plots of all linear and smooth components (the latter corresponding to each appearance of <code>m()</code> in the model formula). <code>type = 'full'</code> plots the stream network fitted mean using the full set of spatial points contained in the associated SSN object. <code>type = 'segments'</code> plots the stream network fitted mean using a set of connected line segments to represent the spatial network, this can be faster for large networks than <code>type = 'full'</code> . |
| <code>se</code> | Logical. When TRUE and <code>type = 'covariates'</code> , standard errors are shown on plots of linear and smooth terms. When <code>type = 'segment'</code> or <code>type = 'full'</code> spatial standard errors are plotted. |
| <code>res</code> | Logical. When TRUE, partial residuals are shown on plots of linear and smooth component. Ignored when <code>type = 'full'</code> or <code>type = 'segments'</code> . |
| <code>weight</code> | Positive real number that scales stream segment widths (as determined using Shreve order) to indicate relative size of stream segments. Ignored when <code>type = 'covariate'</code> . Currently only <code>'autoShreve'</code> is supported, defaults to NULL in which all streams segments are plotted with lines with identical widths. |

| | |
|--------------|---|
| sites | Logical indicating whether locations of observation sites should be added to spatial plots. Ignored when type = 'covariate' and defaults to FALSE. |
| sites.col | Single colour to plot observation locations. If not provided, points will be coloured according to the default legend and average observation at each location. |
| sites.cex | Expansion factor for the size of plotted observation points. |
| network.col | Single colour to represent all stream segments. By default, network is coloured according to fitted values from model. Ignored when type = 'covariate'. |
| shadow | Positive scalar that adds a black outline to spatial stream segment plots, useful if the colour scale has many light colours. Ignored when type = 'covariate' and defaults to 0 (no shadow is drawn). |
| key | Logical. Plots a colour legend for network plots. Ignored when type = 'covariates'. |
| legend.text | Character annotation to add to color scale. Ignored if key = FALSE or type = 'covariates'. |
| legend.range | Range of values represented by the color scale. Ignored if key = FALSE or type = 'covariates'. |
| ... | Other arguments passed to plot(). |

Author(s)

Alastair Rushworth

predict.smnet

Make Predictions Using a Fitted Stream Network Model.

Description

Get predictions and standard errors for a new set of spatial locations and associated covariate values from a model fitted by smnet().

Usage

```
## S3 method for class 'smnet'
predict(object, newdata = NULL, ...)
```

Arguments

| | |
|---------|--|
| object | Object of class smnet, usually the result of a call to smnet() |
| newdata | data.frame containing new covariate values at which to make predictions. |
| ... | other arguments passed to predict.smnet() |

Value

List object with components

- predictions: vector of predictions corresponding to prediction points in the original `SpatialStreamNetwork` input object
- predictions.se: vector of prediction standard errors

Author(s)

Alastair Rushworth

show_weights

Search for and Validate Weights Columns in an SSN Object

Description

Explore SSN objects for valid stream weights for use in fitting stream network models.

Usage

```
show_weights(SSNobject, adjacency, netID = 1)
```

Arguments

- | | |
|-----------|---|
| SSNobject | <code>SpatialStreamNetwork</code> containing data to be searched for valid network weights for the smooth, default is 10. For 2d (and higher) smooths, this is the marginal basis size. |
| adjacency | adjacency object corresponding to <code>SSNobject</code> , resulting from a call to <code>get_adjacency()</code> . |
| netID | Positive integer indicating the network number to investigate, if multiple networks are contained in <code>SSNobject</code> . Default is 1. @return Prints the names of valid weight variables to the console. |

Author(s)

Alastair Rushworth

See Also

[smnet](#), [plot.smnet](#), [predict.smnet](#)

Description

Fits (Gaussian) additive models to river network data based on the flexible modelling framework described in O'Donnell et al. (2014). Data must be in the form of a `SpatialStreamNetwork` object as used by the `SSN` package (Ver Hoef et al., 2012). Smoothness of covariate effects is represented via a penalised B-spline basis (P-splines) and parameter estimates are obtained using penalised least-squares. Optimal smoothness is achieved by optimization of AIC, GCV or AICC. The formula interpreter used for penalised additive components is modelled on the code found in the package `mgcv`.

Usage

```
smnet(formula, data.object, netID = 1, method = "AICC", control = NULL)
```

Arguments

| | |
|--------------------------|--|
| <code>formula</code> | A formula statement similar to those used by <code>lm</code> and <code>mgcv::gam</code> . Smooth functions are represented with <code>m(..., k = 20)</code> function, up to 2d smooth interactions are currently supported. Spatial network components are specified using <code>network(...)</code> function. Further details can be found in m and network and the examples below. |
| <code>data.object</code> | An object of class <code>SpatialStreamNetwork</code> . |
| <code>netID</code> | Integer indicating the particular stream network to model, generally only user-specified when multiple networks are contained within <code>data.object</code> , default is 1. |
| <code>method</code> | Character string determining the performance criterion for choosing optimal smoothness, options are "AICC", "AIC" or "GCV". |
| <code>control</code> | A list of options that control smoothness selection via optimisation. See 'Details'. |

Details

`control` is a list whose elements control smoothness selection: `maxit` limits the number of iterations made by the optimiser (default = 500). `approx`, positive integer, if specified indicates the number of Monte-Carlo samples to collect using an approximate version of performance criterion when direct evaluation is slow - this may be much faster if the network has a large number of segments or the data is large, for example `approx = 100` often works well (defaults to `NULL`). `checks`, logical, specifies whether additivity checks should be performed on the input weights default = `TRUE`. `trace`, default = 0, if set to 1, `optim` will print progress. `tol`, the relative tolerance of `optim`. `optim.method`, the optimiser - default is "Nelder-Mead" see `?optim` for details.

Value

Object of class smnet with components

- fitted.valuesvector of fitted values
- residualsvector of residuals: response minus fitted values
- coefficientsvector of parameter estimates
- R2R^2 statistic
- R2.adjadjusted R^2 statistic
- df.residualresidual degrees of freedom
- ssn.objectunchanged SSN input data object
- internalsmodel objects for internal use by other functions

Author(s)

Alastair Rushworth

References

Ver Hoef, J.M., Peterson, E.E., Clifford, D., Shah, R. (2012) SSN: An R Package for Spatial Statistical Modeling on Stream Networks O' Donnell, D., Rushworth, A.M., Bowman, A.W., Scott, E.M., Hallard, M. (2014) Flexible regression models over river networks. *Journal of the Royal Statistical Society: Series C (Applied Statistics)*. 63(1) 47–63. Reinhard Furrer, Stephan R. Sain (2010). spam: A Sparse Matrix R Package with Emphasis on MCMC Methods for Gaussian Markov Random Fields. *Journal of Statistical Software*, 36(10), 1-25. URL: <http://www.jstatsoft.org/v36/i10/>

See Also

[get_adjacency](#), [plot.smnet](#)

Examples

```
# As an example, create a simulated SSN object
# Save the object to a temporary location
set.seed(12)
ssn_path <- paste(tempdir(), "/example_network", sep = "")

# If example network doesn't already exist, then attempt to create it
# Otherwise, read from the temporary directory
example_network <- try(importSSN(ssn_path, predpts = 'preds', o.write = TRUE), silent = TRUE)
if('try-error' %in% class(example_network)){
  example_network <- createSSN(
    n = 50,
    obsDesign = binomialDesign(200),
    predDesign = binomialDesign(50),
    importToR = TRUE,
    path = ssn_path,
    treeFunction = iterativeTreeLayout
  )
}
```

```

)
}

# plot the simulated network structure with prediction locations
# plot(example_network, bty = "n", xlab = "x-coord", ylab? = "y-coord")

## create distance matrices, including between predicted and observed
createDistMat(example_network, "preds", o.write = TRUE, amongpred = TRUE)

## extract the observed and predicted data frames
observed_data      <- getSSNdata.frame(example_network, "Obs")
prediction_data     <- getSSNdata.frame(example_network, "preds")

## associate continuous covariates with the observation locations
# data generated from a normal distribution
obs                <- rnorm(200)
observed_data[,"X"] <- obs
observed_data[,"X2"] <- obs^2

## associate continuous covariates with the prediction locations
# data generated from a normal distribution
pred               <- rnorm(50)
prediction_data[,"X"] <- pred
prediction_data[,"X2"] <- pred^2

## simulate some Gaussian data that follows a 'tail-up' spatial process
sims <- SimulateOnSSN(
  ssn.object      = example_network,
  ObsSimDF       = observed_data,
  PredSimDF      = prediction_data,
  PredID         = "preds",
  formula        = ~ 1 + X,
  coefficients    = c(1, 10),
  CorModels      = c("Exponential.tailup"),
  use.nugget     = TRUE,
  CorParms       = c(10, 5, 0.1),
  addfunccol     = "addfunccol")$ssn.object

## extract the observed and predicted data frames, now with simulated values
sim1DFpred      <- getSSNdata.frame(sims, "preds")
sim1preds       <- sim1DFpred[,"Sim_Values"]
sim1DFpred[,"Sim_Values"] <- NA
sims            <- putSSNdata.frame(sim1DFpred, sims, "preds")

# create the adjacency matrix for use with smnet
adjacency <- get_adjacency(
  ssn_path,
  net = 1
)

# not run - plot the adjacency matrix
# display(adjacency[[1]])

```

```

# sometimes it is useful to see which variables are valid network weights
# in the data contained within the SSN object
show_weights(sims, adjacency)

# fit a penalised spatial model to the stream network data
# Sim_Values are quadratic in the X covariate. To highlight
# the fitting of smooth terms, this is treated as non-linear
# and unknown using m().
mod_smn      <- smnet(formula = Sim_Values ~ m(X) + m(X2) +
                      network(adjacency = adjacency, weight = "shreve"),
                      data.object = sims, netID = 1)

# not run - plot different summaries of the model
plot(mod_smn, type = "network-covariates")
plot(mod_smn, type = "network-segments", weight = 4, shadow = 2)
plot(mod_smn, type = "network-full", weight = 4, shadow = 2)

# obtain predictions at the prediction locations and plot
# against true values
preds <- predict(mod_smn, newdata = getSSNdata.frame(sims, "preds"))
plot(preds$predictions, sim1preds)

# obtain summary of the fitted model
summary(mod_smn)

# delete the simulated data
unlink(ssn_path, recursive = TRUE)

```

summary.smnet

Summarise a Stream Network Model

Description

Generate summaries of linear and smooth components of an `smnet` object.

Usage

```

## S3 method for class 'smnet'
summary(object, verbose = TRUE, ...)

```

Arguments

| | |
|----------------------|---|
| <code>object</code> | An object of class <code>smnet</code> . |
| <code>verbose</code> | Logical. Whether to print summaries to the console. |
| <code>...</code> | other arguments passed to <code>summary</code> . |

Value

List object with components

- `l1linear.terms`: the linear components of the fitted model
- `l2smooth.terms`: the values of the smoothing parameters on the log scale, and the partial degrees of freedom associated with each smooth component. Note: Network components always have two smoothing parameters, where the second is a (usually small) ridge parameter.

Author(s)

Alastair Rushworth

See Also

[smnet](#), [plot.smnet](#)

Examples

```
# As an example, create a simulated SSN object
# Save the object to a temporary location
set.seed(12)
ssn_path <- paste(tempdir(), "/example_network", sep = "")

# If example network doesn't already exist, then attempt to create it
# Otherwise, read from the temporary directory
example_network <- try(importSSN(ssn_path, o.write = TRUE), silent = TRUE)
if('try-error' %in% class(example_network)){
  example_network <- createSSN(
    n           = 50,
    obsDesign  = binomialDesign(200),
    predDesign  = binomialDesign(50),
    importToR  = TRUE,
    path       = ssn_path,
    treeFunction = iterativeTreeLayout
  )
}

## create distance matrices, including between predicted and observed
createDistMat(example_network, "preds", o.write=TRUE, amongpred = TRUE)

## extract the observed and predicted data frames
observed_data      <- getSSNdata.frame(example_network, "Obs")
prediction_data    <- getSSNdata.frame(example_network, "preds")

## associate continuous covariates with the observation locations
# data generated from a normal distribution
obs                <- rnorm(200)
observed_data[, "X"] <- obs
observed_data[, "X2"] <- obs^2
```

```

## associate continuous covariates with the prediction locations
# data generated from a normal distribution
pred          <- rnorm(50)
prediction_data["X"] <- pred
prediction_data["X2"] <- pred^2

## simulate some Gaussian data that follows a 'tail-up' spatial process
sims <- SimulateOnSSN(
  ssn.object      = example_network,
  ObsSimDF        = observed_data,
  PredSimDF       = prediction_data,
  PredID          = "preds",
  formula         = ~ 1 + X,
  coefficients     = c(1, 10),
  CorModels       = c("Exponential.tailup"),
  use.nugget      = TRUE,
  CorParms        = c(10, 5, 0.1),
  addfunccol      = "addfunccol")$ssn.object

## extract the observed and predicted data frames, now with simulated values
sim1DFpred      <- getSSNdata.frame(sims, "preds")
sim1preds       <- sim1DFpred["Sim_Values"]
sim1DFpred["Sim_Values"] <- NA
sims            <- putSSNdata.frame(sim1DFpred, sims, "preds")

# create the adjacency matrix for use with smnet
adjacency <- get_adjacency(
  ssn_path,
  net = 1
)

# not run - plot the adjacency matrix
# display(adjacency[[1]])

# sometimes it is useful to see which variables are valid network weights
# in the data contained within the SSN object
show_weights(sims, adjacency)

# fit a penalised spatial model to the stream network data
# Sim_Values are quadratic in the X covariate. To highlight
# the fitting of smooth terms, this is treated as non-linear
# and unknown using m().
mod_smn <- smnet(formula = Sim_Values ~ m(X) + m(X2) +
  network(adjacency = adjacency, weight = "shreve"),
  data.object = sims, netID = 1)

# not run - plot different summaries of the model
plot(mod_smn, type = "network-covariates")
plot(mod_smn, type = "network-segments", weight = 4, shadow = 2)
plot(mod_smn, type = "network-full", weight = 4, shadow = 2)

# obtain predictions at the prediction locations and plot

```

```
# against true values
preds <- predict(mod_smn, newdata = getSSNdata.frame(sims, "preds"))
plot(preds$predictions, sim1preds)

# obtain summary of the fitted model
summary(mod_smn)

#' # delete the simulated data
unlink(ssn_path, recursive = TRUE)
```

Index

* **network**

smnet, 8

* **p-spline**

smnet, 8

get_adjacency, 2, 4, 9

m, 3, 8

network, 4, 8

plot.smnet, 2, 3, 5, 7, 9, 12

predict.smnet, 2, 3, 6, 7

show_weights, 4, 7

smnet, 2-4, 7, 8, 12

summary.smnet, 11