

Package ‘imputeFin’

February 20, 2021

Title Imputation of Financial Time Series with Missing Values and/or Outliers

Version 0.1.2

Date 2021-02-19

Description Missing values often occur in financial data due to a variety of reasons (errors in the collection process or in the processing stage, lack of asset liquidity, lack of reporting of funds, etc.). However, most data analysis methods expect complete data and cannot be employed with missing values. One convenient way to deal with this issue without having to redesign the data analysis method is to impute the missing values. This package provides an efficient way to impute the missing values based on modeling the time series with a random walk or an autoregressive (AR) model, convenient to model log-prices and log-volumes in financial data. In the current version, the imputation is univariate-based (so no asset correlation is used). In addition, outliers can be detected and removed.

The package is based on the paper:

J. Liu, S. Kumar, and D. P. Palomar (2019). Parameter Estimation of Heavy-Tailed AR Model With Missing Data Via Stochastic EM. IEEE Trans. on Signal Processing, vol. 67, no. 8, pp. 2159-2172. <doi:10.1109/TSP.2019.2899816>.

Maintainer Daniel P. Palomar <daniel.p.palomar@gmail.com>

URL <https://CRAN.R-project.org/package=imputeFin>,
<https://github.com/dppalomar/imputeFin>,
<https://www.danielppalomar.com>,
<https://doi.org/10.1109/TSP.2019.2899816>,
<https://doi.org/10.1109/TSP.2020.3033378>

BugReports <https://github.com/dppalomar/imputeFin/issues>

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Depends R (>= 2.10)

Imports MASS, zoo, mvtnorm, magrittr, parallel

Suggests knitr, ggplot2, prettydoc, rmarkdown, R.rsp, testthat, xts

VignetteBuilder knitr, rmarkdown, R.rsp

NeedsCompilation no

Author Daniel P. Palomar [cre, aut],

Junyan Liu [aut],

Rui Zhou [aut]

Repository CRAN

Date/Publication 2021-02-20 05:30:02 UTC

R topics documented:

imputeFin-package	2
fit_AR1_Gaussian	3
fit_AR1_t	6
fit_VAR_t	8
impute_AR1_Gaussian	11
impute_AR1_t	13
impute_OHLC	15
impute_rolling_AR1_Gaussian	16
plot_imputed	17
ts_AR1_Gaussian	18
ts_AR1_t	19
ts_VAR_t	19

Index	21
--------------	-----------

imputeFin-package	<i>imputeFin: Imputation of Financial Time Series with Missing Values.</i>
-------------------	--

Description

Missing values often occur in financial data due to a variety of reasons (errors in the collection process or in the processing stage, lack of asset liquidity, lack of reporting of funds, etc.). However, most data analysis methods expect complete data and cannot be employed with missing values. One convenient way to deal with this issue without having to redesign the data analysis method is to impute the missing values. This package provides an efficient way to impute the missing values based on modeling the time series with a random walk or an autoregressive (AR) model, convenient to model log-prices and log-volumes in financial data. In the current version, the imputation is univariate-based (so no asset correlation is used). In addition, outliers can be detected and removed.

Functions

[fit_AR1_Gaussian](#), [impute_AR1_Gaussian](#), [fit_AR1_t](#), [impute_AR1_t](#), [plot_imputed](#)

Data

[ts_AR1_Gaussian](#), [ts_AR1_t](#)

Help

For a quick help see the README file: [GitHub-README](#).

For more details see the vignette: [CRAN-vignette](#).

Author(s)

Junyan Liu, Rui Zhou, and Daniel P. Palomar

References

J. Liu, S. Kumar, and D. P. Palomar, "Parameter estimation of heavy-tailed AR model with missing data via stochastic EM," *IEEE Trans. on Signal Processing*, vol. 67, no. 8, pp. 2159-2172, Apr. 2019. <<https://doi.org/10.1109/TSP.2019.2899816>>

R. Zhou, J. Liu, S. Kumar, and D. P. Palomar, "Student's t VAR Modeling with Missing Data via Stochastic EM and Gibbs Sampling," *IEEE Trans. on Signal Processing*, vol. 68, pp. 6198-6211, Oct. 2020. <<https://doi.org/10.1109/TSP.2020.3033378>>

fit_AR1_Gaussian

Fit Gaussian AR(1) model to time series with missing values and/or outliers

Description

Estimate the parameters of a univariate Gaussian AR(1) model to fit the given time series with missing values and/or outliers. For multivariate time series, the function will perform a number of individual univariate fittings without attempting to model the correlations among the time series. If the time series does not contain missing values, the maximum likelihood (ML) estimation is done in one shot. With missing values, the iterative EM algorithm is employed for the estimation until converge is achieved.

Usage

```
fit_AR1_Gaussian(  
  y,  
  random_walk = FALSE,  
  zero_mean = FALSE,  
  remove_outliers = FALSE,  
  outlier_prob_th = 0.001,  
  verbose = TRUE,  
  return_iterates = FALSE,  
  return_condMeanCov = FALSE,  
  tol = 1e-08,  
  maxiter = 100  
)
```

Arguments

<code>y</code>	Time series object coercible to either a numeric vector or numeric matrix (e.g., zoo or xts) with missing values denoted by NA.
<code>random_walk</code>	Logical value indicating if the time series is assumed to be a random walk so that $\phi_1 = 1$ (default is FALSE).
<code>zero_mean</code>	Logical value indicating if the time series is assumed zero-mean so that $\phi_0 = 0$ (default is FALSE).
<code>remove_outliers</code>	Logical value indicating whether to detect and remove outliers.
<code>outlier_prob_th</code>	Threshold of probability of observation to declare an outlier (default is $1e-3$).
<code>verbose</code>	Logical value indicating whether to output messages (default is TRUE).
<code>return_iterates</code>	Logical value indicating if the iterates are to be returned (default is FALSE).
<code>return_condMeanCov</code>	Logical value indicating if the conditional mean and covariance matrix of the time series (excluding the leading and trailing missing values) given the observed data are to be returned (default is FALSE).
<code>tol</code>	Positive number denoting the relative tolerance used as stopping criterion (default is $1e-8$).
<code>maxiter</code>	Positive integer indicating the maximum number of iterations allowed (default is 100).

Value

If the argument `y` is a univariate time series (i.e., coercible to a numeric vector), then this function will return a list with the following elements:

<code>phi0</code>	The estimate for ϕ_0 (real number).
<code>phi1</code>	The estimate for ϕ_1 (real number).
<code>sigma2</code>	The estimate for σ^2 (positive number).
<code>phi0_iterates</code>	Numeric vector with the estimates for ϕ_0 at each iteration (returned only when <code>return_iterates = TRUE</code>).
<code>phi1_iterates</code>	Numeric vector with the estimates for ϕ_1 at each iteration (returned only when <code>return_iterates = TRUE</code>).
<code>sigma2_iterates</code>	Numeric vector with the estimates for σ^2 at each iteration (returned only when <code>return_iterates = TRUE</code>).
<code>f_iterates</code>	Numeric vector with the objective values at each iteration (returned only when <code>return_iterates = TRUE</code>).
<code>cond_mean_y</code>	Numeric vector (of same length as argument <code>y</code>) with the conditional mean of the time series (excluding the leading and trailing missing values) given the observed data (returned only when <code>return_condMeanCov = TRUE</code>).

cond_cov_y	Numeric matrix (with number of columns/rows equal to the length of the argument <i>y</i>) with the conditional covariance matrix of the time series (excluding the leading and trailing missing values) given the observed data (returned only when <code>return_condMeanCov = TRUE</code>).
index_miss	Indices of missing values imputed.
index_outliers	Indices of outliers detected/corrected.

If the argument *y* is a multivariate time series (i.e., with multiple columns and coercible to a numeric matrix), then this function will return a list with each element as in the case of univariate *y* corresponding to each of the columns (i.e., one list element per column of *y*), with the following additional elements that combine the estimated values in a convenient vector form:

phi0_vct	Numeric vector (with length equal to the number of columns of <i>y</i>) with the estimates for ϕ_0 for each of the univariate time series.
phi1_vct	Numeric vector (with length equal to the number of columns of <i>y</i>) with the estimates for ϕ_1 for each of the univariate time series.
sigma2_vct	Numeric vector (with length equal to the number of columns of <i>y</i>) with the estimates for σ_2 for each of the univariate time series.

Author(s)

Junyan Liu and Daniel P. Palomar

References

R. J. Little and D. B. Rubin, *Statistical Analysis with Missing Data*, 2nd ed. Hoboken, N.J.: John Wiley & Sons, 2002.

J. Liu, S. Kumar, and D. P. Palomar, "Parameter estimation of heavy-tailed AR model with missing data via stochastic EM," *IEEE Trans. on Signal Processing*, vol. 67, no. 8, pp. 2159-2172, 15 April, 2019.

See Also

[impute_AR1_Gaussian](#), [fit_AR1_t](#)

Examples

```
library(imputeFin)
data(ts_AR1_Gaussian)
y_missing <- ts_AR1_Gaussian$y_missing
fitted <- fit_AR1_Gaussian(y_missing)
```

fit_AR1_t	<i>Fit Student's t AR(1) model to time series with missing values and/or outliers</i>
-----------	---

Description

Estimate the parameters of a univariate Student's t AR(1) model to fit the given time series with missing values and/or outliers. For multivariate time series, the function will perform a number of individual univariate fittings without attempting to model the correlations among the time series. If the time series does not contain missing values, the maximum likelihood (ML) estimation is done via the iterative EM algorithm until converge is achieved. With missing values, the stochastic EM algorithm is employed for the estimation (currently the maximum number of iterations will be executed without attempting to check early converge).

Usage

```
fit_AR1_t(
  y,
  random_walk = FALSE,
  zero_mean = FALSE,
  fast_and_heuristic = TRUE,
  remove_outliers = FALSE,
  outlier_prob_th = 0.001,
  verbose = TRUE,
  return_iterates = FALSE,
  return_condMean_Gaussian = FALSE,
  tol = 1e-08,
  maxiter = 100,
  n_chain = 10,
  n_thin = 1,
  K = 30
)
```

Arguments

y	Time series object coercible to either a numeric vector or numeric matrix (e.g., zoo or xts) with missing values denoted by NA.
random_walk	Logical value indicating if the time series is assumed to be a random walk so that $\phi_1 = 1$ (default is FALSE).
zero_mean	Logical value indicating if the time series is assumed zero-mean so that $\phi_0 = 0$ (default is FALSE).
fast_and_heuristic	Logical value indicating whether a heuristic but fast method is to be used to estimate the parameters of the Student's t AR(1) model (default is TRUE).
remove_outliers	Logical value indicating whether to detect and remove outliers.

outlier_prob_th	Threshold of probability of observation to declare an outlier (default is 1e-3).
verbose	Logical value indicating whether to output messages (default is TRUE).
return_iterates	Logical value indicating if the iterates are to be returned (default is FALSE).
return_condMean_Gaussian	Logical value indicating if the conditional mean and covariance matrix of the time series (excluding the leading and trailing missing values) given the observed data are to be returned (default is FALSE).
tol	Positive number denoting the relative tolerance used as stopping criterion (default is 1e-8).
maxiter	Positive integer indicating the maximum number of iterations allowed (default is 100).
n_chain	Positive integer indicating the number of the parallel Markov chains in the stochastic EM method (default is 10).
n_thin	Positive integer indicating the sampling period of the Gibbs sampling in the stochastic EM method (default is 1). Every n_thin-th samples is used. This is aimed to reduce the dependence of the samples.
K	Positive number controlling the values of the step sizes in the stochastic EM method (default is 30).

Value

If the argument *y* is a univariate time series (i.e., coercible to a numeric vector), then this function will return a list with the following elements:

phi0	The estimate for phi0 (real number).
phi1	The estimate for phi1 (real number).
sigma2	The estimate for sigma^2 (positive number).
nu	The estimate for nu (positive number).
phi0_iterates	Numeric vector with the estimates for phi0 at each iteration (returned only when return_iterates = TRUE).
phi1_iterates	Numeric vector with the estimates for phi1 at each iteration (returned only when return_iterates = TRUE).
sigma2_iterates	Numeric vector with the estimates for sigma^2 at each iteration (returned only when return_iterates = TRUE).
nu_iterate	Numeric vector with the estimates for nu at each iteration (returned only when return_iterates = TRUE).
f_iterates	Numeric vector with the objective values at each iteration (returned only when return_iterates = TRUE).
cond_mean_y_Gaussian	Numeric vector (of same length as argument <i>y</i>) with the conditional mean of the time series (excluding the missing values at the head and tail) given the observed data based on Gaussian AR(1) model (returned only when return_condMean_Gaussian = TRUE).

index_miss Indices of missing values imputed.
 index_outliers Indices of outliers detected/corrected.

If the argument `y` is a multivariate time series (i.e., with multiple columns and coercible to a numeric matrix), then this function will return a list with each element as in the case of univariate `y` corresponding to each of the columns (i.e., one list element per column of `y`), with the following additional elements that combine the estimated values in a convenient vector form:

phi0_vct Numeric vector (with length equal to the number of columns of `y`) with the estimates for `phi0` for each of the univariate time series.
 phi1_vct Numeric vector (with length equal to the number of columns of `y`) with the estimates for `phi1` for each of the univariate time series.
 sigma2_vct Numeric vector (with length equal to the number of columns of `y`) with the estimates for `sigma2` for each of the univariate time series.
 nu_vct Numeric vector (with length equal to the number of columns of `y`) with the estimates for `nu` for each of the univariate time series.

Author(s)

Junyan Liu and Daniel P. Palomar

References

J. Liu, S. Kumar, and D. P. Palomar, "Parameter estimation of heavy-tailed AR model with missing data via stochastic EM," *IEEE Trans. on Signal Processing*, vol. 67, no. 8, pp. 2159-2172, 15 April, 2019.

See Also

[impute_AR1_t](#), [fit_AR1_Gaussian](#), [fit_VAR_t](#)

Examples

```
library(imputeFin)
data(ts_AR1_t)
y_missing <- ts_AR1_t$y_missing
fitted <- fit_AR1_t(y_missing)
```

fit_VAR_t

Fit Student's t VAR model to time series with missing values and/or outliers

Description

Estimate the parameters of a Student's t vector autoregressive model

$$y_t = \phi_0 + \sum_{i=1}^p \Phi_i * y_{t-i} + \epsilon_t$$

to fit the given time series with missing values. If the time series does not contain missing values, the maximum likelihood (ML) estimation is done via the iterative EM algorithm until converge is achieved. With missing values, the stochastic EM algorithm is employed for the estimation (currently the maximum number of iterations will be executed without attempting to check early converge).

Usage

```
fit_VAR_t(
  Y,
  p = 1,
  omit_missing = FALSE,
  parallel_max_cores = max(1, parallel::detectCores() - 1),
  verbose = FALSE,
  return_iterates = FALSE,
  initial = NULL,
  L = 10,
  maxiter = 50,
  ptol = 0.001,
  partition_groups = TRUE,
  K = round(maxiter/3)
)
```

Arguments

Y	Time series object coercible to either a numeric matrix (e.g., zoo or xts) with missing values denoted by NA.
p	Positive integer indicating the order of the VAR model.
omit_missing	Logical value indicating whether to use the omit-variable method, i.e., excluding the variables with missing data from the analysis (default is FALSE).
parallel_max_cores	Positive integer indicating the maximum number of cores used in the parallel computing, only valid when partition_groups = TRUE (default is 1).
verbose	Logical value indicating whether to report in console the information of each iteration.
return_iterates	Logical value indicating whether to return the parameter estimates at each iteration (default is FALSE).
initial	List with the initial values of the parameters of the VAR model, which may contain some or all of the following elements: <ul style="list-style-type: none"> • nu (ν) - a positive number as the degrees of freedom,

- `phi0` (ϕ_0) - a numerical vector of length `ncol(Y)` as the interception of VAR model,
- `Phi` (Φ_i) - a list of `p` matrices of dimension `ncol(Y)` as the autoregressive coefficient matrices,
- `scatter` (Σ) - a positive definite of dimension `ncol(Y)` as the scatter matrix.

<code>L</code>	Positive integer with the number of Markov chains (default is 10).
<code>maxiter</code>	Positive integer with the number of maximum iterations (default is 100).
<code>ptol</code>	Non-negative number with the tolerance to determine the convergence of the (stochastic) EM method.
<code>partition_groups</code>	Logical value indicating whether to partition <code>Y</code> into groups (default is TRUE).
<code>K</code>	Positive integer indicating the values of the step sizes in the stochastic EM method.

Value

A list with the following elements:

<code>nu</code>	The estimate for ν .
<code>phi0</code>	The estimate for ϕ_0 .
<code>Phi</code>	The estimate for Φ_i .
<code>scatter</code>	The estimate for scatter matrix, i.e., Σ .
<code>converged</code>	A logical value indicating whether the method has converged.
<code>iter_usage</code>	A number indicating how many iteration has been used.
<code>elapsed_times</code>	A numerical vector indicating how much is consumed in each iteration.
<code>elapsed_time</code>	A number indicating how much time is consumed overall.
<code>elapsed_time_per_iter</code>	A number indicating how much time is consumed for each iteration in average.
<code>iterates_record</code>	A list as the records of parameter estimates of each iteration, only returned when <code>return_iterates = TRUE</code> .

Author(s)

Rui Zhou and Daniel P. Palomar

References

R. Zhou, J. Liu, S. Kumar, and D. P. Palomar, "Student's t VAR Modeling with Missing Data via Stochastic EM and Gibbs Sampling," IEEE Trans. on Signal Processing, vol. 68, pp. 6198-6211, Oct. 2020.

See Also

[fit_AR1_t](#)

Examples

```
library(imputeFin)
data(ts_VAR_t)
fitted <- fit_VAR_t(Y = ts_VAR_t$Y, p = 2, parallel_max_cores = 2)
```

impute_AR1_Gaussian *Impute missing values of time series based on a Gaussian AR(1) model*

Description

Impute inner missing values (excluding leading and trailing ones) of time series by drawing samples from the conditional distribution of the missing values given the observed data based on a Gaussian AR(1) model as estimated with the function `fit_AR1_Gaussian`. Outliers can be detected and removed.

Usage

```
impute_AR1_Gaussian(
  y,
  n_samples = 1,
  random_walk = FALSE,
  zero_mean = FALSE,
  remove_outliers = FALSE,
  outlier_prob_th = 0.001,
  verbose = TRUE,
  return_estimates = FALSE,
  tol = 1e-10,
  maxiter = 100
)
```

Arguments

<code>y</code>	Time series object coercible to either a numeric vector or numeric matrix (e.g., zoo or xts) with missing values denoted by NA.
<code>n_samples</code>	Positive integer indicating the number of imputations (default is 1).
<code>random_walk</code>	Logical value indicating if the time series is assumed to be a random walk so that $\phi_1 = 1$ (default is FALSE).
<code>zero_mean</code>	Logical value indicating if the time series is assumed zero-mean so that $\phi_0 = 0$ (default is FALSE).
<code>remove_outliers</code>	Logical value indicating whether to detect and remove outliers.
<code>outlier_prob_th</code>	Threshold of probability of observation to declare an outlier (default is $1e-3$).

<code>verbose</code>	Logical value indicating whether to output messages (default is TRUE).
<code>return_estimates</code>	Logical value indicating if the estimates of the model parameters are to be returned (default is FALSE).
<code>tol</code>	Positive number denoting the relative tolerance used as stopping criterion (default is $1e-8$).
<code>maxiter</code>	Positive integer indicating the maximum number of iterations allowed (default is 100).

Value

By default (i.e., for `n_samples = 1` and `return_estimates = FALSE`), the function will return an imputed time series of the same class and dimensions as the argument `y` with one new attribute recording the locations of missing values (the function `plot_imputed` will make use of such information to indicate the imputed values), as well as locations of outliers removed.

If `n_samples > 1`, the function will return a list consisting of `n_sample` imputed time series with names: `y_imputed.1`, `y_imputed.2`, etc.

If `return_estimates = TRUE`, in addition to the imputed time series `y_imputed`, the function will return the estimated model parameters:

<code>phi0</code>	The estimate for <code>phi0</code> (numeric scalar or vector depending on the number of time series).
<code>phi1</code>	The estimate for <code>phi1</code> (numeric scalar or vector depending on the number of time series).
<code>sigma2</code>	The estimate for <code>sigma2</code> (numeric scalar or vector depending on the number of time series).

Author(s)

Junyan Liu and Daniel P. Palomar

References

R. J. Little and D. B. Rubin, *Statistical Analysis with Missing Data*, 2nd ed. Hoboken, N.J.: John Wiley & Sons, 2002.

J. Liu, S. Kumar, and D. P. Palomar, "Parameter estimation of heavy-tailed AR model with missing data via stochastic EM," *IEEE Trans. on Signal Processing*, vol. 67, no. 8, pp. 2159-2172, 15 April, 2019.

See Also

[plot_imputed](#), [fit_AR1_Gaussian](#), [impute_AR1_t](#)

Examples

```
library(imputeFin)
data(ts_AR1_Gaussian)
y_missing <- ts_AR1_Gaussian$y_missing
y_imputed <- impute_AR1_Gaussian(y_missing)
plot_imputed(y_imputed)
```

impute_AR1_t	<i>Impute missing values of time series based on a Student's t AR(1) model</i>
--------------	--

Description

Impute inner missing values (excluding leading and trailing ones) of time series by drawing samples from the conditional distribution of the missing values given the observed data based on a Student's t AR(1) model as estimated with the function `fit_AR1_t`. Outliers can be detected and removed.

Usage

```
impute_AR1_t(
  y,
  n_samples = 1,
  random_walk = FALSE,
  zero_mean = FALSE,
  fast_and_heuristic = TRUE,
  remove_outliers = FALSE,
  outlier_prob_th = 0.001,
  verbose = TRUE,
  return_estimates = FALSE,
  tol = 1e-08,
  maxiter = 100,
  K = 30,
  n_burn = 100,
  n_thin = 50
)
```

Arguments

<code>y</code>	Time series object coercible to either a numeric vector or numeric matrix (e.g., zoo or xts) with missing values denoted by NA.
<code>n_samples</code>	Positive integer indicating the number of imputations (default is 1).
<code>random_walk</code>	Logical value indicating if the time series is assumed to be a random walk so that $\phi_1 = 1$ (default is FALSE).
<code>zero_mean</code>	Logical value indicating if the time series is assumed zero-mean so that $\phi_0 = 0$ (default is FALSE).

<code>fast_and_heuristic</code>	Logical value indicating whether a heuristic but fast method is to be used to estimate the parameters of the Student's t AR(1) model (default is TRUE).
<code>remove_outliers</code>	Logical value indicating whether to detect and remove outliers.
<code>outlier_prob_th</code>	Threshold of probability of observation to declare an outlier (default is 1e-3).
<code>verbose</code>	Logical value indicating whether to output messages (default is TRUE).
<code>return_estimates</code>	Logical value indicating if the estimates of the model parameters are to be returned (default is FALSE).
<code>tol</code>	Positive number denoting the relative tolerance used as stopping criterion (default is 1e-8).
<code>maxiter</code>	Positive integer indicating the maximum number of iterations allowed (default is 100).
<code>K</code>	Positive number controlling the values of the step sizes in the stochastic EM method (default is 30).
<code>n_burn</code>	Positive integer controlling the length of the burn-in period of the Gibb sampling (default is 100). The first (<code>n_burn * n_thin</code>) samples generated will be ignored.
<code>n_thin</code>	Positive integer indicating the sampling period of the Gibbs sampling in the stochastic EM method (default is 1). Every <code>n_thin</code> -th samples is used. This is aimed to reduce the dependence of the samples.

Value

By default (i.e., for `n_samples = 1` and `return_estimates = FALSE`), the function will return an imputed time series of the same class and dimensions as the argument `y` with one new attribute recording the locations of missing values (the function `plot_imputed` will make use of such information to indicate the imputed values), as well as locations of outliers removed.

If `n_samples > 1`, the function will return a list consisting of `n_sample` imputed time series with names: `y_imputed.1`, `y_imputed.2`, etc.

If `return_estimates = TRUE`, in addition to the imputed time series `y_imputed`, the function will return the estimated model parameters:

<code>phi0</code>	The estimate for <code>phi0</code> (numeric scalar or vector depending on the number of time series).
<code>phi1</code>	The estimate for <code>phi1</code> (numeric scalar or vector depending on the number of time series).
<code>sigma2</code>	The estimate for <code>sigma2</code> (numeric scalar or vector depending on the number of time series).
<code>nu</code>	The estimate for <code>nu</code> (numeric scalar or vector depending on the number of time series).

Author(s)

Junyan Liu and Daniel P. Palomar

References

J. Liu, S. Kumar, and D. P. Palomar, "Parameter estimation of heavy-tailed AR model with missing data via stochastic EM," *IEEE Trans. on Signal Processing*, vol. 67, no. 8, pp. 2159-2172, 15 April, 2019.

See Also

[plot_imputed](#), [fit_AR1_t](#), [impute_AR1_Gaussian](#)

Examples

```
library(imputeFin)
data(ts_AR1_t)
y_missing <- ts_AR1_t$y_missing
y_imputed <- impute_AR1_t(y_missing)
plot_imputed(y_imputed)
```

impute_OHLC	<i>Impute missing values of an OHLC time series on a rolling window basis based on a Gaussian AR(1) model</i>
-------------	---

Description

Impute inner missing values (excluding leading and trailing ones) of an OHLC time series on a rolling window basis. This is a wrapper of the functions [impute_AR1_Gaussian](#) and [impute_rolling_AR1_Gaussian](#).

Usage

```
impute_OHLC(
  y_OHLC,
  rolling_window = 252,
  remove_outliers = FALSE,
  outlier_prob_th = 0.001,
  tol = 1e-10,
  maxiter = 100
)
```

Arguments

y_OHLC	Time series object coercible to a numeric matrix (e.g., zoo or xts) with four columns denoting the prices Op, Hi, Lo, Cl.
rolling_window	Rolling window length (default is 252).
remove_outliers	Logical value indicating whether to detect and remove outliers.
outlier_prob_th	Threshold of probability of observation to declare an outlier (default is 1e-3).

tol	Positive number denoting the relative tolerance used as stopping criterion (default is 1e-8).
maxiter	Positive integer indicating the maximum number of iterations allowed (default is 100).

Value

Imputed OHLC prices.

Author(s)

Daniel P. Palomar

See Also

[impute_AR1_Gaussian](#), [impute_rolling_AR1_Gaussian](#)

impute_rolling_AR1_Gaussian

Impute missing values of time series on a rolling window basis based on a Gaussian AR(1) model

Description

Impute inner missing values (excluding leading and trailing ones) of time series on a rolling window basis. This is a wrapper of the function [impute_AR1_Gaussian](#).

Usage

```
impute_rolling_AR1_Gaussian(
  y,
  rolling_window = 252,
  random_walk = FALSE,
  zero_mean = FALSE,
  remove_outliers = FALSE,
  outlier_prob_th = 0.001,
  tol = 1e-10,
  maxiter = 100
)
```

Arguments

y	Time series object coercible to either a numeric vector or numeric matrix (e.g., zoo or xts) with missing values denoted by NA.
rolling_window	Rolling window length (default is 252).
random_walk	Logical value indicating if the time series is assumed to be a random walk so that $\phi_1 = 1$ (default is FALSE).

zero_mean	Logical value indicating if the time series is assumed zero-mean so that $\phi_0 = 0$ (default is FALSE).
remove_outliers	Logical value indicating whether to detect and remove outliers.
outlier_prob_th	Threshold of probability of observation to declare an outlier (default is $1e-3$).
tol	Positive number denoting the relative tolerance used as stopping criterion (default is $1e-8$).
maxiter	Positive integer indicating the maximum number of iterations allowed (default is 100).

Value

Same as [impute_AR1_Gaussian](#) for the case `n_samples = 1` and `return_estimates = FALSE`.

Author(s)

Daniel P. Palomar

See Also

[plot_imputed](#), [impute_AR1_Gaussian](#)

Examples

```
library(imputeFin)
data(ts_AR1_Gaussian)
y_missing <- ts_AR1_Gaussian$y_missing
y_imputed <- impute_rolling_AR1_Gaussian(y_missing)
plot_imputed(y_imputed)
```

plot_imputed	<i>Plot imputed time series.</i>
--------------	----------------------------------

Description

Plot single imputed time series (as returned by functions [impute_AR1_Gaussian](#) and [impute_AR1_t](#)), highlighting the imputed values in a different color.

Usage

```
plot_imputed(
  y_imputed,
  column = 1,
  title = "Imputed time series",
  color_imputed = "red",
  type = c("ggplot2", "simple")
)
```

Arguments

y_imputed	Imputed time series (can be any object coercible to a numeric vector or a numeric matrix). If it has the attribute "index_miss" (as returned by any of the imputation functions <code>impute_AR1_Gaussian</code> and <code>impute_AR1_t</code>), then it will highlight the imputed values in a different color.
column	Positive integer indicating the column index to be plotted (only valid if the argument y_imputed is coercible to a matrix with more than one column). Default is 1.
title	Title of the plot (default is "Imputed time series").
color_imputed	Color for the imputed values (default is "red").
type	Type of plot. Valid options: "ggplot2" and "simple". Default is "ggplot2" (the package ggplot2 must be installed).

Author(s)

Daniel P. Palomar

Examples

```
library(imputeFin)
data(ts_AR1_t)
y_missing <- ts_AR1_t$y_missing
y_imputed <- impute_AR1_t(y_missing)
plot_imputed(y_missing, title = "Original time series with missing values")
plot_imputed(y_imputed)
```

ts_AR1_Gaussian

Synthetic AR(1) Gaussian time series with missing values

Description

Synthetic AR(1) Gaussian time series with missing values for estimation and imputation testing purposes.

Usage

```
data(ts_AR1_Gaussian)
```

Format

List with the following elements:

y_missing 300 x 3 zoo object with three AR(1) Gaussian time series along the columns: the first column contains a time series with 10% consecutive missing values; the second column contains a time series with 10% missing values randomly distributed; and the third column contains the union of the previous missing values.

phi0 Value of phi0 used to generate the time series.

phi1 Value of phi1 used to generate the time series.

sigma2 Value of sigma2 used to generate the time series.

 ts_AR1_t

Synthetic AR(1) Student's t time series with missing values

Description

Synthetic AR(1) Student's t time series with missing values for estimation and imputation testing purposes.

Usage

```
data(ts_AR1_t)
```

Format

List with the following elements:

y_missing 300 x 3 zoo object with three AR(1) Student's t time series along the columns: the first column contains a time series with 10% consecutive missing values; the second column contains a time series with 10% missing values randomly distributed; and the third column contains the union of the previous missing values.

phi0 Value of phi0 used to generate the time series.

phi1 Value of phi1 used to generate the time series.

sigma2 Value of sigma2 used to generate the time series.

nu Value of nu used to generate the time series.

 ts_VAR_t

Synthetic Student's t VAR data with missing values

Description

Synthetic Student's t VAR data with missing values for estimation and imputation testing purposes.

Usage

```
data(ts_VAR_t)
```

Format

List with the following elements:

Y 200 x 3 zoo object as a Student's t VAR time series.

phi0 True value of the constant vector in the VAR model.

Phii True value of the coefficient matrix in the VAR model.

scatter True value of the scatter matrix (of the noise distribution) in the VAR model.

nu True value of the degrees of freedom (of the noise distribution) in the VAR model.

Index

* dataset

ts_AR1_Gaussian, 18

ts_AR1_t, 19

ts_VAR_t, 19

fit_AR1_Gaussian, 2, 3, 8, 11, 12

fit_AR1_t, 2, 5, 6, 10, 13, 15

fit_VAR_t, 8, 8

impute_AR1_Gaussian, 2, 5, 11, 15–18

impute_AR1_t, 2, 8, 12, 13, 17, 18

impute_OHLC, 15

impute_rolling_AR1_Gaussian, 15, 16, 16

imputeFin-package, 2

plot_imputed, 2, 12, 14, 15, 17, 17

ts_AR1_Gaussian, 3, 18

ts_AR1_t, 3, 19

ts_VAR_t, 19