

Package ‘statpsych’

October 14, 2022

Type Package

Title Statistical Methods for Psychologists

Version 1.2.0

Description Implements confidence interval and sample size methods that are especially useful in psychological research. The methods can be applied in 1-group, 2-group, paired-samples, and multiple-group designs and to a variety of parameters including means, medians, proportions, slopes, standardized mean differences, standardized linear contrasts of means, plus several measures of correlation and association. The confidence intervals and sample size functions are applicable to single parameters as well as differences, ratios, and linear contrasts of parameters. The sample size functions can be used to approximate the sample size needed to estimate a parameter or function of parameters with desired confidence interval precision or to perform a variety of hypothesis tests (directional two-sided, equivalence, superiority, noninferiority) with desired power. For details see: Statistical Methods for Psychologists, Volumes 1 – 4, <<https://dgbonett.sites.ucsc.edu/>>.

BugReports <https://github.com/dgbonett/statpsych/issues>

License GPL-3

Encoding UTF-8

Imports utils, stats, mathjaxr, Rdpack, mnonr

RoxygenNote 7.2.1

RdMacros Rdpack, mathjaxr

Suggests MASS, testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Douglas G. Bonett [aut, cre],
Robert J. Calin-Jageman [ctb]

Maintainer Douglas G. Bonett <dgbonett@ucsc.edu>

Repository CRAN

Date/Publication 2022-08-19 09:00:05 UTC

R topics documented:

ci.2x2.mean.bs	5
ci.2x2.mean.mixed	6
ci.2x2.mean.ws	7
ci.2x2.prop.bs	9
ci.2x2.prop.mixed	10
ci.agree	11
ci.agree2	12
ci.biphi	13
ci.cod1	14
ci.cod2	15
ci.condslope	16
ci.condslope.log	17
ci.cor	18
ci.cor.dep	19
ci.cor2	20
ci.cor2.gen	21
ci.cramer	22
ci.cronbach	23
ci.etasqr	24
ci.fisher	25
ci.indirect	25
ci.kappa	26
ci.lc.gen.bs	27
ci.lc.glm	28
ci.lc.mean.bs	30
ci.lc.median.bs	31
ci.lc.prop.bs	32
ci.lc.reg	33
ci.lc.stdmean.bs	34
ci.lc.stdmean.ws	35
ci.mad1	36
ci.mann	37
ci.mape	38
ci.mean.ps	39
ci.mean1	40
ci.mean2	41
ci.median.ps	42
ci.median1	43
ci.median2	44
ci.oddsratio	45
ci.pairs.prop.bs	46
ci.pairs.prop1	47
ci.pbcor	48
ci.phi	49
ci.popsiz	50
ci.prop.ps	51

ci.prop1	52
ci.prop2	53
ci.random.anova1	54
ci.ratio.mad.ps	55
ci.ratio.mad2	56
ci.ratio.mean.ps	57
ci.ratio.mean2	58
ci.ratio.median.ps	59
ci.ratio.median2	60
ci.ratio.prop.ps	61
ci.ratio.prop2	62
ci.reliability	63
ci.rsqr	64
ci.sign1	65
ci.slope.mean.bs	66
ci.slope.prop.bs	67
ci.spcor	68
ci.spear	69
ci.spear2	70
ci.stdmean.ps	71
ci.stdmean.strat	72
ci.stdmean1	73
ci.stdmean2	74
ci.tetra	75
ci.tukey	76
ci.var.upper	77
ci.yule	78
etasqr.adj	79
etasqr.gen.2way	80
iqv	81
pi.score1	81
pi.score2	82
random.sample	83
random.y	84
random.yx	85
randomize	86
sim.ci.cor	86
sim.ci.mean.ps	87
sim.ci.mean1	89
sim.ci.mean2	90
sim.ci.median1	91
sim.ci.spear	92
size.ci.agree	93
size.ci.condmean	94
size.ci.cor	95
size.ci.cronbach	96
size.ci.lc.ancova	97
size.ci.lc.mean.bs	98

size.ci.lc.mean.ws	98
size.ci.lc.prop.bs	99
size.ci.lc.stdmean.bs	100
size.ci.lc.stdmean.ws	101
size.ci.mean.ps	102
size.ci.mean1	103
size.ci.mean2	103
size.ci.prop.ps	104
size.ci.prop1	105
size.ci.prop2	106
size.ci.ratio.mean.ps	106
size.ci.ratio.mean2	107
size.ci.ratio.prop.ps	108
size.ci.ratio.prop2	109
size.ci.rsqr	110
size.ci.second	110
size.ci.slope	111
size.ci.stdmean.ps	112
size.ci.stdmean2	113
size.equiv.mean.ps	114
size.equiv.mean2	115
size.equiv.prop.ps	116
size.equiv.prop2	117
size.interval.cor	118
size.supinf.mean.ps	118
size.supinf.mean2	119
size.supinf.prop.ps	120
size.supinf.prop2	121
size.test.cor	122
size.test.cronbach	123
size.test.lc.ancova	124
size.test.lc.mean.bs	125
size.test.lc.mean.ws	125
size.test.lc.prop.bs	126
size.test.mann	127
size.test.mean.ps	128
size.test.mean1	129
size.test.mean2	130
size.test.prop.ps	130
size.test.prop1	131
size.test.prop2	132
size.test.sign.ps	133
size.test.sign1	133
size.test.slope	134
slope.contrast	135
test.anova.l.bs	136
test.kurtosis	137
test.mono.mean.bs	138

test.mono.prop.bs	139
test.prop.bs	140
test.prop.ps	141
test.prop1	142
test.prop2	143
test.skew	144

Index 145

ci.2x2.mean.bs	<i>Computes tests and confidence intervals of effects in a 2x2 between-subjects design for means</i>
----------------	--

Description

Computes confidence intervals and tests for the AB interaction effect, main effect of A, main effect of B, simple main effects of A, and simple main effects of B in a 2x2 between-subjects design with a quantitative response variable. A Satterthwaite adjustment to the degrees of freedom is used and equality of population variances is not assumed.

Usage

```
ci.2x2.mean.bs(alpha, y11, y12, y21, y22)
```

Arguments

alpha	alpha level for 1-alpha confidence
y11	vector of scores at level 1 of A and level 1 of B
y12	vector of scores at level 1 of A and level 2 of B
y21	vector of scores at level 2 of A and level 1 of B
y22	vector of scores at level 2 of A and level 2 of B

Value

Returns a 7-row matrix (one row per effect). The columns are:

- Estimate - estimate of effect
- SE - standard error
- t - t test statistic
- df - degrees of freedom
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```

y11 = c(14, 15, 11, 7, 16, 12, 15, 16, 10, 9)
y12 = c(18, 24, 14, 18, 22, 21, 16, 17, 14, 13)
y21 = c(16, 11, 10, 17, 13, 18, 12, 16, 6, 15)
y22 = c(18, 17, 11, 9, 9, 13, 18, 15, 14, 11)
ci.2x2.mean.bs(.05, y11, y12, y21, y22)

# Should return:
#      Estimate      SE      t      df      p      LL      UL
# AB:      -5.10 2.224860 -2.29227953 35.47894 0.027931810 -9.6145264 -0.5854736
# A:         1.65 1.112430  1.48323970 35.47894 0.146840430 -0.6072632  3.9072632
# B:        -2.65 1.112430 -2.38217285 35.47894 0.022698654 -4.9072632 -0.3927368
# A at b1:  -0.90 1.545244 -0.58243244 17.56296 0.567678242 -4.1522367  2.3522367
# A at b2:   4.20 1.600694  2.62386142 17.93761 0.017246053  0.8362274  7.5637726
# B at a1:  -5.20 1.536952 -3.38331916 17.61093 0.003393857 -8.4341379 -1.9658621
# B at a2:  -0.10 1.608657 -0.06216365 17.91650 0.951120753 -3.4807927  3.2807927

```

ci.2x2.mean.mixed	<i>Computes tests and confidence intervals of effects in a 2x2 mixed design for means</i>
-------------------	---

Description

Computes confidence intervals and tests for the AB interaction effect, main effect of A, main effect of B, simple main effects of A, and simple main effects of B in a 2x2 mixed factorial design with a quantitative response variable where Factor A is a within-subjects factor, and Factor B is a between-subjects factor. A Satterthwaite adjustment to the degrees of freedom is used and equality of population variances is not assumed.

Usage

```
ci.2x2.mean.mixed(alpha, y11, y12, y21, y22)
```

Arguments

alpha	alpha level for 1-alpha confidence
y11	vector of scores at level 1 in group 1
y12	vector of scores at level 2 in group 1
y21	vector of scores at level 1 in group 2
y22	vector of scores at level 2 in group 2

Value

Returns a 7-row matrix (one row per effect). The columns are:

- Estimate - estimate of effect
- SE - standard error
- t - t test statistic
- df - degrees of freedom
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```

y11 = c(18, 19, 20, 17, 20, 16)
y12 = c(19, 18, 19, 20, 17, 16)
y21 = c(19, 16, 16, 14, 16, 18)
y22 = c(16, 10, 12, 9, 13, 15)
ci.2x2.mean.mixed(.05, y11, y12, y21, y22)

# Should return:
#      Estimate      SE      t      df      p      LL      UL
# AB:    -3.8333333  0.9803627 -3.910117  8.346534  0.0041247610 -6.0778198 -1.588847
# A:      2.0833333  0.4901814  4.250128  8.346534  0.0025414549  0.9610901  3.205577
# B:      3.7500000  1.0226599  3.666908  7.601289  0.0069250119  1.3700362  6.129964
# A at b1: 0.1666667  0.8333333  0.200000  5.000000  0.8493605140 -1.9754849  2.308818
# A at b2: 4.0000000  0.5163978  7.745967  5.000000  0.0005732451  2.6725572  5.327443
# B at a1: 1.8333333  0.9803627  1.870056  9.943850  0.0911668588 -0.3527241  4.019391
# B at a2: 5.6666667  1.2692955  4.464419  7.666363  0.0023323966  2.7173445  8.615989

```

ci.2x2.mean.ws

Computes tests and confidence intervals of effects in a 2x2 within-subjects design for means

Description

Computes confidence intervals and tests for the AB interaction effect, main effect of A, main effect of B, simple main effects of A, and simple main effects of B in a 2x2 within-subjects design with a quantitative response variable.

Usage

```
ci.2x2.mean.ws(alpha, y11, y12, y21, y22)
```

Arguments

alpha	alpha level for 1-alpha confidence
y11	vector of scores at level 1 of A and level 1 of B
y12	vector of scores at level 1 of A and level 2 of B
y21	vector of scores at level 2 of A and level 1 of B
y22	vector of scores at level 2 of A and level 2 of B

Value

Returns a 7-row matrix (one row per effect). The columns are:

- Estimate - estimate of effect
- SE - standard error
- t - t test statistic
- df - degrees of freedom
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
y11 = c(1,2,3,4,5,7,7)
y12 = c(1,0,2,4,3,8,7)
y21 = c(4,5,6,7,8,9,8)
y22 = c(5,6,8,7,8,9,9)
ci.2x2.mean.ws(.05, y11, y12, y21, y22)
```

```
# Should return:
#           Estimate      SE      t df      p      LL      UL
# AB:      1.28571429  0.5654449  2.2738102  6 0.0633355395 -0.09787945  2.66930802
# A:      -3.21428571  0.4862042 -6.6109784  6 0.0005765210 -4.40398462 -2.02458681
# B:      -0.07142857  0.2296107 -0.3110855  6 0.7662600658 -0.63326579  0.49040865
# A at b1: -2.57142857  0.2973809 -8.6469203  6 0.0001318413 -3.29909331 -1.84376383
# A at b2: -3.85714286  0.7377111 -5.2285275  6 0.0019599725 -5.66225692 -2.05202879
# B at a1:  0.57142857  0.4285714  1.3333333  6 0.2308094088 -0.47724794  1.62010508
# B at a2: -0.71428571  0.2857143 -2.5000000  6 0.0465282323 -1.41340339 -0.01516804
```

ci.2x2.prop.bs	<i>Computes tests and confidence intervals of effects in a 2x2 between-subjects design for proportions</i>
----------------	--

Description

Computes adjusted Wald confidence intervals and tests for the AB interaction effect, main effect of A, main effect of B, simple main effects of A, and simple main effects of B in a 2x2 between-subjects factorial design with a dichotomous response variable. The input vector of frequency counts is f11, f12, f21, f22, and the input vector of sample sizes is n11, n12, n21, n22 where the first subscript represents the levels of Factor A and the second subscript represents the levels of Factor B.

Usage

```
ci.2x2.prop.bs(alpha, f, n)
```

Arguments

alpha	alpha level for 1-alpha confidence
f	vector of frequency counts of participants with attribute
n	vector of sample sizes

Value

Returns a 7-row matrix (one row per effect). The columns are:

- Estimate - adjusted estimate of effect
- SE - standard error of estimate
- z - z test statistic for test of null hypothesis
- p - p-value
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

Examples

```
f = c(15, 24, 28, 23)
n = c(50, 50, 50, 50)
ci.2x2.prop.bs(.05, f, n)

# Should return:
#      Estimate      SE      z      p      LL      UL
# AB:    -0.27450980 0.13692496 -2.0048193 0.044982370 -0.54287780 -0.00614181
# A:     -0.11764706 0.06846248 -1.7184165 0.085720668 -0.25183106 0.01653694
# B:     -0.03921569 0.06846248 -0.5728055 0.566776388 -0.17339968 0.09496831
# A at b1: -0.25000000 0.09402223 -2.6589456 0.007838561 -0.43428019 -0.06571981
# A at b2: 0.01923077 0.09787658 0.1964798 0.844234654 -0.17260380 0.21106534
```

```
# B at a1: -0.17307692 0.09432431 -1.8349132 0.066518551 -0.35794917 0.01179533
# B at a2: 0.09615385 0.09758550 0.9853293 0.324462356 -0.09511021 0.28741790
```

ci.2x2.prop.mixed	<i>Computes tests and confidence intervals of effects in a 2x2 mixed factorial design for proportions</i>
-------------------	---

Description

Computes adjusted Wald confidence intervals and tests for the AB interaction effect, main effect of A, main effect of B, simple main effects of A, and simple main effects of B in a 2x2 mixed factorial design with a dichotomous response variable where Factor A is a within-subjects factor and Factor B is a between-subjects factor. The 4x1 vector of frequency counts for Factor A within each group is f00, f01, f10, f11 where f_{ij} is the number of participants with a response of $i = 0$ or 1 at level 1 of Factor A and a response of $j = 0$ or 1 at level 2 of Factor A.

Usage

```
ci.2x2.prop.mixed(alpha, group1, group2)
```

Arguments

alpha	alpha level for 1-alpha confidence
group1	2x2 contingency table for Factor A in group 1
group2	2x2 contingency table for Factor A in group 2

Value

Returns a 7-row matrix (one row per effect). The columns are:

- Estimate - adjusted estimate of effect
- SE - standard error of estimate
- z - z test statistic
- p - p-value
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

Examples

```

group1 = c(23, 42, 24, 11)
group2 = c(26, 27, 13, 34)
ci.2x2.prop.mixed (.05, group1, group2)

# Should return:
#           Estimate      SE      z      p      LL      UL
# AB:      0.03960396 0.09991818 0.3963639 0.691836584 -0.156232072 0.2354400
# A:       0.15841584 0.04995909 3.1709113 0.001519615 0.060497825 0.2563339
# B:       0.09803922 0.04926649 1.9899778 0.046593381 0.001478675 0.1945998
# A at b1: 0.17647059 0.07893437 2.2356621 0.025373912 0.021762060 0.3311791
# A at b2: 0.13725490 0.06206620 2.2114274 0.027006257 0.015607377 0.2589024
# B at a1: 0.11764706 0.06842118 1.7194539 0.085531754 -0.016455982 0.2517501
# B at a2: 0.07843137 0.06913363 1.1344894 0.256589309 -0.057068054 0.2139308

```

ci.agree

Confidence interval for a G-index of agreement

Description

Computes a confidence interval for a G-index of agreement between two polychotomous ratings. This function requires the number of objects that were given the same rating by both raters.

Usage

```
ci.agree(alpha, n, f, k)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	sample size
f	number of objects rated in agreement
k	number of rating categories

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimate of G-index of agreement
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
ci.agree(.05, 100, 80, 4)

# Should return:
#      Estimate      SE      LL      UL
# [1,] 0.7333333 0.05333333 0.6132949 0.8226025
```

ci.agree2

Confidence interval for G-index difference in a 2-group design

Description

Computes adjusted Wald confidence intervals for the G-index of agreement within each group and the difference of G-indices. The point estimates are maximum likelihood estimates.

Usage

```
ci.agree2(alpha, n1, f1, n2, f2, r)
```

Arguments

alpha	alpha level for simultaneous 1-alpha confidence
n1	sample size (objects) in group 1
f1	number of objects rated in agreement in group 1
n2	sample size (objects) in group 2
f2	number of objects rated in agreement in group 2
r	number of rating categories

Value

Returns a 3-row matrix. The rows are:

- Row 1: G-index for group 1
- Row 2: G-index for group 2
- Row 3: G-index difference

The columns are:

- Estimate - estimate of G-index (single-group and difference)
- LL - lower limit of confidence interval
- UL - upper limit of confidence interval

Examples

```
ci.agree2(.05, 75, 70, 60, 45, 2)

# Should return:
#      Estimate      LL      UL
# G1      0.8666667 0.6974555 0.9481141
# G2      0.5000000 0.2523379 0.6851621
# G1 - G2 0.3666667 0.1117076 0.6088621
```

ci.biphi

Confidence interval for a biserial-phi correlation

Description

Computes a confidence interval for a biserial-phi correlation using a transformation of a confidence interval for an odds ratio with .5 added to each cell frequency. This measure of association assumes the group variable is naturally dichotomous and the response variable is artificially dichotomous.

Usage

```
ci.biphi(alpha, f1, f2, n1, n2)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	number of participants in group 1 who have the attribute
f2	number of participants in group 2 who have the attribute
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimate of biserial-phi correlation
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Ulrich R, Wirtz M (2004). "On the correlation of a naturally and an artificially dichotomized variable." *British Journal of Mathematical and Statistical Psychology*, **57**(2), 235–251. ISSN 00071102, doi: [10.1348/0007110042307203](https://doi.org/10.1348/0007110042307203).

Examples

```
ci.biphi(.05, 46, 15, 100, 100)

# Should return:
#   Estimate      SE      LL      UL
# [1,] 0.4145733 0.07551281 0.2508866 0.546141
```

ci.cod1

Confidence interval for a single coefficient of dispersion

Description

Computes a confidence interval for a population coefficient of dispersion (COD) which is defined as MAD/median. The COD is a robust alternative to the coefficient of variation and assumes ratio-scale scores.

Usage

```
ci.cod1(alpha, y)
```

Arguments

alpha	alpha level for 1-alpha confidence
y	vector of scores

Value

Returns a 1-row matrix. The columns are:

- COD - estimated coefficient of dispersion
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Seier E (2006). "Confidence interval for a coefficient of dispersion in nonnormal distributions." *Biometrical Journal*, **48**(1), 144–148. ISSN 0323-3847, doi: [10.1002/bimj.200410148](https://doi.org/10.1002/bimj.200410148).

Examples

```

y <- c(30, 20, 15, 10, 10, 60, 20, 25, 20, 30, 10, 5, 50, 40,
      20, 10, 0, 20, 50)
ci.cod1(.05, y)

# Should return:
#           COD          LL          UL
# [1,] 0.5921053 0.3813259 1.092679

```

ci.cod2	<i>Confidence interval for a ratio of dispersion coefficients in a 2-group design</i>
---------	---

Description

Computes a confidence interval for a ratio of population dispersion coefficients (MAD/median). Ratio-scale scores are assumed.

Usage

```
ci.cod2(alpha, y1, y2)
```

Arguments

alpha	alpha level for 1-alpha confidence
y1	vector of scores in gorup 1
y2	vector of scores in gorup 2

Value

Returns a 1-row matrix. The columns are:

- COD1 - estimated coefficient of dispersion in group 1
- COD2 - estimated coefficient of dispersion in group 2
- COD1/COD2 - estimated ratio of dispersion coefficients
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```

y1 <- c(32, 39, 26, 35, 43, 27, 40, 37, 34, 29)
y2 <- c(36, 44, 47, 42, 49, 39, 46, 31, 33, 48)
ci.cod2(.05, y1, y2)

# Should return:
#           COD1      COD2 COD1/COD2      LL      UL
# [1,] 0.1333333 0.1232558 1.081761 0.494964 2.282254

```

ci.condslope

Confidence interval for conditional (simple) slopes in a linear model

Description

Computes confidence intervals and test statistics for population conditional slopes (simple slopes) in a general linear model that includes a predictor variable that is the product of a moderator variable and a predictor variable. Conditional slopes are computed at specified low and high values of the moderator variable.

Usage

```
ci.condslope(alpha, b1, b2, se1, se2, cov, lo, hi, dfe)
```

Arguments

alpha	alpha level for 1-alpha confidence
b1	estimated slope coefficient for predictor variable
b2	estimated slope coefficient for product variable
se1	standard error for predictor coefficient
se2	standard error for product coefficient
cov	estimated covariance between predictor and product coefficients
lo	low value of moderator variable
hi	high value of moderator variable
dfe	error degrees of freedom

Value

Returns a 2-row matrix. The columns are:

- Estimate - estimated condition slope
- t - t test statistic
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
ci.condslope(.05, .132, .154, .031, .021, .015, 5.2, 10.6, 122)

# Should return:
#           Estimate      SE      t  df      p
# At low moderator  0.9328 0.4109570 2.269824 122 0.024973618
# At high moderator 1.7644 0.6070517 2.906507 122 0.004342076
#           LL      UL
# At low moderator  0.1192696 1.746330
# At high moderator 0.5626805 2.966119
```

ci.condslope.log *Confidence interval for conditional (simple) slopes in a logistic model*

Description

Computes confidence intervals and test statistics for population conditional slopes (simple slopes) in a logistic model that includes a predictor variable that is the product of a moderator variable and a predictor variable. Conditional slopes are computed at low and high values of the moderator variable.

Usage

```
ci.condslope.log(alpha, b1, b2, se1, se2, cov, lo, hi)
```

Arguments

alpha	alpha level for 1-alpha confidence
b1	estimated slope coefficient for predictor variable
b2	estimated slope coefficient for product variable
se1	standard error for predictor coefficient
se2	standard error for product coefficient
cov	estimated covariance between predictor and product coefficients
lo	low value of moderator variable
hi	high value of moderator variable

Value

Returns a 2-row matrix. The columns are:

- Estimate - estimated condition slope
- exp(Estimate) - estimated exponentiated condition slope
- z - z test statistic
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```

ci.condslope.log(.05, .132, .154, .031, .021, .015, 5.2, 10.6)

# Should return:
#           Estimate exp(Estimate)      z      p
# At low moderator  0.9328      2.541616 2.269824 0.023218266
# At high moderator 1.7644      5.838068 2.906507 0.003654887
#           LL      UL
# At low moderator  1.135802  5.687444
# At high moderator 1.776421 19.186357

```

ci.cor

Confidence interval for a Pearson or partial correlation

Description

Computes a Fisher confidence interval for a population Pearson correlation or partial correlation with s control variables. Set $s = 0$ for a Pearson correlation. A bias adjustment is used to reduce the bias of the Fisher transformed correlation. This function uses an estimated correlation as input. Use the `cor.test` function for raw data input.

Usage

```
ci.cor(alpha, cor, s, n)
```

Arguments

alpha	alpha level for 1-alpha confidence
cor	estimated Pearson or partial correlation
s	number of control variables
n	sample size

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated correlation
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Snedecor GW, Cochran WG (1989). *Statistical Methods*, 8th edition. ISU University Pres, Ames, Iowa.

Examples

```
ci.cor(.05, .536, 0, 50)

# Should return:
#   Estimate      SE      LL      UL
# [1,]  0.536 0.1018149 0.2978573 0.7058914
```

ci.cor.dep	<i>Confidence interval for a difference in dependent Pearson correlations</i>
------------	---

Description

Computes a confidence interval for a difference in population Pearson correlations that are estimated from the same sample and have one variable in common. A bias adjustment is used to reduce the bias of each Fisher transformed correlation.

Usage

```
ci.cor.dep(alpha, cor1, cor2, cor12, n)
```

Arguments

alpha	alpha level for 1-alpha confidence
cor1	estimated Pearson correlation between y and x1
cor2	estimated Pearson correlation between y and x2
cor12	estimated Pearson correlation between x1 and x2
n	sample size

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated correlation difference
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Zou GY (2007). "Toward using confidence intervals to compare correlations." *Psychological Methods*, 12(4), 399–413. ISSN 1939-1463, doi: [10.1037/1082989X.12.4.399](https://doi.org/10.1037/1082989X.12.4.399).

Examples

```
ci.cor.dep(.05, .396, .179, .088, 166)

# Should return:
#   Estimate      LL      UL
# [1,]  0.217 0.01323072 0.415802
```

ci.cor2

Confidence interval for a 2-group Pearson correlation difference

Description

Computes a confidence interval for a difference in population Pearson correlations in a 2-group design. A bias adjustment is used to reduce the bias of each Fisher transformed correlation.

Usage

```
ci.cor2(alpha, cor1, cor2, n1, n2)
```

Arguments

alpha	alpha level for 1-alpha confidence
cor1	estimated Pearson correlation in group 1
cor2	estimated Pearson correlation in group 2
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated correlation difference
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Zou GY (2007). "Toward using confidence intervals to compare correlations." *Psychological Methods*, 12(4), 399–413. ISSN 1939-1463, doi: [10.1037/1082989X.12.4.399](https://doi.org/10.1037/1082989X.12.4.399).

Examples

```
ci.cor2(.05, .886, .802, 200, 200)

# Should return:
#   Estimate      LL      UL
# [1,]  0.084 0.02803246 0.1463609
```

ci.cor2.gen

Confidence interval for a 2-group correlation difference

Description

Computes a 100(1 - alpha)% confidence interval for a difference in population correlations in a 2-group design. The correlations can be Pearson, Spearman, partial, semipartial, or point-biserial correlations. The function requires 100(1 - alpha)% confidence intervals for each correlation as input. This function also can be used to compute a confidence interval for the difference of two Cronbach reliability coefficients.

Usage

```
ci.cor2.gen(cor1, ll1, ul1, cor2, ll2, ul2)
```

Arguments

cor1	estimated correlation for group 1
ll1	lower limit for group 1 correlation
ul1	upper limit for group 1 correlation
cor2	estimated correlation for group 2
ll2	lower limit for group 2 correlation
ul2	upper limit for group 2 correlation

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated correlation difference
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Zou GY (2007). "Toward using confidence intervals to compare correlations." *Psychological Methods*, 12(4), 399–413. ISSN 1939-1463, doi: [10.1037/1082989X.12.4.399](https://doi.org/10.1037/1082989X.12.4.399).

Examples

```
ci.cor2.gen(.4, .35, .47, .2, .1, .32)

# Should return:
#   Estimate  LL      UL
# [1,]      0.2 0.07 0.3220656
```

ci.cramer

Confidence interval for Cramer's V

Description

Computes a confidence interval for a population Cramer's V coefficient of nominal association for an $r \times s$ contingency table and its approximate standard error. The confidence interval is based on a noncentral chi-square distribution, and an approximate standard error is recovered from the confidence interval.

Usage

```
ci.cramer(alpha, chisqr, r, c, n)
```

Arguments

alpha	alpha value for 1-alpha confidence
chisqr	Pearson chi-square test statistic for independence
r	number of rows in contingency table
c	number of columns in contingency table
n	sample size

Value

Returns a 1-row matrix. The columns are:

- Cramer's V - estimate of Cramer's V
- SE - approximate standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Smithson M (2003). *Confidence Intervals*. Sage.

Examples

```
ci.cramer(.05, 19.21, 2, 3, 200)

# Should return:
#   Cramer's V   SE   LL   UL
# [1,]   0.3099 0.0674 0.1888 0.4529
```

ci.cronbach	<i>Confidence interval for a Cronbach reliability</i>
-------------	---

Description

Computes a confidence interval for a population Cronbach reliability. The point estimate of Cronbach's reliability assumes essentially tau-equivalent measurements and this confidence interval assumes parallel measurements.

Usage

```
ci.cronbach(alpha, rel, r, n)
```

Arguments

alpha	alpha level for 1-alpha confidence
rel	sample value of Cronbach's reliability
r	number of measurements (items, raters, etc.)
n	sample size

Value

Returns a 1-row matrix. The columns are:

- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Feldt LS (1965). "The approximate sampling distribution of Kuder-Richardson reliability coefficient twenty." *Psychometrika*, **30**(3), 357–370. ISSN 0033-3123, doi: [10.1007/BF02289499](https://doi.org/10.1007/BF02289499).

Examples

```
ci.cronbach(.05, .85, 7, 89)

# Should return:
#           LL           UL
# [1,] 0.7971254 0.8931436
```

ci.etasqr

Confidence interval for eta-squared

Description

Computes a confidence interval for a population eta-squared, partial eta-squared, or generalized eta-squared in a fixed-factor between-subjects design. An approximate bias adjusted estimate is also computed.

Usage

```
ci.etasqr(alpha, etasqr, df1, df2)
```

Arguments

alpha	alpha value for 1-alpha confidence
etasqr	estimated eta-squared
df1	degrees of freedom for effect
df2	error degrees of freedom

Value

Returns a 1-row matrix. The columns are:

- Eta-squared - estimate of eta-squared
- adj Eta-squared - bias adjusted eta-squared estimate
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
ci.etasqr(.05, .241, 3, 116)

# Should return:
#   Eta-squared adj Eta-squared      LL      UL
# [1,]      0.241      0.2213707 0.1040229 0.3493431
```

ci.fisher	<i>Fisher confidence interval</i>
-----------	-----------------------------------

Description

Computes a Fisher confidence interval for any type of correlation or any measure of association that has a -1 to 1 range.

Usage

```
ci.fisher(alpha, cor, se)
```

Arguments

alpha	alpha value for 1-alpha confidence
cor	estimated correlation or association coefficient
se	standard error of estimate

Value

Returns a 1-row matrix containing the lower and upper confidence limits.

Examples

```
ci.fisher(.05, .641, .052)

# Should return:
#           LL           UL
# [1,] 0.5276396 0.7319293
```

ci.indirect	<i>Confidence interval for an indirect effect</i>
-------------	---

Description

Computes a Monte Carlo confidence interval (500,000 trials) for a population unstandardized indirect effect in a path model. This function is not recommended for a standardized indirect effect unless the standardized slope estimates for both paths are less than about .3 in absolute value. The Monte Carlo method is general in that the slope estimates and standard errors do not need to be OLS estimates with homoscedastic standard errors. For example, LAD slope estimates and their standard errors, OLS slope estimates and heteroscedastic standard errors, distribution-free Theil-Sen slope estimates with McKean-Schrader standard errors, or standardized slopes with robust standard errors also could be used.

Usage

```
ci.indirect(alpha, b1, b2, se1, se2)
```

Arguments

alpha	alpha level for 1-alpha confidence
b1	unstandardized slope estimate for first path
b2	unstandardized slope estimate for second path
se1	standard error for b1
se2	standard error for b2

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated indirect effect
- SE - standard error of indirect effect
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
ci.indirect (.05, 2.48, 1.92, .586, .379)

# Should return (within sampling error for CI):
#   Estimate      SE      LL      UL
# [1,]  4.7616 1.625282 2.178812 7.972262
```

```
ci.kappa
```

Confidence interval for a kappa reliability

Description

Computes a confidence interval for the intraclass kappa coefficient and Cohen's kappa coefficient for two dichotomous ratings. Both measures are intraclass reliability coefficients.

Usage

```
ci.kappa(alpha, f00, f01, f10, f11)
```

Arguments

alpha	alpha level for 1-alpha confidence
f00	number of objects rated y = 0 and x = 0
f01	number of objects rated y = 0 and x = 1
f10	number of objects rated y = 1 and x = 0
f11	number of objects rated y = 1 and x = 1

Value

Returns a 2-row matrix. The results in row 1 are for the intraclass kappa. The results in row 2 are for Cohen's kappa. The columns are:

- Estimate - estimate of interrater reliability
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Fleiss JL, Paik MC (2003). *Statistical Methods for Rates and Proportions*, 3rd edition. Wiley.

Examples

```
ci.kappa(.05, 31, 12, 4, 58)

# Should return:
#           Estimate      SE      LL      UL
# IC kappa:  0.6736597 0.07479965 0.5270551 0.8202643
# Cohen kappa: 0.6756757 0.07344761 0.5317210 0.8196303
```

ci.lc.gen.bs *Confidence interval for a linear contrast of parameters in a between-subjects design*

Description

Computes the estimate, standard error, and approximate confidence interval for a linear contrast of any type of parameter (e.g., quartile, ordinal regression slope, path coefficient, G-index) where each parameter value has been estimated from a different sample. The parameter values are assumed to be of the same type (e.g., all unstandardized path coefficients) and their sampling distributions are assumed to be approximately normal.

Usage

```
ci.lc.gen.bs(alpha, est, se, v)
```

Arguments

alpha	alpha level for simultaneous 1-alpha confidence
est	vector of parameter estimates
se	vector of standard errors
v	vector of contrast coefficients

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimate of linear contrast
- SE - standard error of linear contrast
- LL - lower limit of confidence interval
- UL - upper limit of confidence interval

Examples

```
est <- c(3.86, 4.57, 2.29, 2.88)
se <- c(0.185, 0.365, 0.275, 0.148)
v <- c(.5, .5, -.5, -.5)
ci.lc.gen.bs(.05, est, se, v)

# Should return:
#   Estimate      SE      LL      UL
# [1,]    1.63 0.2573806 1.125543 2.134457
```

ci.lc.glm	<i>Confidence interval for a linear contrast of general linear model parameters</i>
-----------	---

Description

Computes the estimate, standard error, and confidence interval for a linear contrast of parameters in a general linear model using `coef(object)` and `vcov(object)` where "object" is a fitted model object from the `lm` function.

Usage

```
ci.lc.glm(alpha, n, b, V, q)
```

Arguments

alpha	alpha for 1 - alpha confidence
n	sample size
b	vector of parameter estimates from coef(object)
V	covariance matrix of parameter estimates from vcov(object)
q	vector of coefficients

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimate of linear function
- SE - standard error
- t - t test statistic
- df - degrees of freedom
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```

y <- c(43, 62, 49, 60, 36, 79, 55, 42, 67, 50)
x1 <- c(3, 6, 4, 6, 2, 7, 4, 2, 7, 5)
x2 <- c(4, 6, 3, 7, 1, 9, 3, 3, 8, 4)
out <- lm(y ~ x1 + x2)
b <- coef(out)
V <- vcov(out)
n <- length(y)
q <- c(0, .5, .5)
b
ci.lc.glm(.05, n, b, V, q)

# Should return:
# (Intercept)      x1      x2
# 26.891111  3.648889  2.213333
# > ci.lc.glm(.05, n, b, V, q)
#      Estimate      SE      t df      p      LL      UL
# [1,] 2.931111 0.4462518 6.56829 7 0.000313428 1.875893 3.986329

```

ci.lc.mean.bs	<i>Confidence interval for a linear contrast of means in a between-subjects design</i>
---------------	--

Description

Computes a test statistic and confidence interval for a linear contrast of means. This function computes both unequal variance and equal variance confidence intervals and test statistics. A Satterthwaite adjustment to the degrees of freedom is used with the unequal variance method.

Usage

```
ci.lc.mean.bs(alpha, m, sd, n, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
m	vector of group estimated means
sd	vector of group estimated standard deviations
n	vector of sample sizes
v	vector of between-subjects contrast coefficients

Value

Returns a 2-row matrix. The columns are:

- Estimate - estimated linear contrast
- SE - standard error
- t - t test statistic
- df - degrees of freedom
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Snedecor GW, Cochran WG (1989). *Statistical Methods*, 8th edition. ISU University Pres, Ames, Iowa.

Examples

```

m <- c(33.5, 37.9, 38.0, 44.1)
sd <- c(3.84, 3.84, 3.65, 4.98)
n <- c(10,10,10,10)
v <- c(.5, .5, -.5, -.5)
ci.lc.mean.bs(.05, m, sd, n, v)

# Should return:
#
#           Estimate      SE      t      df
# Equal Variances Assumed:    -5.35  1.300136  -4.114955  36.00000
# Equal Variances Not Assumed:  -5.35  1.300136  -4.114955  33.52169
#
#           p      LL      UL
# Equal Variances Assumed:    0.0002152581  -7.986797  -2.713203
# Equal Variances Not Assumed: 0.0002372436  -7.993583  -2.706417

```

ci.lc.median.bs	<i>Confidence interval for a linear contrast of medians in a between-subjects design</i>
-----------------	--

Description

Computes a confidence interval for a linear contrast of medians in a between-subjects design using estimated medians and their standard errors. The sample median and standard error for each group can be computed using the ci.median1 function.

Usage

```
ci.lc.median.bs(alpha, m, se, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
m	vector of group estimated medians
se	vector of group standard errors
v	vector of between-subjects contrast coefficients

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated linear contrast of medians
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2002). “Statistical inference for a linear function of medians: Confidence intervals, hypothesis testing, and sample size requirements.” *Psychological Methods*, 7(3), 370–383. ISSN 1939-1463, doi: [10.1037/1082989X.7.3.370](https://doi.org/10.1037/1082989X.7.3.370).

Examples

```
m <- c(46.13, 29.19, 30.32, 49.15)
se <- c(6.361, 5.892, 4.887, 6.103)
v <- c(1, -1, -1, 1)
ci.lc.median.bs(.05, m, se, v)

# Should return:
#   Estimate      SE      LL      UL
# [1,]  35.77 11.67507 12.88727 58.65273
```

ci.lc.prop.bs	<i>Confidence interval for a linear contrast of proportions in a between-subjects design</i>
---------------	--

Description

Computes an adjusted Wald confidence interval for a linear contrast of proportions in a between-subjects design.

Usage

```
ci.lc.prop.bs(alpha, f, n, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
f	vector of frequency counts of participants with attribute
n	vector of sample sizes
v	vector of between-subjects contrast coefficients

Value

Returns a 1-row matrix. The columns are:

- Estimate - adjusted estimate of proportion linear contrast
- SE - adjusted standard error
- z - z test statistic
- p - p-value
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

References

Price RM, Bonett DG (2004). “An improved confidence interval for a linear function of binomial proportions.” *Computational Statistics & Data Analysis*, **45**(3), 449–456. ISSN 01679473, doi: [10.1016/S01679473\(03\)000070](https://doi.org/10.1016/S01679473(03)000070).

Examples

```
f <- c(26, 24, 38)
n <- c(60, 60, 60)
v <- c(-.5, -.5, 1)
ci.lc.prop.bs(.05, f, n, v)

# Should return:
#      Estimate      SE      z      p      LL      UL
# [1,] 0.2119565 0.07602892 2.787841 0.005306059 0.06294259 0.3609705
```

ci.lc.reg

Confidence interval for a linear contrast of regression coefficients

Description

Compute a confidence interval and test statistic for a linear contrast of a population regression coefficients (y-intercept or slope) across groups in a multiple group regression model. Equality of error variances across groups is not assumed. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence interval.

Usage

```
ci.lc.reg(alpha, est, se, n, s, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
est	vector of parameter estimates
se	vector of standard errors
n	vector of group sample sizes
s	number of predictor variables for each within-group model
v	vector of between-subject contrast coefficients

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated linear contrast
- SE - standard error
- t - t test statistic
- df - degrees of freedom
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
est <- c(1.74, 1.83, 0.482)
se <- c(.483, .421, .395)
n <- c(40, 40, 40)
v <- c(.5, .5, -1)
ci.lc.reg(.05, est, se, n, 4, v)

# Should return:
#      Estimate      SE      t      df      p      LL      UL
# [1,]  1.303 0.5085838 2.562016 78.8197 0.01231256 0.2906532 2.315347
```

ci.lc.stdmean.bs	<i>Confidence interval for a standardized linear contrast of means in a between-subjects design</i>
------------------	---

Description

Computes confidence intervals for a population standardized linear contrast of means in a between-subjects design. The square root weighted variance standardizer is recommended in 2-group nonexperimental designs with simple random sampling. The square root unweighted variance standardizer is recommended in 2-group experimental designs. Equality of variances is not assumed.

Usage

```
ci.lc.stdmean.bs(alpha, m, sd, n, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
m	vector of group estimated means
sd	vector of group estimated standard deviation
n	vector of sample sizes
v	vector of between-subjects contrast coefficients

Value

Returns a 2-row matrix. The columns are:

- Estimate - bias adjusted standardized linear contrast
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2008). "Confidence intervals for standardized linear contrasts of means." *Psychological Methods*, **13**(2), 99–109. ISSN 1939-1463, doi: [10.1037/1082989X.13.2.99](https://doi.org/10.1037/1082989X.13.2.99).

Examples

```
m <- c(33.5, 37.9, 38.0, 44.1)
sd <- c(3.84, 3.84, 3.65, 4.98)
n <- c(10,10,10,10)
v <- c(.5, .5, -.5, -.5)
ci.lc.stdmean.bs(.05, m, sd, n, v)

# Should return:
#               Estimate      SE      LL      UL
# Unweighted standardizer: -1.273964 0.3692800 -2.025039 -0.5774878
# Weighted standardizer:   -1.273964 0.3514511 -1.990095 -0.6124317
```

ci.lc.stdmean.ws	<i>Confidence interval for a standardized linear contrast of means in a within-subjects design</i>
------------------	--

Description

Computes a confidence interval for a population standardized linear contrast of means in a within-subjects design. A square root unweighted variance standardizer is used. Equality of variances is not assumed but the correlations among the repeated measures are assumed to be approximately equal.

Usage

```
ci.lc.stdmean.ws(alpha, m, sd, cor, n, q)
```

Arguments

alpha	alpha level for 1-alpha confidence
m	vector of within-subjects estimated means
sd	vector of within-subjects estimated standard deviations
cor	average estimated correlation of all measurement pairs
n	sample size
q	vector of within-subjects contrast coefficients

Value

Returns a 1-row matrix. The columns are:

- Estimate - bias adjusted standardized linear contrast
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2008). "Confidence intervals for standardized linear contrasts of means." *Psychological Methods*, **13**(2), 99–109. ISSN 1939-1463, doi: [10.1037/1082989X.13.2.99](https://doi.org/10.1037/1082989X.13.2.99).

Examples

```
m <- c(33.5, 37.9, 38.0, 44.1)
sd <- c(3.84, 3.84, 3.65, 4.98)
q <- c(.5, .5, -.5, -.5)
ci.lc.stdmean.ws(.05, m, sd, .672, 20, q)

# Should return:
#      Estimate      SE      LL      UL
# [1,] -1.266557  0.1860897 -1.665992 -0.936534
```

ci.mad1

Confidence interval for a single MAD

Description

Computes a confidence interval for a population mean absolute deviation from the median (MAD). The MAD is a robust alternative to the standard deviation.

Usage

```
ci.mad1(alpha, y)
```

Arguments

alpha	alpha level for 1-alpha confidence
y	vector of scores

Value

Returns a 1-row matrix. The columns are:

- MAD - estimated mean absolute deviation
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Seier E (2003). "Confidence intervals for mean absolute deviations." *The American Statistician*, **57**(4), 233–236. ISSN 0003-1305, doi: [10.1198/0003130032323](https://doi.org/10.1198/0003130032323).

Examples

```
y <- c(30, 20, 15, 10, 10, 60, 20, 25, 20, 30, 10, 5, 50, 40,
      20, 10, 0, 20, 50)
ci.mad1(.05, y)

# Should return:
#      MAD      LL      UL
# [1,] 12.5  7.962667 19.62282
```

ci.mann

Confidence interval for a Mann-Whitney parameter

Description

Computes a distribution-free confidence interval for the Mann-Whitney parameter. In a 2-group experiment, this parameter is the proportion of members in the population with scores that would be higher under treatment 1 than treatment 2. In a 2-group nonexperiment where participants are sampled from two subpopulations of sizes N_1 and N_2 , the parameter is the proportion of all $N_1 \times N_2$ pairs in which a member from subpopulation 1 has a larger score than a member from subpopulation 2.

Usage

```
ci.mann(alpha, y1, y2)
```

Arguments

alpha	alpha level for 1-alpha confidence
y1	vector of scores for group 1
y2	vector of scores for group 2

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimate of probability
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Sen PK (1967). "A note on asymptotically distribution-free confidence bounds for $P(X < Y)$, based on two independent samples." *The Indian Journal of Statistics, Series A*, **29**(1), 95–102.

Examples

```
y1 <- c(32, 39, 26, 35, 43, 27, 40, 37, 34, 29)
y2 <- c(36, 44, 47, 42, 49, 39, 46, 31, 33, 48)
ci.mann(.05, y1, y2)

# Should return:
#   Estimate      SE      LL UL
# [1,]  0.795 0.1401834 0.5202456 1
```

ci.mape

Confidence interval for a mean absolute prediction error

Description

Computes a confidence interval for a population mean absolute prediction error (MAPE) in a general linear model. The MAPE is a more robust alternative to the residual standard deviation. This function requires a vector of estimated residuals from a general linear model.

Usage

```
ci.mape(alpha, r, s)
```

Arguments

alpha	alpha level for 1-alpha confidence
r	vector of residuals
s	number of predictor variables in model

Value

Returns a 1-row matrix. The columns are:

- MAPE - estimated mean absolute prediction error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
r <- c(-2.70, -2.69, -1.32, 1.02, 1.23, -1.46, 2.21, -2.10, 2.56,
      -3.02, -1.55, 1.46, 4.02, 2.34)
ci.mape(.05, r, 1)

# Should return:
#      MAPE      LL      UL
# [1,] 2.3744 1.751678 3.218499
```

ci.mean.ps

Confidence interval for a paired-samples mean difference

Description

Computes a confidence interval for a population paired-samples mean difference using the estimated means, estimated standard deviations, estimated correlation, and sample size. Use the t.test function for raw data input.

Usage

```
ci.mean.ps(alpha, m1, m2, sd1, sd2, cor, n)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	estimated mean for measurement 1
m2	estimated mean for measurement 2
sd1	estimated standard deviation for measurement 1
sd2	estimated standard deviation for measurement 2
cor	estimated correlation between measurements
n	sample size

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated mean difference
- SE - standard error
- t - t test statistic
- df - degrees of freedom
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
ci.mean.ps(.05, 58.2, 51.4, 7.43, 8.92, .537, 30)
```

```
# Should return:
```

```
#      Estimate      SE      t df      p      LL      UL
# [1,]      6.8 1.455922 4.670578 29 6.33208e-05 3.822304 9.777696
```

```
ci.mean1
```

Confidence interval for a single mean

Description

Computes a confidence interval for a population mean using the estimated mean, estimated standard deviation, and sample size. Use the t.test function for raw data input.

Usage

```
ci.mean1(alpha, m, sd, n)
```

Arguments

alpha	alpha level for 1-alpha confidence
m	estimated mean
sd	estimated standard deviation
n	sample size

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated mean
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Snedecor GW, Cochran WG (1989). *Statistical Methods*, 8th edition. ISU University Pres, Ames, Iowa.

Examples

```
ci.mean1(.05, 24.5, 3.65, 40)

# Should return:
#      Estimate      SE      LL      UL
# [1,]      24.5 0.5771157 23.33267 25.66733
```

<code>ci.mean2</code>	<i>Confidence interval for a 2-group mean difference</i>
-----------------------	--

Description

Computes a confidence interval for a population 2-group mean difference using the estimated means, estimated standard deviations, and sample sizes. Use the `t.test` function for raw data input.

Usage

```
ci.mean2(alpha, m1, m2, sd1, sd2, n1, n2)
```

Arguments

<code>alpha</code>	alpha level for 1-alpha confidence
<code>m1</code>	estimated mean for group 1
<code>m2</code>	estimated mean for group 2
<code>sd1</code>	estimated standard deviation for group 1
<code>sd2</code>	estimated standard deviation for group 2
<code>n1</code>	sample size for group 1
<code>n2</code>	sample size for group 2

Value

Returns a 2-row matrix. The columns are:

- Estimate - estimated mean difference
- SE - standard error
- t - t test statistic
- df - degrees of freedom
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Snedecor GW, Cochran WG (1989). *Statistical Methods*, 8th edition. ISU University Pres, Ames, Iowa.

Examples

```
ci.mean2(.05, 15.4, 10.3, 2.67, 2.15, 30, 20)

# Should return:
#
#           Estimate      SE      t      df
# Equal Variances Assumed:      5.1 1.602248 3.183029 48.0000
# Equal Variances Not Assumed:  5.1 1.406801 3.625247 44.1137
#
#           p      LL      UL
# Equal Variances Assumed:  0.0025578586 1.878465 8.321535
# Equal Variances Not Assumed: 0.0007438065 2.264986 7.935014
```

ci.median.ps

Confidence interval for a paired-samples median difference

Description

Computes a confidence interval for a difference of population medians in a paired-samples design. This function also computes the standard errors for each median and the covariance between the two medians.

Usage

```
ci.median.ps(alpha, y1, y2)
```

Arguments

alpha	alpha level for 1-alpha confidence
y1	vector of scores for measurement 1
y2	vector of scores for measurement 2

Value

Returns a 1-row matrix. The columns are:

- Median1 - estimated median for measurement 1
- Median2 - estimated median for measurement 2
- Median1-Median2 - estimated difference of medians
- SE1 - standard error of median 1
- SE2 - standard error of median 2

- COV - covariance of medians
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2020). "Interval estimation for linear functions of medians in within-subjects and mixed designs." *British Journal of Mathematical and Statistical Psychology*, **73**(2), 333–346. ISSN 0007-1102, doi: [10.1111/bmsp.12171](https://doi.org/10.1111/bmsp.12171).

Examples

```
y1 <- c(21, 4, 9, 12, 35, 18, 10, 22, 24, 1, 6, 8, 13, 16, 19)
y2 <- c(67, 28, 30, 28, 52, 40, 25, 37, 44, 10, 14, 20, 28, 40, 51)
ci.median.ps(.05, y1, y2)

# Should return:
#   Median1 Median2 Median1-Median2      SE      LL      UL
# [1,]    13     30          -17 3.362289 -23.58996 -10.41004
#       SE1      SE2      COV
#   3.085608 4.509735 9.276849
```

ci.median1	<i>Confidence interval for a single median</i>
------------	--

Description

Computes a confidence interval for a single population median.

Usage

```
ci.median1(alpha, y)
```

Arguments

alpha	alpha level for 1-alpha confidence
y	vector of scores

Value

Returns a 1-row matrix. The columns are:

- Median - estimated median
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Snedecor GW, Cochran WG (1989). *Statistical Methods*, 8th edition. ISU University Pres, Ames, Iowa.

Examples

```
y <- c(30, 20, 15, 10, 10, 60, 20, 25, 20, 30, 10, 5, 50, 40,
      20, 10, 0, 20, 50)
ci.median1(.05, y)

# Should return:
#   Median      SE LL UL
# [1,]    20 4.270922 10 30
```

 ci.median2

Confidence interval for a 2-group median difference

Description

Computes a confidence interval for a 2-group difference of population medians.

Usage

```
ci.median2(alpha, y1, y2)
```

Arguments

alpha	alpha level for 1-alpha confidence
y1	vector of scores for group 1
y2	vector of scores for group 2

Value

Returns a 1-row matrix. The columns are:

- Median1 - estimated median from group 1
- Median2 - estimated median from group 2
- Median1-Median2 - estimated difference in medians
- SE - standard error of the difference
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2002). "Statistical inference for a linear function of medians: Confidence intervals, hypothesis testing, and sample size requirements." *Psychological Methods*, 7(3), 370–383. ISSN 1939-1463, doi: [10.1037/1082989X.7.3.370](https://doi.org/10.1037/1082989X.7.3.370).

Examples

```
y1 <- c(32, 39, 26, 35, 43, 27, 40, 37, 34, 29)
y2 <- c(36, 44, 47, 42, 49, 39, 46, 31, 33, 48)
ci.median2(.05, y1, y2)

# Should return:
#      Median1 Median2 Median1-Median2      SE      LL      UL
# [1,]    34.5     43          -8.5 4.316291 -16.95977 -0.04022524
```

ci.oddsratio

Confidence interval for an odds ratio

Description

Computes a confidence interval for an odds ratio with .5 added to each cell frequency. This function requires the frequency counts from a 2 x 2 contingency table for two dichotomous variables.

Usage

```
ci.oddsratio(alpha, f00, f01, f10, f11)
```

Arguments

alpha	alpha level for 1-alpha confidence
f00	number of participants with y = 0 and x = 0
f01	number of participants with y = 0 and x = 1
f10	number of participants with y = 1 and x = 0
f11	number of participants with y = 1 and x = 1

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimate of proportion ratio
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Fleiss JL, Paik MC (2003). *Statistical Methods for Rates and Proportions*, 3rd edition. Wiley.

Examples

```
ci.oddsratio(.05, 229, 28, 96, 24)

# Should return:
#   Estimate      LL      UL
# [1,] 2.044451 1.133267 3.688254
```

ci.pairs.prop.bs	<i>Bonferroni confidence intervals for all pairwise proportion differences in a between-subjects design</i>
------------------	---

Description

Computes adjusted Wald confidence intervals for all pairwise differences of proportions in a between-subjects design with a Bonferroni adjusted alpha level.

Usage

```
ci.pairs.prop.bs(alpha, f, n)
```

Arguments

alpha	alpha level for simultaneous 1-alpha confidence
f	vector of frequency counts of participants who have the attribute
n	vector of sample sizes

Value

Returns a 1-row matrix. The columns are:

- Estimate - adjusted estimate of proportion difference
- SE - adjusted standard error
- z - z test statistic
- p - p-value
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

References

Agresti A, Caffo B (2000). "Simple and effective confidence intervals for proportions and differences of proportions result from adding two successes and two failures." *The American Statistician*, 54(4), 280. ISSN 00031305, doi: [10.2307/2685779](https://doi.org/10.2307/2685779).

Examples

```
f <- c(111, 161, 132)
n <- c(200, 200, 200)
ci.pairs.prop.bs(.05, f, n)

# Should return:
#      Estimate      SE      z      p      LL      UL
# 1 2 -0.2475248 0.04482323 -5.522243 3.346989e-08 -0.35483065 -0.14021885
# 1 3 -0.1039604 0.04833562 -2.150803 3.149174e-02 -0.21967489  0.01175409
# 2 3  0.1435644 0.04358401  3.293968 9.878366e-04  0.03922511  0.24790360
```

ci.pairs.prop1	<i>Confidence intervals for pairwise proportion differences of a polychotomous variable</i>
----------------	---

Description

Computes adjusted Wald confidence intervals for pairwise proportion differences of a polychotomous variable. These adjusted Wald confidence intervals use the same method that is used to compare the two proportions in a paired-samples design.

Usage

```
ci.pairs.prop1(alpha, f)
```

Arguments

alpha	alpha level for 1-alpha confidence
f	vector of multinomial frequency counts

Value

Returns a 1-row matrix. The columns are:

- Estimate - adjusted difference of proportions
- SE - adjusted standard error
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

References

Bonett DG, Price RM (2012). “Adjusted wald confidence interval for a difference of binomial proportions based on paired data.” *Journal of Educational and Behavioral Statistics*, **37**(4), 479–488. ISSN 1076-9986, doi: [10.3102/1076998611411915](https://doi.org/10.3102/1076998611411915).

Examples

```
f <- c(125, 82, 92)
ci.pairs.prop1(.05, f)

# Should return:
#      Estimate      SE      LL      UL
# 1 2  0.14285714 0.04731825 0.05011508 0.23559920
# 1 3  0.10963455 0.04875715 0.01407230 0.20519680
# 2 3 -0.03322259 0.04403313 -0.11952594 0.05308076
```

ci.pbcor

Confidence interval for a point-biserial correlation

Description

Computes confidence intervals for two types of population point-biserial correlations. One type uses a weighted average of the group variances and is appropriate for nonexperimental designs with simple random sampling (rather than stratified random sampling). The other type uses an unweighted average of the group variances and is appropriate for experimental designs. Equality of variances is not assumed for either type.

Usage

```
ci.pbcor(alpha, m1, m2, sd1, sd2, n1, n2)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	estimated mean for group 1
m2	estimated mean for group 2
sd1	estimated standard deviation for group 1
sd2	estimated standard deviation for group 2
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a 2-row matrix. The columns are:

- Estimate - estimated point-biserial correlation
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2020). "Point-biserial correlation: Interval estimation, hypothesis testing, meta-analysis, and sample size determination." *British Journal of Mathematical and Statistical Psychology*, **73**(S1), 113–144. ISSN 0007-1102, doi: [10.1111/bmsp.12189](https://doi.org/10.1111/bmsp.12189).

Examples

```
ci.pbcor(.05, 28.32, 21.48, 3.81, 3.09, 40, 40)

# Should return:
#           Estimate      LL      UL
# Weighted:  0.7065799 0.5885458 0.7854471
# Unweighted: 0.7020871 0.5808366 0.7828948
```

ci.phi

Confidence interval for a phi correlation

Description

Computes a confidence interval for a phi correlation. This function requires the frequency counts from a 2 x 2 contingency table for two dichotomous variables. This measure of association assumes that both dichotomous variables are naturally dichotomous.

Usage

```
ci.phi(alpha, f00, f01, f10, f11)
```

Arguments

alpha	alpha level for 1-alpha confidence
f00	number of participants with y = 0 and x = 0
f01	number of participants with y = 0 and x = 1
f10	number of participants with y = 1 and x = 0
f11	number of participants with y = 1 and x = 1

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimate of phi correlation
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bishop YMM, Fienberg SE, Holland PW (1975). *Discrete Multivariate Analysis*. MIT Press.

Examples

```
ci.phi(.05, 229, 28, 96, 24)

# Should return:
#   Estimate      SE      LL      UL
# [1,] 0.1229976 0.05746271 0.01037273 0.2356224
```

ci.popsize

Confidence interval for an unknown population size

Description

Computes a Wald confidence interval for an unknown population size using mark-recapture sampling. This method assumes independence of the two samples. This function requires the frequency counts from an incomplete 2 x 2 contingency table for the two samples (f11 is the unknown number of people who were not observed in either sample). This method sets the estimated odds ratio (with .5 added to each cell) to 1 and solves for unobserved cell frequency.

Usage

```
ci.popsize(alpha, f00, f01, f10)
```

Arguments

alpha	alpha level for 1-alpha confidence
f00	number of people observed in both samples
f01	number of people observed in first sample but not second sample
f10	number of people observed in second sample but not first sample

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimate of the unknown population size
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
ci.popsiize(.05, 794, 710, 741)

# Should return:
#   Estimate  LL  UL
# [1,]    2908 2818 3012
```

 ci.prop.ps

Confidence interval for a paired-samples proportion difference

Description

Computes an adjusted Wald confidence interval for a difference of proportions in a paired-samples design. This function requires the frequency counts from a 2 x 2 contingency table for two repeated dichotomous measurements.

Usage

```
ci.prop.ps(alpha, f00, f01, f10, f11)
```

Arguments

alpha	alpha level for 1-alpha confidence
f00	number of participants with y = 0 and x = 0
f01	number of participants with y = 0 and x = 1
f10	number of participants with y = 1 and x = 0
f11	number of participants with y = 1 and x = 1

Value

Returns a 1-row matrix. The columns are:

- Estimate - adjusted estimate of proportion difference
- SE - adjusted standard error
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

References

Bonett DG, Price RM (2012). “Adjusted wald confidence interval for a difference of binomial proportions based on paired data.” *Journal of Educational and Behavioral Statistics*, **37**(4), 479–488. ISSN 1076-9986, doi: [10.3102/1076998611411915](https://doi.org/10.3102/1076998611411915).

Examples

```
ci.prop.ps(.05, 12, 26, 4, 6)

# Should return:
#   Estimate      SE      LL      UL
# [1,] 0.4583333 0.09448809 0.2548067 0.6251933
```

ci.prop1	<i>Confidence interval for a single proportion</i>
----------	--

Description

Computes adjusted Wald and Wilson confidence intervals for a single population proportion. The Wilson confidence interval uses a continuity correction.

Usage

```
ci.prop1(alpha, f, n)
```

Arguments

alpha	alpha level for 1-alpha confidence
f	number of participants who have the attribute
n	sample size

Value

Returns a 2-row matrix. The columns of row 1 are:

- Estimate - adjusted estimate of proportion
- SE - adjusted standard error
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

The columns of row 2 are:

- Estimate - ML estimate of proportion
- SE - standard error
- LL - lower limit of the Wilson confidence interval
- UL - upper limit of the Wilson confidence interval

References

Agresti A, Coull BA (1998). “Approximate is better than ‘exact’ for interval estimation of binomial proportions.” *The American Statistician*, **52**(2), 119–126. ISSN 0003-1305, doi: [10.1080/00031305.1998.10480550](https://doi.org/10.1080/00031305.1998.10480550).

Examples

```
ci.prop1(.05, 12, 100)

# Should return:
#           Estimate          SE          LL          UL
# Adjusted Wald  0.1346154  0.03346842  0.06901848  0.2002123
# Wilson with cc  0.1200000  0.03249615  0.06625153  0.2039772
```

ci.prop2

Confidence interval for a 2-group proportion difference

Description

Computes an adjusted Wald confidence interval for a proportion difference in a 2-group design.

Usage

```
ci.prop2(alpha, f1, f2, n1, n2)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	number of participants in group 1 who have the attribute
f2	number of participants in group 2 who have the attribute
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a 1-row matrix. The columns are:

- Estimate - adjusted estimate of proportion difference
- SE - adjusted standard error
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

References

Agresti A, Caffo B (2000). "Simple and effective confidence intervals for proportions and differences of proportions result from adding two successes and two failures." *The American Statistician*, 54(4), 280. ISSN 00031305, doi: [10.2307/2685779](https://doi.org/10.2307/2685779).

Examples

```
ci.prop2(.05, 35, 21, 150, 150)

# Should return:
#      Estimate      SE      LL      UL
# [1,] 0.09210526 0.04476077 0.004375769 0.1798348
```

ci.random.anova1	<i>Confidence intervals for parameters of one-way random effects ANOVA</i>
------------------	--

Description

Computes estimates and confidence intervals for four parameters of the one-way random effects ANOVA: 1) the superpopulation grand mean, 2) the square-root within-group variance component, 3) the square-root between-group variance component, and 4) the omega-squared coefficient. This function assumes equal sample sizes.

Usage

```
ci.random.anova1(alpha, m, sd, n)
```

Arguments

alpha	1 - alpha confidence
m	vector of group estimated means
sd	vector of group estimated standard deviations
n	sample size per group

Value

Returns a 4-row matrix. The rows are:

- Grand mean - the mean of the superpopulation of means
- Within SD - the square-root within-group variance component
- Between SD - the square-root between-group variance component
- Omega-squared - the omega-squared coefficient

The columns are:

- Estimate - estimate of parameter
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
m <- c(56.1, 51.2, 60.3, 68.2, 48.9, 70.5)
sd <- c(9.45, 8.79, 9.71, 8.90, 8.31, 9.75)
ci.random.anova1(.05, m, sd, 20)

# Should return:
#           Estimate      LL      UL
# Grand mean 59.200000 49.9363896 68.4636104
# Within SD:  9.166782  8.0509046 10.4373219
# Between SD:  8.585948  8.3239359  8.8562078
# Omega-squared: 0.467317 0.2284142 0.8480383
```

```
ci.ratio.mad.ps
```

Confidence interval for a paired-sample MAD ratio

Description

Computes a confidence interval for a ratio of population MADs (mean absolute deviation from median) in a paired-samples design.

Usage

```
ci.ratio.mad.ps(alpha, y1, y2)
```

Arguments

alpha	alpha level for 1-alpha confidence
y1	vector of measurement 1 scores
y2	vector of measurement 2 scores

Value

Returns a 1-row matrix. The columns are:

- MAD1 - estimated MAD for measurement 1
- MAD2 - estimated MAD for measurement 2
- MAD1/MAD2 - estimate of MAD ratio
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Seier E (2003). "Statistical inference for a ratio of dispersions using paired samples." *Journal of Educational and Behavioral Statistics*, **28**(1), 21–30. ISSN 1076-9986, doi: [10.3102/10769986028001021](https://doi.org/10.3102/10769986028001021).

Examples

```
y2 <- c(21, 4, 9, 12, 35, 18, 10, 22, 24, 1, 6, 8, 13, 16, 19)
y1 <- c(67, 28, 30, 28, 52, 40, 25, 37, 44, 10, 14, 20, 28, 40, 51)
ci.ratio.mad.ps(.05, y1, y2)

# Should return:
#      MAD1  MAD2  MAD1/MAD2      LL      UL
# [1,] 12.71429  7.5  1.695238 1.109176 2.590961
```

ci.ratio.mad2	<i>Confidence interval for a 2-group MAD ratio</i>
---------------	--

Description

Computes a confidence interval for a ratio of population MADs (mean absolute deviation from median) in a 2-group design.

Usage

```
ci.ratio.mad2(alpha, y1, y2)
```

Arguments

alpha	alpha level for 1-alpha confidence
y1	vector of scores for group 1
y2	vector of scores for group 2

Value

Returns a 1-row matrix. The columns are:

- MAD1 - estimated MAD from group 1
- MAD2 - estimated MAD from group 2
- MAD1/MAD2 - estimate of MAD ratio
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Seier E (2003). “Confidence intervals for mean absolute deviations.” *The American Statistician*, **57**(4), 233–236. ISSN 0003-1305, doi: [10.1198/0003130032323](https://doi.org/10.1198/0003130032323).

Examples

```
y1 <- c(32, 39, 26, 35, 43, 27, 40, 37, 34, 29)
y2 <- c(36, 44, 47, 42, 49, 39, 46, 31, 33, 48)
ci.ratio.mad2(.05, y1, y2)

# Should return:
#           MAD1      MAD2  MAD1/MAD2      LL      UL
# [1,] 5.111111 5.888889 0.8679245 0.4520879 1.666253
```

ci.ratio.mean.ps

Confidence interval for a paired-samples mean ratio

Description

Compute a confidence interval for a ratio of population means of ratio-scale measurements in a paired-samples design. Equality of variances is not assumed.

Usage

```
ci.ratio.mean.ps(alpha, y1, y2)
```

Arguments

alpha	alpha level for 1-alpha confidence
y1	vector of measurement 1 scores
y2	vector of measurement 2 scores

Value

Returns a 1-row matrix. The columns are:

- Mean1 - estimated measurement 1 mean
- Mean2 - estimated measurement 2 mean
- Mean1/Mean2 - estimate of mean ratio
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2020). “Confidence intervals for ratios of means and medians.” *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi: [10.3102/1076998620934125](https://doi.org/10.3102/1076998620934125).

Examples

```
y1 <- c(3.3, 3.6, 3.0, 3.1, 3.9, 4.2, 3.5, 3.3)
y2 <- c(3.0, 3.1, 2.7, 2.6, 3.2, 3.8, 3.2, 3.0)
ci.ratio.mean.ps(.05, y1, y2)

# Should return:
#      Mean1 Mean2 Mean1/Mean2      LL      UL
# [1,] 3.4875 3.075    1.134146 1.09417 1.175583
```

<code>ci.ratio.mean2</code>	<i>Confidence interval for a 2-group mean ratio</i>
-----------------------------	---

Description

Computes a confidence interval for a ratio of population means of ratio-scale measurements in a 2-group design. Equality of variances is not assumed.

Usage

```
ci.ratio.mean2(alpha, y1, y2)
```

Arguments

<code>alpha</code>	alpha level for 1-alpha confidence
<code>y1</code>	vector of scores for group 1
<code>y2</code>	vector of scores for group 2

Value

Returns a 1-row matrix. The columns are:

- Mean1 - estimated mean from group 1
- Mean2 - estimated mean from group 2
- Mean1/Mean2- estimated mean ratio
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2020). “Confidence intervals for ratios of means and medians.” *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi: [10.3102/1076998620934125](https://doi.org/10.3102/1076998620934125).

Examples

```
y2 <- c(32, 39, 26, 35, 43, 27, 40, 37, 34, 29, 49, 42, 40)
y1 <- c(36, 44, 47, 42, 49, 39, 46, 31, 33, 48)
ci.ratio.mean2(.05, y1, y2)

# Should return:
#
#      Mean1   Mean2 Mean1/Mean2      LL      UL
# [1,]  41.5  36.38462   1.140592 0.9897482 1.314425
```

ci.ratio.median.ps *Confidence interval for a paired-samples median ratio*

Description

Computes a confidence interval for a ratio of population medians in a paired-samples design.

Usage

```
ci.ratio.median.ps(alpha, y1, y2)
```

Arguments

alpha	alpha level for 1-alpha confidence
y1	vector of scores for measurement 1
y2	vector of scores for measurement 2

Value

Returns a 1-row matrix. The columns are:

- Median1 - estimated median from measurement 1
- Median2 - estimated median from measurement 2
- Median1/Median2 - estimated ratio of medians
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2020). “Confidence intervals for ratios of means and medians.” *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi: [10.3102/1076998620934125](https://doi.org/10.3102/1076998620934125).

Examples

```
y1 <- c(21, 4, 9, 12, 35, 18, 10, 22, 24, 1, 6, 8, 13, 16, 19)
y2 <- c(67, 28, 30, 28, 52, 40, 25, 37, 44, 10, 14, 20, 28, 40, 51)
ci.ratio.median.ps(.05, y1, y2)

# Should return:
#           Median1 Median2 Median1/Median2      LL      UL
# [1,]           13      30      0.4333333 0.3094838 0.6067451
```

ci.ratio.median2 *Confidence interval for a 2-group median ratio*

Description

Computes a confidence interval for a ratio of population medians of ratio-scale measurements in a 2-group design.

Usage

```
ci.ratio.median2(alpha, y1, y2)
```

Arguments

alpha	alpha level for 1-alpha confidence
y1	vector of scores for group 1
y2	vector of scores for group 2

Value

Returns a 1-row matrix. The columns are:

- Median1 - estimated median from group 1
- Median2 - estimated median from group 2
- Median1/Median2 - estimated ratio of medians
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2020). “Confidence intervals for ratios of means and medians.” *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi: [10.3102/1076998620934125](https://doi.org/10.3102/1076998620934125).

Examples

```
y2 <- c(32, 39, 26, 35, 43, 27, 40, 37, 34, 29, 49, 42, 40)
y1 <- c(36, 44, 47, 42, 49, 39, 46, 31, 33, 48)
ci.ratio.median2(.05, y1, y2)

# Should return:
#   Median1 Median2 Median1/Median2      LL      UL
# [1,]      43      37      1.162162 0.927667 1.455933
```

ci.ratio.prop.ps *Confidence interval for a paired-samples proportion ratio*

Description

Computes a confidence interval for a ratio of proportions in a paired-samples design. This function requires the frequency counts from a 2 x 2 contingency table for two repeated dichotomous measurements.

Usage

```
ci.ratio.prop.ps(alpha, f00, f10, f01, f11)
```

Arguments

alpha	alpha level for 1-alpha confidence
f00	number of participants with y = 0 and x = 0
f10	number of participants with y = 1 and x = 0
f01	number of participants with y = 0 and x = 1
f11	number of participants with y = 1 and x = 1

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimate of proportion ratio
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2006). “Confidence intervals for a ratio of binomial proportions based on paired data.” *Statistics in Medicine*, **25**(17), 3039–3047. ISSN 0277-6715, doi: [10.1002/sim.2440](https://doi.org/10.1002/sim.2440).

Examples

```
ci.ratio.prop.ps(.05, 12, 26, 4, 6)

# Should return:
#   Estimate      LL      UL
# [1,]  2.375 1.537157 3.669518
```

<code>ci.ratio.prop2</code>	<i>Confidence interval for a 2-group proportion ratio</i>
-----------------------------	---

Description

Computes an adjusted Wald confidence interval for a proportion ratio in a 2-group design.

Usage

```
ci.ratio.prop2(alpha, f1, f2, n1, n2)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	number of participants in group 1 who have the attribute
f2	number of participants in group 2 who have the attribute
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a 1-row matrix. The columns are:

- Estimate - adjusted estimate of proportion ratio
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

References

Price RM, Bonett DG (2008). “Confidence intervals for a ratio of two independent binomial proportions.” *Statistics in Medicine*, **27**(26), 5497–5508. ISSN 02776715, doi: [10.1002/sim.3376](https://doi.org/10.1002/sim.3376).

Examples

```
ci.ratio.prop2(.05, 35, 21, 150, 150)

# Should return:
#   Estimate      LL      UL
# [1,] 1.666667 1.017253 2.705025
```

ci.reliability	<i>Confidence interval for a reliability coefficient</i>
----------------	--

Description

Computes a confidence interval for a population reliability coefficient such as Cronbach's alpha or McDonald's omega using an estimate of the reliability and its standard error. The standard error can be a robust standard error or bootstrap standard error obtained from an SEM program.

Usage

```
ci.reliability(alpha, rel, se, n)
```

Arguments

alpha	alpha level for 1-alpha confidence
rel	estimated reliability
se	standard error of reliability
n	sample size

Value

Returns a 1-row matrix. The columns are:

- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
ci.reliability(.05, .88, .147, 100)

# Should return:
# [1,] 0.7971254 0.8931436
```

 ci.rsqr

Confidence interval for squared multiple correlation

Description

Computes an approximate confidence interval for a population squared multiple correlation in a linear model with random predictor variables. This function uses the scaled central F approximation method.

Usage

```
ci.rsqr(alpha, r2, s, n)
```

Arguments

alpha	alpha value for 1-alpha confidence
r2	estimated unadjusted squared multiple correlation
s	number of predictor variables
n	sample size

Value

Returns a 1-row matrix. The columns are:

- R-squared - estimate of unadjusted R-squared
- adj R-squared - bias adjusted R-squared estimate
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Helland IS (1987). "On the interpretation and use of R2 in regression analysis." *Biometrics*, **43**(1), 61-69. doi: [10.2307/2531949](https://doi.org/10.2307/2531949).

Examples

```
ci.rsqr(.05, .241, 3, 116)

# Should return:
#      R-squared  adj R-squared      LL      UL
# [1,]      0.241      0.2206696  0.09819599 0.3628798
```

ci.sign1

Confidence interval for the parameter of the one-sample sign test

Description

Computes adjusted Wald interval for the population proportion of quantitative scores that are greater than the null hypothesis value of the population median in a one-sample sign test.

Usage

```
ci.sign1(alpha, y, h)
```

Arguments

alpha	alpha level for 1-alpha confidence
y	vector of y scores
h	null hypothesis value for population median

Value

Returns a 1-row matrix. The columns are:

- Estimate - adjusted estimate of proportion
- SE - adjusted standard error
- LL - lower limit of adjusted Wald confidence interval
- UL - upper limit of adjusted Wald confidence interval

References

Agresti, A, & Coull, BA (1998) Approximate is better than “exact” for interval estimation of binomial proportions. *American Statistician*, 52, 119–126. doi: 10.1080/00031305.1998.10480550

Examples

```
y <- c(30, 20, 15, 10, 10, 60, 20, 25, 20, 30, 10, 5, 50, 40, 20, 10,
      0, 20, 50)
ci.sign1(.05, y, 9)

# Should return:
#   Estimate      SE      LL      UL
# [1,] 0.826087 0.0790342 0.6711828 0.9809911
```

ci.slope.mean.bs	<i>Confidence interval for the slope of means in a single-factor design with a quantitative between-subjects factor</i>
------------------	---

Description

Computes a test statistic and confidence interval for the slope of means in a single-factor design with a quantitative between-subjects factor. This function computes both the unequal variance and equal variance confidence intervals and test statistics. A Satterthwaite adjustment to the degrees of freedom is used with the unequal variance method.

Usage

```
ci.slope.mean.bs(alpha, m, sd, n, x)
```

Arguments

alpha	alpha level for 1-alpha confidence
m	vector of sample means
sd	vector of sample standard deviations
n	vector of sample sizes
x	vector of numeric predictor variable values

Value

Returns a 2-row matrix. The columns are:

- Estimate - estimated slope
- SE - standard error
- t - t test statistic
- df - degrees of freedom
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
m <- c(33.5, 37.9, 38.0, 44.1)
sd <- c(3.84, 3.84, 3.65, 4.98)
n <- c(10,10,10,10)
x <- c(5, 10, 20, 30)
ci.slope.mean.bs(.05, m, sd, n, x)
```

```
# Should return:
```

```
#           Estimate      SE      t      df
```

```

# Equal Variances Assumed:    0.3664407 0.06770529 5.412290 36.00000
# Equal Variances Not Assumed: 0.3664407 0.07336289 4.994905 18.65826
#                               p          LL          UL
# Equal Variances Assumed:    4.242080e-06 0.2291280 0.5037534
# Equal Variances Not Assumed: 8.468223e-05 0.2126998 0.5201815

```

ci.slope.prop.bs	<i>Confidence interval for a slope of a proportion in a single-factor design with a quantitative between-subjects factor</i>
------------------	--

Description

Computes a test statistic and an adjusted Wald confidence interval for the slope of proportions in a single-factor design with a quantitative between-subjects factor.

Usage

```
ci.slope.prop.bs(alpha, f, n, x)
```

Arguments

alpha	alpha level for 1-alpha confidence
f	vector of frequency counts of participants with attribute
n	vector of sample sizes
x	vector of quantitative factor values

Value

Returns a 1-row matrix. The columns are:

- Estimate - adjusted slope estimate
- SE - adjusted standard error
- z - z test statistic
- p - p-value
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

References

Price RM, Bonett DG (2004). "An improved confidence interval for a linear function of binomial proportions." *Computational Statistics & Data Analysis*, **45**(3), 449–456. ISSN 01679473, doi: [10.1016/S01679473\(03\)000070](https://doi.org/10.1016/S01679473(03)000070).

Examples

```
f <- c(14, 27, 38)
n <- c(100, 100, 100)
x <- c(10, 20, 40)
ci.slope.prop.bs(.05, f, n, x)

# Should return:
#      Estimate      SE      z      p      LL      UL
# [1,] 0.007542293 0.002016793 3.739746 0.000184206 0.003589452 0.01149513
```

ci.spcor

Confidence interval for a semipartial correlation

Description

Computes a Fisher confidence interval for a population semipartial correlation. This function requires an (unadjusted) estimate of the squared multiple correlation in the full model that contains the predictor variable of interest plus all control variables. This function computes a modified Aloe-Becker confidence interval that uses $n - 3$ rather than n in the standard error and also uses a Fisher transformation of the semipartial correlation.

Usage

```
ci.spcor(alpha, cor, r2, n)
```

Arguments

alpha	alpha level for 1-alpha confidence
cor	estimated semipartial correlation
r2	estimated squared multiple correlation in full model
n	sample size

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated semipartial correlation
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Aloe AM, Becker BJ (2012). "An effect size for regression predictors in meta-analysis." *Journal of Educational and Behavioral Statistics*, **37**(2), 278–297. ISSN 1076-9986, doi: [10.3102/1076998610396901](https://doi.org/10.3102/1076998610396901).

Examples

```
ci.spcor(.05, .582, .699, 20)

# Should return:
#   Estimate      SE      LL      UL
# [1,]  0.582 0.1374298 0.2525662 0.7905182
```

ci.spear	<i>Confidence interval for a Spearman correlation</i>
----------	---

Description

Computes a Fisher confidence interval for a population Spearman correlation.

Usage

```
ci.spear(alpha, y, x)
```

Arguments

alpha	alpha level for 1-alpha confidence
y	vector of y scores
x	vector of x scores

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated correlation
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Wright TA (2000). "Sample size requirements for estimating Pearson, Kendall and Spearman correlations." *Psychometrika*, **65**(1), 23–28. ISSN 0033-3123, doi: [10.1007/BF02294183](https://doi.org/10.1007/BF02294183).

Examples

```

y <- c(21, 4, 9, 12, 35, 18, 10, 22, 24, 1, 6, 8, 13, 16, 19)
x <- c(67, 28, 30, 28, 52, 40, 25, 37, 44, 10, 14, 20, 28, 40, 51)
ci.spear(.05, y, x)

# Should return:
#   Estimate      SE      LL      UL
# [1,] 0.8699639 0.08241326 0.5840951 0.9638297

```

ci.spear2

Confidence interval for a 2-group Spearman correlation difference

Description

Computes a confidence interval for a difference in population Spearman correlations in a 2-group design.

Usage

```
ci.spear2(alpha, cor1, cor2, n1, n2)
```

Arguments

alpha	alpha level for 1-alpha confidence
cor1	estimated Spearman correlation for group 1
cor2	estimated Spearman correlation for group 2
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated correlation difference
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Wright TA (2000). "Sample size requirements for estimating Pearson, Kendall and Spearman correlations." *Psychometrika*, **65**(1), 23–28. ISSN 0033-3123, doi: [10.1007/BF02294183](https://doi.org/10.1007/BF02294183).

Zou GY (2007). "Toward using confidence intervals to compare correlations." *Psychological Methods*, **12**(4), 399–413. ISSN 1939-1463, doi: [10.1037/1082989X.12.4.399](https://doi.org/10.1037/1082989X.12.4.399).

Examples

```
ci.spear2(.05, .54, .48, 180, 200)

# Should return:
#   Estimate      LL      UL
# [1,]    0.06 -0.1003977 0.2185085
```

ci.stdmean.ps	<i>Confidence interval for a paired-samples standardized mean difference</i>
---------------	--

Description

Computes confidence intervals for a population standardized mean difference in a paired-samples design. A square root unweighted variance standardizer and single measurement standard deviation standardizers are used. Equality of variances is not assumed.

Usage

```
ci.stdmean.ps(alpha, m1, m2, sd1, sd2, cor, n)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	estimated mean of measurement 1
m2	estimated mean of measurement 2
sd1	estimated standard deviation of measurement 1
sd2	estimated standard deviation of measurement 2
cor	estimated correlation between measurements
n	sample size

Value

Returns a 3-row matrix. The columns are:

- Estimate - bias adjusted standardized mean difference
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2008). "Confidence intervals for standardized linear contrasts of means." *Psychological Methods*, **13**(2), 99–109. ISSN 1939-1463, doi: [10.1037/1082989X.13.2.99](https://doi.org/10.1037/1082989X.13.2.99).

Examples

```
ci.stdmean.ps(.05, 110.4, 102.1, 15.3, 14.6, .75, 25)

# Should return:
#
#           Estimate      SE      LL      UL
# Unweighted standardizer:  0.5433457 0.1609934 0.2394905 0.8705732
# Measurement 1 standardizer: 0.5253526 0.1615500 0.2258515 0.8591158
# Measurement 2 standardizer: 0.5505407 0.1692955 0.2366800 0.9003063
```

ci.stdmean.strat	<i>Confidence interval for a 2-group standardized mean difference with stratified sampling</i>
------------------	--

Description

Computes confidence intervals for a population standardized mean difference in a 2-group non-experimental design with stratified random sampling (a random sample of a specified size from each subpopulation) using a square root weighted variance standardizer or single group standard deviation standardizer. Equality of variances is not assumed.

Usage

```
ci.stdmean.strat(alpha, m1, m2, sd1, sd2, n1, n2, p1)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	estimated mean for group 1
m2	estimated mean for group 2
sd1	estimated standard deviation for group 1
sd2	estimated standard deviation for group 2
n1	sample size for group 1
n2	sample size for group 2
p1	proportion of total population in subpopulation 1

Value

Returns a 3-row matrix. The columns are:

- Estimate - bias adjusted standardized mean difference
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2020). “Point-biserial correlation: Interval estimation, hypothesis testing, meta-analysis, and sample size determination.” *British Journal of Mathematical and Statistical Psychology*, **73**(S1), 113–144. ISSN 0007-1102, doi: [10.1111/bmsp.12189](https://doi.org/10.1111/bmsp.12189).

Examples

```
ci.stdmean.strat(.05, 30.2, 30.8, 10.5, 11.2, 200, 200, .533)

# Should return:
#               Estimate      SE      LL      UL
# Weighted standardizer: -0.05528428 0.10023259 -0.2518410 0.1410636
# Group 1 standardizer:  -0.05692722 0.10368609 -0.2603639 0.1460782
# Group 2 standardizer:  -0.05692722 0.09720571 -0.2440911 0.1369483
```

```
ci.stdmean1
```

Confidence interval for a single standardized mean

Description

Computes a confidence interval for a population standardized mean difference from a hypothesized value. If the hypothesized value is set to 0, the reciprocals of the confidence interval endpoints gives a confidence interval for the coefficient of variation.

Usage

```
ci.stdmean1(alpha, m, sd, n, h)
```

Arguments

alpha	alpha level for 1-alpha confidence
m	estimated mean
sd	estimated standard deviation
n	sample size
h	hypothesized value

Value

Returns a 1-row matrix. The columns are:

- Estimate - bias adjusted standardized mean difference
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2008). "Confidence intervals for standardized linear contrasts of means." *Psychological Methods*, **13**(2), 99–109. ISSN 1939-1463, doi: [10.1037/1082989X.13.2.99](https://doi.org/10.1037/1082989X.13.2.99).

Examples

```
ci.stdmean1(.05, 24.5, 3.65, 40, 20)

# Should return:
#   Estimate      SE      LL      UL
# [1,] 1.209015 0.2124335 0.8165146 1.649239
```

<code>ci.stdmean2</code>	<i>Confidence interval for a 2-group standardized mean difference</i>
--------------------------	---

Description

Computes confidence intervals for a population standardized mean difference. Unweighted, weighted, and single group variance standardizers are used. The square root weighted variance standardizer is recommended in 2-group nonexperimental designs with simple random sampling. The square root unweighted variance standardizer is recommended in 2-group experimental designs. The single group standard deviation standardizer can be used with experimental or nonexperimental designs. Equality of variances is not assumed.

Usage

```
ci.stdmean2(alpha, m1, m2, sd1, sd2, n1, n2)
```

Arguments

<code>alpha</code>	alpha level for 1-alpha confidence
<code>m1</code>	estimated mean for group 1
<code>m2</code>	estimated mean for group 2
<code>sd1</code>	estimated standard deviation for group 1
<code>sd2</code>	estimated standard deviation for group 2
<code>n1</code>	sample size for group 1
<code>n2</code>	sample size for group 2

Value

Returns a 4-row matrix. The columns are:

- Estimate - bias adjusted standardized mean difference
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2008). "Confidence intervals for standardized linear contrasts of means." *Psychological Methods*, **13**(2), 99–109. ISSN 1939-1463, doi: [10.1037/1082989X.13.2.99](https://doi.org/10.1037/1082989X.13.2.99).

Examples

```
ci.stdmean2(.05, 35.1, 26.7, 7.32, 6.98, 30, 30)

# Should return:
#
#           Estimate      SE      LL      UL
# Unweighted standardizer: 1.159240 0.2844012 0.6170771 1.731909
# Weighted standardizer:   1.159240 0.2802826 0.6251494 1.723837
# Group 1 standardizer:    1.117605 0.2975582 0.5643375 1.730744
# Group 2 standardizer:    1.172044 0.3120525 0.5918268 1.815050
```

ci.tetra *Confidence interval for a tetrachoric correlation*

Description

Computes a confidence interval for an approximation to the tetrachoric correlation. This function requires the frequency counts from a 2 x 2 contingency table for two dichotomous variables. This measure of association assumes both of the dichotomous variables are artificially dichotomous.

Usage

```
ci.tetra(alpha, f00, f01, f10, f11)
```

Arguments

alpha	alpha level for 1-alpha confidence
f00	number of participants with y = 0 and x = 0
f01	number of participants with y = 0 and x = 1
f10	number of participants with y = 1 and x = 0
f11	number of participants with y = 1 and x = 1

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimate of tetrachoric approximation
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2005). "Inferential methods for the tetrachoric correlation coefficient." *Journal of Educational and Behavioral Statistics*, **30**(2), 213–225. ISSN 1076-9986, doi: [10.3102/10769986030002213](https://doi.org/10.3102/10769986030002213).

Examples

```
ci.tetra(.05, 46, 15, 54, 85)

# Should return:
#   Estimate      LL      UL
# [1,] 0.5135167 0.3102345 0.6748546
```

ci.tukey	<i>Tukey-Kramer confidence intervals for all pairwise mean differences in a between-subjects design</i>
----------	---

Description

Computes heteroscedastic Tukey-Kramer (also known as Games-Howell) confidence intervals for all pairwise comparisons of population means using estimated means, estimated standard deviations, and samples sizes as input. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence intervals.

Usage

```
ci.tukey(alpha, m, sd, n)
```

Arguments

alpha	alpha level for simultaneous 1-alpha confidence
m	vector of group estimated means
sd	vector of group estimated standard deviations
n	vector of sample sizes

Value

Returns a matrix with the number of rows equal to the number of pairwise comparisons. The columns are:

- Estimate - estimated mean difference
- SE - standard error
- t - t test statistic
- df - degrees of freedom

- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Games PA, Howell JF (1976). "Pairwise multiple comparison procedures with unequal N's and/or variances: A Monte Carlo study." *Journal of Educational Statistics*, 1(2), 113. ISSN 03629791, doi: [10.2307/1164979](https://doi.org/10.2307/1164979).

Examples

```
m <- c(12.86, 17.57, 26.29, 30.21)
sd <- c(13.185, 12.995, 14.773, 15.145)
n <- c(20, 20, 20, 20)
ci.tukey(.05, m, sd, n)

# Should return:
#   Estimate      SE      t      df      p      LL      UL
# 1 2      -4.71  4.139530 -1.1378102  37.99200  0.668806358 -15.83085  6.4108517
# 1 3     -13.43  4.427673 -3.0331960  37.51894  0.021765570 -25.33172 -1.5282764
# 1 4     -17.35  4.490074 -3.8640790  37.29278  0.002333937 -29.42281 -5.2771918
# 2 3      -8.72  4.399497 -1.9820446  37.39179  0.212906199 -20.54783  3.1078269
# 2 4     -12.64  4.462292 -2.8326248  37.14275  0.035716267 -24.64034 -0.6396589
# 3 4      -3.92  4.730817 -0.8286096  37.97652  0.840551420 -16.62958  8.7895768
```

ci.var.upper

Upper confidence limit of variance

Description

Computes an upper limit for a population variance using an estimated variance from a sample of size n in a prior study. The upper limit can be used as a variance planning value in sample size functions that require a variance planning value.

Usage

```
ci.var.upper(alpha, var, n)
```

Arguments

alpha	alpha value for 1-alpha confidence (one-sided)
var	estimated variance
n	sample size

Value

Returns an upper limit (UL) variance planning value

Examples

```
ci.var.upper(.25, 15, 60)

# Should return:
#           UL
# [1,] 17.23264
```

 ci.yule

Confidence interval for Yule's Q

Description

Computes a confidence interval for Yule's Q measure of association using a transformation of a confidence interval for an odds ratio with .5 added to each cell frequency. This function requires the frequency counts from a 2 x 2 contingency table for two dichotomous variables.

Usage

```
ci.yule(alpha, f00, f01, f10, f11)
```

Arguments

alpha	alpha level for 1-alpha confidence
f00	number of participants with y = 0 and x = 0
f01	number of participants with y = 0 and x = 1
f10	number of participants with y = 1 and x = 0
f11	number of participants with y = 1 and x = 1

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimate of Yule's Q
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

Examples

```
ci.yule(.05, 229, 28, 96, 24)

# Should return:
#   Estimate      LL      UL
# [1,] 0.343067 0.06247099 0.573402
```

etasqr.adj	<i>Bias adjusts an eta-squared estimate</i>
------------	---

Description

Computes an approximate bias adjustment for eta-squared. This adjustment can be applied to eta-squared, partial-eta squared, and generalized eta-squared estimates.

Usage

```
etasqr.adj(etasqr, dfeffect, dferror)
```

Arguments

etasqr	unadjusted eta-square estimate
dfeffect	degrees of freedom for the effect
dferror	error degrees of freedom

Value

Returns a bias adjusted eta-squared estimate

Examples

```
etasqr.adj(.315, 2, 42)

# Should return:
#   Adjusted eta-squared
# [1,]                0.282381
```

`etasqr.gen.2way`*Generalized eta-squared estimates in a two-factor design*

Description

Computes generalized eta-square estimates in a two-factor design where one or both factors are classification factors. If both factors are treatment factors, then partial eta-square estimates are typically recommended. Use the estimates from this function in the `etasqr.adj` function to obtain bias adjusted estimates.

Usage

```
etasqr.gen.2way(SSa, SSb, SSab, SSe)
```

Arguments

SSa	sum of squares for factor A
SSb	sum of squares for factor B
SSab	sum of squares for A x B interaction
SSe	error (within) sum of squares

Value

Returns a 3-row matrix. The columns are:

- A - estimate of eta-squared for factor A
- B - estimate of eta-squared for factor B
- AB - estimate of eta-squared for A x B interaction

Examples

```
etasqr.gen.2way(12.3, 15.6, 5.2, 7.9)

# Should return:
#
#           A           B           AB
# A treatment, B classification:  0.300000 0.5435540 0.1811847
# A classification, B treatment:  0.484252 0.3804878 0.2047244
# A classification, B classification: 0.300000 0.3804878 0.1268293
```

iqv *Indices of qualitative variation*

Description

Computes the Shannon, Berger, and Simpson indices of qualitative variation.

Usage

```
iqv(f)
```

Arguments

f vector of multinomial frequency counts

Value

Returns estimates of the Shannon, Berger, and Simpson qualitative indices

Examples

```
f <- c(10, 46, 15, 3)
iqv(f)

# Should return:
#            Simpson    Berger    Shannon
# [1,] 0.7367908 0.5045045        0.7
```

pi.score1 *Prediction interval for one score*

Description

Computes a prediction interval for the response variable score of one randomly selected member from the study population.

Usage

```
pi.score1(alpha, m, sd, n)
```

Arguments

alpha alpha level for 1-alpha confidence
m estimated mean
sd estimated standard deviation
n sample size

Value

Returns a 1-row matrix. The columns are:

- Predicted - predicted score
- df - degrees of freedom
- LL - lower limit of the prediction interval
- UL - upper limit of the prediction interval

Examples

```
pi.score1(.05, 24.5, 3.65, 40)

# Should return:
#   Predicted df      LL      UL
# [1,]      24.5 39 17.02546 31.97454
```

pi.score2

Prediction interval for a difference of scores

Description

For a 2-group experimental design, this function computes a prediction interval for how the response variable score for one randomly selected person from the study population would differ under the two treatment conditions. Both equal variance and unequal variance prediction intervals are computed.

Usage

```
pi.score2(alpha, m1, m2, sd1, sd2, n1, n2)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	estimated mean for group 1
m2	estimated mean for group 2
sd1	estimated standard deviation for group 1
sd2	estimated standard deviation for group 2
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a 2-row matrix. The columns are:

- Predicted - predicted difference in scores
- df - degrees of freedom
- LL - lower limit of the prediction interval
- UL - upper limit of the prediction interval

References

Hahn GJ (1977). "A prediction interval on the difference between two future sample means and its application to a claim of product superiority." *Technometrics*, **19**(2), 131–134. ISSN 0040-1706, doi: [10.1080/00401706.1977.10489520](https://doi.org/10.1080/00401706.1977.10489520).

Examples

```
pi.score2(.05, 29.57, 18.35, 2.68, 1.92, 40, 45)

# Should return:
#               Predicted      df      LL      UL
# Equal Variances Assumed:    11.22 83.00000 4.650454 17.78955
# Equal Variances Not Assumed: 11.22 72.34319 4.603642 17.83636
```

random.sample	<i>Generate a random sample</i>
---------------	---------------------------------

Description

Generates a random sample of participant IDs.

Usage

```
random.sample(popsiz, samsiz)
```

Arguments

popsiz	study population size
samsiz	sample size

Value

Returns a vector of randomly generated participant IDs

Examples

```
random.sample(3000, 25)

# Should return:
# [1] 37 94 134 186 212 408 485 697 722 781 998 1055
# [13] 1182 1224 1273 1335 1452 1552 1783 1817 2149 2188 2437 2850 2936
```

random.y

Generate random sample of scores

Description

Generates a random sample of scores from a normal distribution with a specified population mean and standard deviation.

Usage

```
random.y(n, m, sd, min, max, dec)
```

Arguments

n	sample size
m	population mean of scores
sd	population standard deviation of scores
min	minimum allowable value
max	maximum allowable value
dec	number of decimal points

Value

Returns a vector of randomly generated scores.

Examples

```
random.y(10, 3.6, 2.8, 1, 7, 0)

# Should return:
# [1] 2 7 7 1 6 3 1 3 2 1
```

random.yx	<i>Generates random bivariate scores</i>
-----------	--

Description

Generates a random sample of y scores and x scores from a bivariate normal distributions with specified population means, standard deviations, and correlation.

Usage

```
random.yx(n, my, mx, sdy, sdx, cor, dec)
```

Arguments

n	sample size
my	population mean of y scores
mx	population mean of x scores
sdy	population standard deviation of y scores
sdx	population standard deviation of x scores
cor	population correlation between x and y
dec	number of decimal points

Value

Returns n pairs of y and x scores

Examples

```
random.yx(10, 50, 20, 4, 2, .5, 1)

# Should return:
#      y    x
# 1  50.3 21.6
# 2  52.0 21.6
# 3  53.0 22.7
# 4  46.9 21.3
# 5  56.3 23.8
# 6  50.4 20.3
# 7  44.6 19.9
# 8  49.9 18.3
# 9  49.4 18.5
# 10 42.3 20.2
```

randomize	<i>Randomize a sample into groups</i>
-----------	---------------------------------------

Description

Randomly assigns a sample of participants into k groups.

Usage

```
randomize(n)
```

Arguments

n vector of sample sizes per group

Value

Returns a vector of randomly generated group assignments.

Examples

```
n <- c(10, 10, 5)
randomize(n)

# Should return:
# [1] 2 3 2 1 1 2 3 3 2 1 2 1 3 1 1 2 3 1 1 2 2 1 1 2 2
```

sim.ci.cor	<i>Simulates confidence interval coverage probability for a Pearson correlation</i>
------------	---

Description

Performs a computer simulation of confidence interval performance for a Pearson correlation. A bias adjustment is used to reduce the bias of the Fisher transformed Pearson correlation. Sample data can be generated from bivariate population distributions with five different marginal distributions. All distributions are scaled to have standard deviations of 1.0. Bivariate random data with specified marginal skewness and kurtosis are generated using the unonr function in the mnonr package.

Usage

```
sim.ci.cor(alpha, n, cor, dist1, dist2, rep)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	sample size
cor	population Pearson correlation
dist1	type of distribution at level 1 (1, 2, 3, 4, or 5)
dist2	type of distribution at level 2 (1, 2, 3, 4, or 5) <ul style="list-style-type: none"> • 1 = Gaussian (skewness = 0 and excess kurtosis = 0) • 2 = platykurtic (skewness = 0 and excess kurtosis = -1.2) • 3 = leptokurtic (skewness = 0 and excess kurtosis = 6) • 4 = moderate skew (skewness = 1 and excess kurtosis = 1.5) • 5 = large skew (skewness = 2 and excess kurtosis = 6)
rep	number of Monte Carlo samples

Value

Returns a 1-row matrix. The columns are:

- Coverage - probability of confidence interval including population mean
- Lower Error - probability of lower limit greater than population mean
- Upper Error - probability of upper limit less than population mean
- Ave CI Width - average confidence interval width

Examples

```
sim.ci.cor(.05, 30, .7, 4, 5, 1000)

# Should return (within sampling error):
#      Coverage Lower Error Upper Error Ave CI Width
# [1,] 0.93815    0.05125    0.0106    0.7778518
```

sim.ci.mean.ps	<i>Simulates confidence interval coverage probability for a paired-samples mean difference</i>
----------------	--

Description

Performs a computer simulation of confidence interval performance for a mean difference in a paired-samples design. Sample data within each level of the within-subjects factor group can be generated from bivariate population distributions with five different marginal distributions. All distributions are scaled to have standard deviations of 1.0 at level 1. Bivariate random data with specified marginal skewness and kurtosis are generated using the `unonr` function in the `mnonr` package.

Usage

```
sim.ci.mean.ps(alpha, n, sd.ratio, cor, dist1, dist2, rep)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	sample size
sd.ratio	ratio of population standard deviations
cor	population correlation of paired observations
dist1	type of distribution at level 1 (1, 2, 3, 4, or 5)
dist2	type of distribution at level 2 (1, 2, 3, 4, or 5) <ul style="list-style-type: none"> • 1 = Gaussian (skewness = 0 and excess kurtosis = 0) • 2 = platykurtic (skewness = 0 and excess kurtosis = -1.2) • 3 = leptokurtic (skewness = 0 and excess kurtosis = 6) • 4 = moderate skew (skewness = 1 and excess kurtosis = 1.5) • 5 = large skew (skewness = 2 and excess kurtosis = 6)
rep	number of Monte Carlo samples

Value

Returns a 1-row matrix. The columns are:

- Coverage - probability of confidence interval including population mean
- Lower Error - probability of lower limit greater than population mean
- Upper Error - probability of upper limit less than population mean
- Ave CI Width - average confidence interval width

Examples

```
sim.ci.mean.ps(.05, 30, 1.5, .7, 4, 5, 1000)

# Should return (within sampling error):
#   Coverage Lower Error Upper Error Ave CI Width
# [1,] 0.93815    0.05125    0.0106    0.7778518
```

`sim.ci.mean1`*Simulates confidence interval coverage probability for single mean*

Description

Performs a computer simulation of the confidence interval performance for a single mean. Sample data can be generated from five different population distributions. All distributions are scaled to have standard deviations of 1.0.

Usage

```
sim.ci.mean1(alpha, n, dist, rep)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	sample size
dist	type of distribution (1, 2, 3, 4, or 5) <ul style="list-style-type: none">• 1 = Gaussian (skewness = 0 and excess kurtosis = 0)• 2 = platykurtic (skewness = 0 and excess kurtosis = -1.2)• 3 = leptokurtic (skewness = 0 and excess kurtosis = 6)• 4 = moderate skew (skewness = 1 and excess kurtosis = 1.5)• 5 = large skew (skewness = 2 and excess kurtosis = 6)
rep	number of Monte Carlo samples

Value

Returns a 1-row matrix. The columns are:

- Coverage - probability of confidence interval including population mean
- Lower Error - probability of lower limit greater than population mean
- Upper Error - probability of upper limit less than population mean
- Ave CI Width - average confidence interval width

Examples

```
sim.ci.mean1(.05, 40, 4, 1000)

# Should return (within sampling error):
# Coverage Lower Error Upper Error Ave CI Width
# [1,] 0.94722 0.01738 0.0354 0.6333067
```

sim.ci.mean2	<i>Simulates confidence interval coverage probability for a two-group mean difference</i>
--------------	---

Description

Performs a computer simulation of separate variance and pooled variance confidence interval performance for a mean difference in a two-group design. Sample data within each group can be generated from five different population distributions. All distributions are scaled to have a standard deviation of 1.0 in group 1.

Usage

```
sim.ci.mean2(alpha, n1, n2, sd.ratio, dist1, dist2, rep)
```

Arguments

alpha	alpha level for 1-alpha confidence
n1	sample size in group 1
n2	sample size in group 2
sd.ratio	ratio of population standard deviations
dist1	type of distribution in group 1 (1, 2, 3, 4, or 5)
dist2	type of distribution in group 2 (1, 2, 3, 4, or 5) <ul style="list-style-type: none"> • 1 = Gaussian (skewness = 0 and excess kurtosis = 0) • 2 = platykurtic (skewness = 0 and excess kurtosis = -1.2) • 3 = leptokurtic (skewness = 0 and excess kurtosis = 6) • 4 = moderate skew (skewness = 1 and excess kurtosis = 1.5) • 5 = large skew (skewness = 2 and excess kurtosis = 6)
rep	number of Monte Carlo samples

Value

Returns a 1-row matrix. The columns are:

- Coverage - probability of confidence interval including population mean
- Lower Error - probability of lower limit greater than population mean
- Upper Error - probability of upper limit less than population mean
- Ave CI Width - average confidence interval width

Examples

```
sim.ci.mean2(.05, 30, 25, 1.5, 4, 5, 1000)

# Should return (within sampling error):
#           Coverage Lower Error Upper Error Ave CI Width
# Equal Variances Assumed:  0.93986    0.04022    0.01992    1.344437
# Equal Variances Not Assumed: 0.94762    0.03862    0.01376    1.401305
```

```
sim.ci.median1           Simulates confidence interval coverage probability for single median
```

Description

Performs a computer simulation of the confidence interval performance for a single median. Sample data can be generated from five different population distributions. All distributions are scaled to have standard deviations of 1.0.

Usage

```
sim.ci.median1(alpha, n, dist, rep)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	sample size
dist	type of distribution (1, 2, 3, 4, or 5) <ul style="list-style-type: none"> • 1 = Gaussian (skewness = 0 and excess kurtosis = 0) • 2 = platykurtic (skewness = 0 and excess kurtosis = -1.2) • 3 = leptokurtic (skewness = 0 and excess kurtosis = 6) • 4 = moderate skew (skewness = 1 and excess kurtosis = 1.5) • 5 = large skew (skewness = 2 and excess kurtosis = 6)
rep	number of Monte Carlo samples

Value

Returns a 1-row matrix. The columns are:

- Coverage - probability of confidence interval including population mean
- Lower Error - probability of lower limit greater than population mean
- Upper Error - probability of upper limit less than population mean
- Ave CI Width - average confidence interval width

Examples

```

sim.ci.median1(.05, 20, 5, 1000)

# Should return (within sampling error):
#   Coverage Lower Error Upper Error Ave CI Width
# [1,]  0.9589    0.0216    0.0195    0.9735528

```

sim.ci.spear	<i>Simulates confidence interval coverage probability for a Spearman correlation</i>
--------------	--

Description

Performs a computer simulation of confidence interval performance for a Spearman correlation. Sample data can be generated from bivariate population distributions with five different marginal distributions. All distributions are scaled to have standard deviations of 1.0. Bivariate random data with specified marginal skewness and kurtosis are generated using the `unonr` function in the `mnonr` package.

Usage

```
sim.ci.spear(alpha, n, cor, dist1, dist2, rep)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	sample size
cor	population Spearman correlation
dist1	type of distribution at level 1 (1, 2, 3, 4, or 5)
dist2	type of distribution at level 2 (1, 2, 3, 4, or 5) <ul style="list-style-type: none"> • 1 = Gaussian (skewness = 0 and excess kurtosis = 0) • 2 = platykurtic (skewness = 0 and excess kurtosis = -1.2) • 3 = leptokurtic (skewness = 0 and excess kurtosis = 6) • 4 = moderate skew (skewness = 1 and excess kurtosis = 1.5) • 5 = large skew (skewness = 2 and excess kurtosis = 6)
rep	number of Monte Carlo samples

Value

Returns a 1-row matrix. The columns are:

- Coverage - probability of confidence interval including population mean
- Lower Error - probability of lower limit greater than population mean
- Upper Error - probability of upper limit less than population mean
- Ave CI Width - average confidence interval width

Examples

```

sim.ci.spear(.05, 30, .7, 4, 5, 1000)

# Should return (within sampling error):
# Coverage Lower Error Upper Error Ave CI Width
# [1,] 0.96235 0.01255 0.0251 0.4257299

```

size.ci.agree	<i>Sample size for a G-index confidence interval</i>
---------------	--

Description

Computes the sample size required to estimate a G-index of agreement for two dichotomous ratings with desired confidence interval precision. Set the G-index planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.agree(alpha, G, w)
```

Arguments

alpha	alpha level for 1-alpha confidence
G	planning value of G-index
w	desired confidence interval width

Value

Returns the required sample size

Examples

```

size.ci.agree(.05, .8, .2)

# Should return:
# Sample size
# [1,] 139

```

size.ci.condmean	<i>Sample size for a conditional mean confidence interval</i>
------------------	---

Description

Computes the total sample size required to estimate a conditional mean of y at $x = x^*$ in a fixed- x simple linear regression model with desired confidence interval precision. In an experimental design, the total sample size would be allocated to the levels of the quantitative factor and it might be necessary to increase the total sample size to achieve equal sample sizes. Set the error variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.condmean(alpha, evar, xvar, diff, w)
```

Arguments

alpha	alpha level for 1-alpha confidence
evar	planning value of within group (error) variance
xvar	variance of fixed predictor variables
diff	difference between x^* and mean of x
w	desired confidence interval width

Value

Returns the required total sample size

Examples

```
size.ci.condmean(.05, 120, 125, 15, 5)

# Should return:
#   Total sample size
# [1,]           210
```

size.ci.cor	<i>Sample size for a Pearson or partial correlation confidence interval</i>
-------------	---

Description

Computes the sample size required to estimate a Pearson or partial correlation with desired confidence interval precision. Set $s = 0$ for a Pearson correlation. Set the correlation planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.cor(alpha, cor, s, w)
```

Arguments

alpha	alpha level for 1-alpha confidence
cor	planning value of correlation
s	number of control variables
w	desired confidence interval width

Value

Returns the required sample size

References

Bonett DG, Wright TA (2000). "Sample size requirements for estimating Pearson, Kendall and Spearman correlations." *Psychometrika*, **65**(1), 23–28. ISSN 0033-3123, doi: [10.1007/BF02294183](https://doi.org/10.1007/BF02294183).

Examples

```
size.ci.cor(.05, .362, 0, .25)

# Should return:
#   Sample size
# [1,]      188
```

size.ci.cronbach	<i>Sample size for a Cronbach reliability confidence interval</i>
------------------	---

Description

Computes the sample size required to estimate a Cronbach reliability with desired confidence interval precision.

Usage

```
size.ci.cronbach(alpha, rel, r, w)
```

Arguments

alpha	alpha value for 1-alpha confidence
rel	reliability planning value
r	number of measurements
w	desired confidence interval width

Value

Returns the required sample size

References

Bonett DG, Wright TA (2015). "Cronbach's alpha reliability: Interval estimation, hypothesis testing, and sample size planning." *Journal of Organizational Behavior*, **36**(1), 3–15. ISSN 08943796, doi: [10.1002/job.1960](https://doi.org/10.1002/job.1960).

Examples

```
size.ci.cronbach(.05, .85, 5, .1)

# Should return:
#   Sample size
# [1,]         89
```

size.ci.lc.ancova *Sample size for a linear contrast confidence interval in an ANCOVA*

Description

Computes the sample size for each group (assuming equal sample sizes) required to estimate a linear contrast of means in an ANCOVA model with desired confidence interval precision. In a nonexperimental design, the sample size is affected by the magnitude of covariate mean differences across groups. The covariate mean differences can be approximated by specifying the largest standardized covariate mean difference across all pairwise group differences and for all covariates. In an experiment, this standardized mean difference should be set to 0. Set the error variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.lc.ancova(alpha, evar, s, d, w, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
evar	planning value of within group (error) variance
s	number of covariates
d	largest standardized mean difference for all covariates
w	desired confidence interval width
v	vector of between-subjects contrast coefficients

Value

Returns the required sample size per group

Examples

```
v <- c(1, -1)
size.ci.lc.ancova(.05, 1.37, 1, 0, 1.5, v)

# Should return:
#   Sample size per group
# [1,]                21
```

size.ci.lc.mean.bs	<i>Sample size for a between-subjects mean linear contrast confidence interval</i>
--------------------	--

Description

Computes the sample size in each group (assuming equal sample sizes) required to estimate a linear contrast of population means with desired confidence interval precision in a between-subjects design. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.lc.mean.bs(alpha, var, w, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
var	planning value of average within-group variance
w	desired confidence interval width
v	vector of between-subjects contrast coefficients

Value

Returns the required sample size for each group

Examples

```
v <- c(.5, .5, -1)
size.ci.lc.mean.bs(.05, 5.62, 2.0, v)

# Should return:
#   Sample size per group
# [1,]                34
```

size.ci.lc.mean.ws	<i>Sample size for a within-subjects mean linear contrast confidence interval</i>
--------------------	---

Description

Computes the sample size required to estimate a linear contrast of population means with desired confidence interval precision in a within-subjects design. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size. Set the Pearson correlation planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.lc.mean.ws(alpha, var, cor, w, q)
```

Arguments

alpha	alpha level for 1-alpha confidence
var	planning value of average variance of the measurements
cor	planning value of average correlation between measurements
w	desired confidence interval width
q	vector of within-subjects contrast coefficients

Value

Returns the required sample size

Examples

```
q <- c(.5, .5, -.5, -.5)
size.ci.lc.mean.ws(.05, 265, .8, 10, q)

# Should return:
#   Sample size
# [1,]        11
```

size.ci.lc.prop.bs	<i>Sample size for a between-subjects proportion linear contrast confidence interval</i>
--------------------	--

Description

Computes the sample size in each group (assuming equal sample sizes) required to estimate a linear contrast of proportions with desired confidence interval precision in a between-subjects design. Set the proportion planning values to .5 for a conservatively large sample size.

Usage

```
size.ci.lc.prop.bs(alpha, p, w, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
p	vector of proportion planning values
w	desired confidence interval width
v	vector of between-subjects contrast coefficients

Value

Returns the required sample size per group

Examples

```
p <- c(.25, .30, .50, .50)
v <- c(.5, .5, -.5, -.5)
size.ci.lc.prop.bs(.05, p, .2, v)

# Should return:
#   Sample size per group
# [1,]                    87
```

size.ci.lc.stdmean.bs *Sample size for a between-subjects standardized mean linear contrast confidence interval*

Description

Computes the sample size in each group (assuming equal sample sizes) required to estimate a standardized linear contrast of population means with desired confidence interval precision in a between-subjects design. Set the standardized mean contrast planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.lc.stdmean.bs(alpha, d, w, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
d	planning value of standardized linear contrast
w	desired confidence interval width
v	vector of between-subjects contrast coefficients

Value

Returns the required sample size for each group

References

Bonett DG (2009). "Estimating standardized linear contrasts of means with desired precision." *Psychological Methods*, **14**(1), 1–5. ISSN 1939-1463, doi: [10.1037/a0014270](https://doi.org/10.1037/a0014270).

Examples

```
v <- c(.5, .5, -.5, -.5)
size.ci.lc.stdmean.bs(.05, 1, .6, v)

# Should return:
#   Sample size per group
# [1,]                    49
```

size.ci.lc.stdmean.ws *Sample size for a within-subjects standardized mean linear contrast confidence interval*

Description

Computes the sample size required to estimate a standardized linear contrast of population means with desired confidence interval precision in a within-subjects design. Set the standardized mean difference planning value to the largest value within a plausible range for a conservatively large sample size. Set the pearson correlation planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.lc.stdmean.ws(alpha, d, cor, w, q)
```

Arguments

alpha	alpha level for 1-alpha confidence
d	planning value of standardized linear contrast
cor	planning value of average correlation between measurements
w	desired confidence interval width
q	vector of within-subjects contrast coefficients

Value

Returns the required sample size

References

Bonett DG (2009). “Estimating standardized linear contrasts of means with desired precision.” *Psychological Methods*, **14**(1), 1–5. ISSN 1939-1463, doi: [10.1037/a0014270](https://doi.org/10.1037/a0014270).

Examples

```
q <- c(.5, .5, -.5, -.5)
size.ci.lc.stdmean.ws(.05, 1, .7, .6, q)

# Should return:
#   Sample size
# [1,]         26
```

size.ci.mean.ps *Sample size for a paired-samples mean difference confidence interval*

Description

Computes the sample size required to estimate a difference in population means with desired confidence interval precision in a paired-samples design. This function requires a planning value for the average of the variances for the two measurements. Set the Pearson correlation planning value to the smallest value within a plausible range for a conservatively large sample size. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.mean.ps(alpha, var, cor, w)
```

Arguments

alpha	alpha level for 1-alpha confidence
var	planning value of average variance of the two measurements
cor	planning value of correlation between measurements
w	desired confidence interval width

Value

Returns the required sample size

Examples

```
size.ci.mean.ps(.05, 265, .8, 10)

# Should return:
#   Sample size
# [1,]         19
```

size.ci.mean1	<i>Sample size for a single mean confidence interval</i>
---------------	--

Description

Computes the sample size required to estimate a single population mean with desired confidence interval precision. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.mean1(alpha, var, w)
```

Arguments

alpha	alpha level for 1-alpha confidence
var	planning value of response variable variance
w	desired confidence interval width

Value

Returns the required sample size

Examples

```
size.ci.mean1(.05, 264.4, 10)

# Should return:
#   Sample size
# [1,]         43
```

size.ci.mean2	<i>Sample size for a 2-group mean difference confidence interval</i>
---------------	--

Description

Computes the sample size for each group required to estimate a population mean difference with desired confidence interval precision in a 2-group design. Set $R = 1$ for equal sample sizes. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.mean2(alpha, var, w, R)
```

Arguments

alpha	alpha level for 1-alpha confidence
var	planning value of average within-group variance
w	desired confidence interval width
R	n2/n1 ratio

Value

Returns the required sample size for each group

Examples

```
size.ci.mean2(.05, 37.1, 5, 1)

# Should return:
#   n1  n2
# [1,] 47 47
```

size.ci.prop.ps	<i>Sample size for a paired-sample proportion difference confidence interval</i>
-----------------	--

Description

Computes the sample size required to estimate a proportion difference with desired confidence interval precision in a paired-samples design. Set the proportion planning values to .5 for a conservatively large sample size. Set the phi correlation planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.prop.ps(alpha, p1, p2, phi, w)
```

Arguments

alpha	alpha level for 1-alpha confidence
p1	planning value of proportion for group 1
p2	planning value of proportion for group 2
phi	planning value of phi correlation
w	desired confidence interval width

Value

Returns the required sample size

Examples

```
size.ci.prop.ps(.05, .2, .3, .8, .1)

# Should return:
#   Sample size
# [1,]        118
```

size.ci.prop1	<i>Sample size for a single proportion confidence interval</i>
---------------	--

Description

Computes the sample size required to estimate a single proportion with desired confidence interval precision. Set the proportion planning value to .5 for a conservatively large sample size.

Usage

```
size.ci.prop1(alpha, p, w)
```

Arguments

alpha	alpha level for 1-alpha confidence
p	planning value of proportion
w	desired confidence interval width

Value

Returns the required sample size

Examples

```
size.ci.prop1(.05, .4, .2)

# Should return:
#   Sample size
# [1,]        93
```

 size.ci.prop2

Sample size for a 2-group proportion difference confidence interval

Description

Computes the sample size in each group (assuming equal sample sizes) required to estimate a difference of proportions with desired confidence interval precision in a 2-group design. Set the proportion planning values to .5 for a conservatively large sample size.

Usage

```
size.ci.prop2(alpha, p1, p2, w)
```

Arguments

alpha	alpha level for 1-alpha confidence
p1	planning value of proportion for group 1
p2	planning value of proportion for group 2
w	desired confidence interval width

Value

Returns the required sample size per group

Examples

```
size.ci.prop2(.05, .4, .2, .15)

# Should return:
#   Sample size per group
# [1,]                274
```

 size.ci.ratio.mean.ps *Sample size for a paired-samples mean ratio confidence interval*

Description

Computes the sample size required to estimate a ratio of population means with desired confidence interval precision in a paired-samples design. Set the correlation planning value to the smallest value within a plausible range for a conservatively large sample size. This function requires planning values for each mean and the sample size requirement is very sensitive to these planning values. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.ratio.mean.ps(alpha, var, m1, m2, cor, r)
```

Arguments

alpha	alpha level for 1-alpha confidence
var	planning value of average variance of the two measurements
m1	planning value of mean for measurement 1
m2	planning value of mean for measurement 2
cor	planning value for correlation between measurements
r	desired upper to lower confidence interval endpoint ratio

Value

Returns the required sample size

Examples

```
size.ci.ratio.mean.ps(.05, 400, 150, 100, .7, 1.2)

# Should return:
#   Sample size
# [1,]        21
```

size.ci.ratio.mean2 *Sample size for a 2-group mean ratio confidence interval*

Description

Computes the sample size in each group required to estimate a ratio of population means with desired confidence interval precision in a 2-group design. This function requires planning values for each mean and the sample size requirement is very sensitive to these planning values. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.ratio.mean2(alpha, var, m1, m2, r, R)
```

Arguments

alpha	alpha level for 1-alpha confidence
var	planning value of average within-group variance
m1	planning value of mean for group 1
m2	planning value of mean for group 2
r	desired upper to lower confidence interval endpoint ratio
R	n2/n1 ratio

Value

Returns the required sample size for each group

Examples

```
size.ci.ratio.mean2(.05, .4, 3.5, 3.1, 1.2, 2)

# Should return:
#      n1  n2
# [1,] 53 106
```

size.ci.ratio.prop.ps *Sample size for a paired-samples proportion ratio confidence interval*

Description

Computes the sample size required to estimate a ratio of proportions with desired confidence interval precision in a paired-samples design. Set the phi planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.ratio.prop.ps(alpha, p1, p2, phi, r)
```

Arguments

alpha	alpha level for 1-alpha confidence
p1	planning value of proportion for measurement 1
p2	planning value of proportion for measurement 2
phi	planning value of phi correlation
r	desired upper to lower confidence interval endpoint ratio

Value

Returns the required sample size

Examples

```
size.ci.ratio.prop.ps(.05, .4, .2, .7, 2)

# Should return:
#   Sample size
# [1,]         67
```

size.ci.ratio.prop2 *Sample size for a 2-group proportion ratio confidence interval*

Description

Computes the sample size in each group (assuming equal sample sizes) required to estimate a ratio of proportions with desired confidence interval precision in a 2-group design.

Usage

```
size.ci.ratio.prop2(alpha, p1, p2, r)
```

Arguments

alpha	alpha level for 1-alpha confidence
p1	planning value of proportion for group 1
p2	planning value of proportion for group 2
r	desired upper to lower confidence interval endpoint ratio

Value

Returns the required sample size per group

Examples

```
size.ci.ratio.prop2(.05, .2, .1, 2)

# Should return:
#   Sample size per group
# [1,]                 416
```

size.ci.rsqr *Sample size for a squared multiple correlation confidence interval*

Description

Computes the sample size required to estimate a squared multiple correlation in a random-x regression model with desired confidence interval precision. Set the planning value of squared multiple correlation to 1/3 for a conservatively large sample size. This function uses an approximation to the standard error of the squared multiple correlation.

Usage

```
size.ci.rsqr(alpha, r2, s, w)
```

Arguments

alpha	alpha level for 1-alpha confidence
r2	planning value of squared multiple correlation
s	number of predictor variables in model
w	desired confidence interval width

Value

Returns the required sample size

Examples

```
size.ci.rsqr(.05, .333, 2, .2)

# Should return:
#   Sample size
# [1,]      232
```

size.ci.second *Sample size for a second-stage confidence interval*

Description

Computes the second-stage sample size required to obtain desired confidence interval precision. This function can use either the total sample size for all groups in the first stage sample or a single group sample size in the first stage sample. If the total first-stage sample size is given, then the function computes the total sample size required in the second-stage sample. If a single group first-stage sample size is given, then the function computes the single-group sample size required in the second-stage sample. The second-stage sample is combined with the first-stage sample to obtain the desired confidence interval width.

Usage

```
size.ci.second(n0, w0, w)
```

Arguments

```
n0          first-stage sample size
w0          confidence interval width in first-stage sample
w           desired confidence interval width
```

Value

Returns the required sample size for the second-stage sample

Examples

```
size.ci.second(20, 5.3, 2.5)

# Should return:
#   Second-stage sample size
# [1,]                    70
```

size.ci.slope	<i>Sample size for a slope confidence interval</i>
---------------	--

Description

Computes the total sample size required to estimate a slope with desired confidence interval precision in a between-subjects design with a quantitative factor. In an experimental design, the total sample size would be allocated to the levels of the quantitative factor and it might be necessary to increase the total sample size to achieve equal sample sizes. Set the error variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.slope(alpha, evar, x, w)
```

Arguments

```
alpha       alpha level for 1-alpha confidence
evar        planning value of within group (error) variance
x           vector of x values of the quantitative factor
w           desired confidence interval width
```

Value

Returns the required total sample size

Examples

```
x <- c(2, 5, 8)
size.ci.slope(.05, 31.1, x, 1)

# Should return:
#   Sample size
# [1,]         83
```

size.ci.stdmean.ps	<i>Sample size for a paired-samples standardized mean difference confidence interval</i>
--------------------	--

Description

Computes the sample size required to estimate a population standardized mean difference with desired confidence interval precision in a paired-samples design. Set the standardized mean difference planning value to the largest value within a plausible range for a conservatively large sample size. Set the pearson correlation planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.ci.stdmean.ps(alpha, d, cor, w)
```

Arguments

alpha	alpha level for 1-alpha confidence
d	planning value of standardized mean difference
cor	planning value of correlation between measurements
w	desired confidence interval width

Value

Returns the required sample size

References

Bonett DG (2009). "Estimating standardized linear contrasts of means with desired precision." *Psychological Methods*, **14**(1), 1–5. ISSN 1939-1463, doi: [10.1037/a0014270](https://doi.org/10.1037/a0014270)

Examples

```
size.ci.stdmean.ps(.05, 1, .65, .6)

# Should return:
#   Sample size
# [1,]         46
```

size.ci.stdmean2	<i>Sample size for a 2-group standardized mean difference confidence interval</i>
------------------	---

Description

Computes the sample size in each group required to estimate a population standardized mean difference with desired confidence interval precision in a 2-group design. Set the standardized mean difference planning value to the largest value within a plausible range for a conservatively large sample size. Set $R = 1$ for equal sample sizes.

Usage

```
size.ci.stdmean2(alpha, d, w, R)
```

Arguments

alpha	alpha level for 1-alpha confidence
d	planning value of standardized mean difference
w	desired confidence interval width
R	n2/n1 ratio

Value

Returns the required sample size for each group

References

Bonett DG (2009). "Estimating standardized linear contrasts of means with desired precision." *Psychological Methods*, **14**(1), 1–5. ISSN 1939-1463, doi: [10.1037/a0014270](https://doi.org/10.1037/a0014270).

Examples

```
size.ci.stdmean2(.05, .75, .5, 1)

# Should return:
#   n1  n2
# [1,] 132 132
```

size.equiv.mean.ps *Sample size for a paired-samples mean equivalence test*

Description

Computes the sample size required to perform an equivalence test for the difference in population means with desired power in a paired-samples design. The value of *h* specifies a range of practical equivalence, $-h$ to h , for the difference in population means. The planning value for the absolute mean difference must be less than *h*. Equivalence tests often require a very large sample size. Equivalence tests usually use $2 \times \alpha$ rather than α (e.g., use $\alpha = .10$ rather than $\alpha = .05$). Set the correlation value to the smallest value within a plausible range for a conservatively large sample size. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.equiv.mean.ps(alpha, pow, var, es, cor, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
var	planning value of average within-group variance
es	planning value of mean difference
cor	planning value of the correlation between measurements
h	upper limit for range of practical equivalence

Value

Returns the required sample size

Examples

```
size.equiv.mean.ps(.10, .85, 15, .5, .7, 1.5)

# Should return:
#   Sample size
# [1,]         68
```

size.equiv.mean2	<i>Sample size for a 2-group mean equivalence test</i>
------------------	--

Description

Computes the sample size in each group (assuming equal sample sizes) required to perform an equivalence test for the difference in population means with desired power in a 2-group design. The value of h specifies a range of practical equivalence, $-h$ to h , for the difference in population means. The planning value for the absolute mean difference must be less than h . Equivalence tests often require a very large sample size. Equivalence tests usually use $2 \times \alpha$ rather than α (e.g., use $\alpha = .10$ rather than $\alpha = .05$). Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.equiv.mean2(alpha, pow, var, es, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
var	planning value of average within-group variance
es	planning value of mean difference
h	upper limit for range of practical equivalence

Value

Returns the required sample size per group

Examples

```
size.equiv.mean2(.10, .80, 15, 2, 4)

# Should return:
#   Sample size per group
# [1,]                50
```

size.equiv.prop.ps *Sample size for a paired-samples proportion equivalence test*

Description

Computes the sample size in each group (assuming equal sample sizes) required to perform an equivalence test for the difference in population proportions with desired power in a paired-samples design. The value of h specifies a range of practical equivalence, $-h$ to h , for the difference in population proportions. The absolute difference in the proportion planning values must be less than h . Equivalence tests often require a very large sample size. Equivalence tests usually use $2 \times \alpha$ rather than α (e.g., use $\alpha = .10$ rather than $\alpha = .05$). This function sets the effect size equal to the difference in proportion planning values. Set the ϕ correlation planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.equiv.prop.ps(alpha, pow, p1, p2, phi, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
p1	planning value of proportion for group 1
p2	planning value of proportion for group 2
phi	planning value of phi coefficient
h	upper limit for range of practical equivalence

Value

Returns the required sample size

Examples

```
size.equiv.prop.ps(.1, .8, .30, .35, .40, .15)

# Should return:
#   Sample size
# [1,]        173
```

size.equiv.prop2	<i>Sample size for a 2-group proportion equivalence test</i>
------------------	--

Description

Computes the sample size in each group (assuming equal sample sizes) required to perform an equivalence test for the difference in population proportions with desired power in a 2-group design. The value of h specifies a range of practical equivalence, $-h$ to h , for the difference in population proportions. The absolute difference in the proportion planning values must be less than h . Equivalence tests often require a very large sample size. Equivalence tests usually use $2 \times \alpha$ rather than α (e.g., use $\alpha = .10$ rather than $\alpha = .05$).

Usage

```
size.equiv.prop2(alpha, pow, p1, p2, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
p1	planning value of proportion for group 1
p2	planning value of proportion for group 2
h	upper limit for range of practical equivalence

Value

Returns the required sample size per group

Examples

```
size.equiv.prop2(.1, .8, .30, .35, .15)

# Should return:
#   Sample size per group
# [1,]                288
```

size.interval.cor *Sample size for a finite interval test of a Pearson or partial correlation*

Description

Computes the sample size required to perform a finite interval test for a Pearson or a partial correlation with desired power. Set $s = 0$ for a Pearson correlation. The correlation planning value must be a value within the hypothesized finite interval.

Usage

```
size.interval.cor(alpha, pow, cor, s, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
cor	planning value of correlation
s	number of control variables
h	upper limit of hypothesized interval

Value

Returns the required sample size

Examples

```
size.interval.cor(.05, .8, .1, 0, .25)

# Should return:
#   Sample size
# [1,]       360
```

size.supinf.mean.ps *Sample size for a paired-samples mean superiority or noninferiority test*

Description

Computes the sample size required to perform a superiority or noninferiority test for the difference in population means with desired power in a paired-samples design. For a superiority test, specify the upper limit (h) for the range of practical equivalence and specify an effect size (es) such that $es > h$. For a noninferiority test, specify the lower limit ($-h$) for the range of practical equivalence and specify an effect size such that $es > -h$. Set the correlation planning value to the smallest value within a plausible range for a conservatively large sample size. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.supinf.mean.ps(alpha, pow, var, es, cor, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
var	planning value of average within-group variance
es	planning value of mean difference
cor	planning value of the correlation between measurements
h	upper or lower limit for range of practical equivalence

Value

Returns the required sample size

Examples

```
size.supinf.mean.ps(.05, .80, 225, 9, .75, 4)

# Should return:
#   Sample size
# [1,]        38
```

size.supinf.mean2	<i>Sample size for a 2-group mean superiority or noninferiority test</i>
-------------------	--

Description

Computes the sample size in each group (assuming equal sample sizes) required to perform a superiority or noninferiority test for the difference in population means with desired power in a 2-group design. For a superiority test, specify the upper limit (h) for the range of practical equivalence and specify an effect size (es) such that $es > h$. For a noninferiority test, specify the lower limit (-h) for the range of practical equivalence and specify an effect size such that $es > -h$. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.supinf.mean2(alpha, pow, var, es, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
var	planning value of average within-group variance
es	planning value of mean difference
h	upper or lower limit for range of practical equivalence

Value

Returns the required sample size per group

Examples

```
size.supinf.mean2(.05, .80, 225, 9, 4)

# Should return:
#   Sample size per group
# [1,]                143
```

size.supinf.prop.ps *Sample size for a paired-samples superiority or inferiority test of proportions*

Description

Computes the sample size required to perform a superiority or inferiority test for the difference in population proportions with desired power in a paired-samples design. For a superiority test, specify the upper limit (h) for the range of practical equivalence and specify values of p1 and p2 such that $p1 - p2 > h$. For an inferiority test, specify the lower limit (-h) for the range of practical equivalence and specify values of p1 and p2 such that $p1 - p2 > -h$. This function sets the effect size equal to the difference in proportion planning values. Set the phi correlation planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.supinf.prop.ps(alpha, pow, p1, p2, phi, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
p1	planning value of proportion for measurement 1
p2	planning value of proportion for measurement 2
phi	planning value of phi correlation
h	lower or upper limit for range of practical equivalence

Value

Returns the required sample size

Examples

```
size.supinf.prop.ps(.05, .9, .35, .20, .45, .05)

# Should return:
#   Sample size
# [1,]      227
```

size.supinf.prop2	<i>Sample size for a 2-group superiority or inferiority test of proportions</i>
-------------------	---

Description

Computes the sample size in each group (assuming equal sample sizes) required to perform a superiority or inferiority test for the difference in population proportions with desired power in a 2-group design. For a superiority test, specify the upper limit (h) for the range of practical equivalence and specify values of p1 and p2 such that $p1 - p2 > h$. For an inferiority test, specify the lower limit (-h) for the range of practical equivalence and specify values of p1 and p2 such that $p1 - p2 > -h$. This function sets the effect size equal to $p1 - p2$.

Usage

```
size.supinf.prop2(alpha, pow, p1, p2, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
p1	planning value of proportion for group 1
p2	planning value of proportion for group 2
h	lower or upper limit for range of practical equivalence

Value

Returns the required sample size per group

Examples

```
size.supinf.prop2(.05, .9, .35, .20, .05)

# Should return:
#   Sample size per group
# [1,]                408
```

size.test.cor

Sample size for a test of a Pearson or partial correlation

Description

Computes the sample size required to test a Pearson or a partial correlation with desired power. Set $s = 0$ for a Pearson correlation. Set the correlation planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.test.cor(alpha, pow, cor, s, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
cor	planning value of correlation
s	number of control variables
h	hypothesized value of correlation

Value

Returns the required sample size

Examples

```
size.test.cor(.05, .9, .45, 0, 0)

# Should return:
#   Sample size
# [1,]          48
```

size.test.cronbach *Sample size to test a Cronbach reliability*

Description

Computes the sample size required to test a Cronbach reliability with desired power.

Usage

```
size.test.cronbach(alpha, pow, rel, r, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
rel	reliability planning value
r	number of measurements
h	null hypothesis value of reliability

Value

Returns the required sample size

References

Bonett DG, Wright TA (2015). "Cronbach's alpha reliability: Interval estimation, hypothesis testing, and sample size planning." *Journal of Organizational Behavior*, **36**(1), 3–15. ISSN 08943796, doi: [10.1002/job.1960](https://doi.org/10.1002/job.1960).

Examples

```
size.test.cronbach(.05, .85, .80, 5, .7)

# Should return:
#   Sample size
# [1,]         139
```

size.test.lc.ancova *Sample size for a mean linear contrast test in an ANCOVA*

Description

Computes the sample size for each group (assuming equal sample sizes) required to test a linear contrast of means in an ANCOVA model with desired power. In a nonexperimental design, the sample size is affected by the magnitude of covariate mean differences across groups. The covariate mean differences can be approximated by specifying the largest standardized covariate mean difference across all pairwise comparisons and for all covariates. In an experiment, this standardized mean difference is set to 0. Set the error variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.test.lc.ancova(alpha, pow, evar, es, s, d, v)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
evar	planning value of within-group (error) variance
es	planning value of linear contrast
s	number of covariates
d	largest standardized mean difference for all covariates
v	vector of between-subjects contrast coefficients

Value

Returns the required sample size per group

Examples

```
v <- c(.5, .5, -1)
size.test.lc.ancova(.05, .9, 1.37, .7, 1, 0, v)

# Should return:
#    Sample size per group
# [1,]                    47
```

size.test.lc.mean.bs *Sample size for a test of a between-subjects mean linear contrast*

Description

Computes the sample size in each group (assuming equal sample sizes) required to test a linear contrast of population means with desired power in a between-subjects design. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.test.lc.mean.bs(alpha, pow, var, es, v)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
var	planning value of average within-group variance
es	planning value of linear contrast of means
v	vector of between-subjects contrast coefficients

Value

Returns the required sample size per group

Examples

```
v <- c(1, -1, -1, 1)
size.test.lc.mean.bs(.05, .90, 27.5, 5, v)

# Should return:
#   Sample size per group
# [1,]                  47
```

size.test.lc.mean.ws *Sample size for a test of a within-subjects mean linear contrast*

Description

Computes the sample size required to test a linear contrast of population means with desired power in a within-subjects design. Set the average variance planning value to the largest value within a plausible range for a conservatively large sample size. Set the average correlation planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.test.lc.mean.ws(alpha, pow, var, es, cor, q)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
var	planning value of average variance of measurements
es	planning value of linear contrast of means
cor	planning value of average correlation between measurements
q	vector of with-subjects contrast coefficients

Value

Returns the required sample size

Examples

```
q <- c(.5, .5, -.5, -.5)
size.test.lc.mean.ws(.05, .90, 50.7, 2, .8, q)

# Should return:
#   Sample size
# [1,]         29
```

size.test.lc.prop.bs *Sample size for a test of between-subjects proportion linear contrast*

Description

Computes the sample size in each group (assuming equal sample sizes) required to test a linear contrast of population proportions with desired power in a between-subjects design. This function requires planning values for all proportions. Set the proportion planning values to .5 for a conservatively large sample size. The planning value for the linear contrast of proportions could be set equal to the linear contrast of proportion planning values or it could be set equal to a minimally interesting effect size.

Usage

```
size.test.lc.prop.bs(alpha, pow, p, es, v)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
p	vector of proportion planning values
es	planning value of proportion linear contrast
v	vector of between-subjects contrast coefficients

Value

Returns the required sample size per group

Examples

```
p <- c(.25, .30, .50, .50)
v <- c(.5, .5, -.5, -.5)
size.test.lc.prop.bs(.05, .9, p, .15, v)

# Should return:
#   Sample size per group
# [1,]                105
```

size.test.mann	<i>Sample size for a Mann-Whitney test</i>
----------------	--

Description

Computes the sample size in each group (assuming equal sample sizes) required for the Mann-Whitney test with desired power. A planning value of the Mann-Whitney parameter is required. In a 2-group experiment, this parameter is the proportion of members in the population with scores that would be larger under treatment 1 than treatment 2. In a 2-group nonexperiment where participants are sampled from two subpopulations of sizes N1 and N2, the parameter is the proportion of all N1 x N2 pairs in which a member from subpopulation 1 has a larger score than a member from subpopulation 2.

Usage

```
size.test.mann(alpha, pow, p)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
p	planning value of Mann-Whitney parameter

Value

Returns the required sample size per group

References

Noether GE (1987). “Sample size determination for some common nonparametric tests.” *Journal of the American Statistical Association*, **82**(398), 645–647. ISSN 0162-1459, doi: [10.1080/01621459.1987.10478478](https://doi.org/10.1080/01621459.1987.10478478).

Examples

```
size.test.mann(.05, .90, .3)

# Should return:
#   Sample size per group
# [1,]                44
```

size.test.mean.ps *Sample size for a test of a paired-samples mean difference*

Description

Computes the sample size required to test a difference in population means with desired power in a paired-samples design. Set the correlation planning value to the smallest value within a plausible range for a conservatively large sample size. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.test.mean.ps(alpha, pow, var, es, cor)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
var	planning value of average variance of the two measurements
es	planning value of mean difference
cor	planning value of correlation

Value

Returns the required sample size

Examples

```
size.test.mean.ps(.05, .80, 1.25, .5, .75)

# Should return:
#   Sample size
# [1,]        22
```

size.test.mean1	<i>Sample size for a test of a single mean</i>
-----------------	--

Description

Computes the sample size required to test a single population mean with desired power in a 1-group design. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.test.mean1(alpha, pow, var, es)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
var	planning value of response variable variance
es	planning value of mean minus null hypothesis value

Value

Returns the required sample size

Examples

```
size.test.mean1(.05, .9, 80.5, 7)

# Should return:
#   Sample size
# [1,]        20
```

size.test.mean2 *Sample size for a test of a 2-group mean difference*

Description

Computes the sample size in each group requires to test a difference in population means with desired power in a 2-group design. Set R =1 for equal sample sizes. Set the variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.test.mean2(alpha, pow, var, es, R)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
var	planning value of average within-group variance
es	planning value of mean difference
R	n2/n1 ratio

Value

Returns the required sample size per group

Examples

```
size.test.mean2(.05, .95, 100, 10, 1)

# Should return:
#   n1 n2
# [1,] 27 27
```

size.test.prop.ps *Sample size for a test of a paired-samples proportion difference*

Description

Computes the sample size required to test a difference in population proportions with desired power in a paired-samples design. This function requires planning values for both proportions and a phi coefficient that describes the correlation between the two dichotomous measurements. The proportion planning values can set to .5 for a conservatively large sample size. The planning value for the proportion difference could be set equal to the difference of the two proportion planning values or it could be set equal to a minimally interesting effect size. Set the phi correlation planning value to the smallest value within a plausible range for a conservatively large sample size.

Usage

```
size.test.prop.ps(alpha, pow, p1, p2, phi, es)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
p1	planning value of proportion for measurement 1
p2	planning value of proportion for measurement 2
phi	planning value of phi correlation
es	planning value of proportion difference

Value

Returns the required sample size

Examples

```
size.test.prop.ps(.05, .80, .4, .3, .5, .1)

# Should return:
#   Sample size
# [1,]       177
```

size.test.prop1	<i>Sample size for a test of a single proportion</i>
-----------------	--

Description

Computes the sample size required to test a single population proportion with desired power in a 1-group design. Set the proportion planning value to .5 for a conservatively large sample size.

Usage

```
size.test.prop1(alpha, pow, p, es)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
p	planning value of proportion
es	planning value of proportion minus null hypothesis value

Value

Returns the required sample size

Examples

```
size.test.prop1(.05, .9, .5, .2)

# Should return:
#   Sample size
# [1,]         66
```

size.test.prop2 *Sample size for a test of a 2-group proportion difference*

Description

Computes the sample size in each group required to test a difference in population proportions with desired power in a 2-group design. This function requires planning values for both proportions. Set the proportion planning values to .5 for a conservatively large sample size. The planning value for the proportion difference could be set equal to the difference of the two proportion planning values or it could be set equal to a minimally interesting effect size.

Usage

```
size.test.prop2(alpha, pow, p1, p2, es)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
p1	planning value of proportion for group 1
p2	planning value of proportion for group 2
es	planning value of proportion difference

Value

Returns the required sample size per group

Examples

```
size.test.prop2(.05, .8, .2, .4, .2)

# Should return:
#   Sample size per group
# [1,]                 79
```

size.test.sign.ps	<i>Sample size for a paired-samples Sign test</i>
-------------------	---

Description

Computes sample size required for a Sign test with desired power in a paired-samples design. A planning value of the paired-samples Sign test parameter is required. In a paired-samples experiment, this parameter is the proportion of members in the population with scores that would be larger under treatment 1 than treatment 2. In a paired-samples nonexperiment, this parameter is the proportion of members in the population with measurement 1 scores that are larger than their measurement 2 scores.

Usage

```
size.test.sign.ps(alpha, pow, p)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
p	planning value of proportion

Value

Returns the required sample size

Examples

```
size.test.sign.ps(.05, .90, .75)

# Should return:
#   Sample size
# [1,]         32
```

size.test.sign1	<i>Sample size for a 1-sample Sign test</i>
-----------------	---

Description

Computes the sample size required for a Sign test with desired power in a 1-sample design. A planning value of the 1-sample Sign test parameter value is required. This parameter is the proportion of members in the population with scores greater than the hypothesized value.

Usage

```
size.test.sign1(alpha, pow, p)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
p	planning value of proportion

Value

Returns the required sample size

Examples

```
size.test.sign1(.05, .90, .3)

# Should return:
#   Sample size
# [1,]         56
```

size.test.slope	<i>Sample size for a test of a slope</i>
-----------------	--

Description

Computes the total sample size required to test a population slope with desired power in a between-subjects design with a quantitative factor. In an experimental design, the total sample size would be allocated to the levels of the quantitative factor and it might be necessary to use a larger total sample size to achieve equal sample sizes. Set the error variance planning value to the largest value within a plausible range for a conservatively large sample size.

Usage

```
size.test.slope(alpha, pow, evar, x, slope, h)
```

Arguments

alpha	alpha level for hypothesis test
pow	desired power
evar	planning value of within-group (error) variance
x	vector of x values of the quantitative factor
slope	planning value of slope
h	hypothesized value of slope

Value

Returns the required total sample size

Examples

```
x <- c(2, 5, 8)
size.test.slope(.05, .9, 31.1, x, .75, 0)

# Should return:
#   Sample size
# [1,]       100
```

slope.contrast	<i>Contrast coefficients for the slope of a quantitative factor</i>
----------------	---

Description

Computes the contrast coefficients to estimate the slope of a line in a single factor design with a quantitative factor.

Usage

```
slope.contrast(x)
```

Arguments

x vector of numeric factor levels

Value

Returns the vector of contrast coefficients

Examples

```
x <- c(25, 50, 75, 100)
slope.contrast(x)

# Should return:
#   Coefficient
# [1,]   -0.012
# [2,]   -0.004
# [3,]    0.004
# [4,]    0.012
```

test.anova1.bs	<i>Between-subjects F statistic and eta-squared from summary information</i>
----------------	--

Description

Computes the F statistic, p-value, eta-squared, and adjusted eta-squared for the main effect of Factor A in a one-way between-subjects ANOVA using the estimated means, estimated standard deviations, and sample sizes.

Usage

```
test.anova1.bs(m, sd, n)
```

Arguments

m	vector of estimated means
sd	vector of estimated standard deviations
n	vector of sample sizes

Value

Returns a 1-row matrix. The columns are:

- F - F statistic for test of null hypothesis
- dfA - degrees of freedom for between-subjects factor
- dfE - error degrees of freedom
- dfA - degrees of freedom for between-subjects factor
- p - p-value for F-test
- eta-squared - estimate of eta-squared
- adj eta-squared - a bias adjusted estimate of eta-squared

Examples

```
m <- c(12.4, 8.6, 10.5)
sd <- c(3.84, 3.12, 3.48)
n <- c(20, 20, 20)
test.anova1.bs(m, sd, n)

# Should return:
#           F dfA dfE           p eta-squared adj eta-squared
# [1,] 5.919585 2 57 0.004614428 0.1719831 0.1429298
```

test.kurtosis	<i>Computes p-value for test of excess kurtosis</i>
---------------	---

Description

Computes a Monte Carlo p-value (250,000 replications) for the null hypothesis that the sample data come from a normal distribution. If the p-value is small (e.g., less than .05) and excess kurtosis is positive, then the normality assumption can be rejected due to leptokurtosis. If the p-value is small (e.g., less than .05) and excess kurtosis is negative, then the normality assumption can be rejected due to platykurtosis.

Usage

```
test.kurtosis(y)
```

Arguments

`y` vector of quantitative scores

Value

Returns a 1-row matrix. The columns are:

- Kurtosis - Estimate of kurtosis coefficient
- Excess - Estimate of excess kurtosis (kurtosis - 3)
- p - Monte Carlo two-sided p-value for test of zero excess kurtosis

Examples

```
y <- c(30, 20, 15, 10, 10, 60, 20, 25, 20, 30, 10, 5, 50, 40, 95)
test.kurtosis(y)

# Should return:
#   Kurtosis Excess      p
# [1,]  4.8149  1.8149 0.0385
```

test.mono.mean.bs	<i>Test of a monotonic trend in means for an ordered between-subjects factor</i>
-------------------	--

Description

Computes simultaneous confidence intervals for all adjacent pairwise comparisons of population means using estimated means, estimated standard deviations, and samples sizes as input. Equal variances are not assumed. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence intervals. If one or more lower limits are greater than 0 and no upper limit is less than 0, then conclude that the population means are monotonic decreasing. If one or more upper limits are less than 0 and no lower limits are greater than 0, then conclude that the population means are monotonic increasing. Reject the hypothesis of a monotonic trend if any lower limit is greater than 0 and any upper limit is less than 0.

Usage

```
test.mono.mean.bs(alpha, m, sd, n)
```

Arguments

alpha	alpha level for simultaneous 1-alpha confidence
m	vector of estimated means
sd	vector of estimated standard deviations
n	vector of sample sizes

Value

Returns a matrix with the number of rows equal to the number of adjacent pairwise comparisons. The columns are:

- Estimate - estimated mean difference
- SE - standard error
- LL - one-sided lower limit of the confidence interval
- UL - one-sided upper limit of the confidence interval

Examples

```
m <- c(12.86, 24.57, 36.29, 53.21)
sd <- c(13.185, 12.995, 14.773, 15.145)
n <- c(20, 20, 20, 20)
test.mono.mean.bs(.05, m, sd, n)

# Should return:
#   Estimate      SE      LL      UL
# 1 2   -11.71  4.139530 -22.07803 -1.3419744
# 2 3   -11.72  4.399497 -22.74731 -0.6926939
```

```
# 3 4 -16.92 4.730817 -28.76921 -5.0707936
```

test.mono.prop.bs	<i>Test of monotonic trend in proportions for an ordered between-subjects factor</i>
-------------------	--

Description

Computes simultaneous confidence intervals for all adjacent pairwise comparisons of population proportions using frequency counts and samples sizes as input. If one or more lower limits are greater than 0 and no upper limit is less than 0, then conclude that the population proportions are monotonic decreasing. If one or more upper limits are less than 0 and no lower limits are greater than 0, then conclude that the population proportions are monotonic increasing. Reject the hypothesis of a monotonic trend if any lower limit is greater than 0 and any upper limit is less than 0.

Usage

```
test.mono.prop.bs(alpha, f, n)
```

Arguments

alpha	alpha level for simultaneous 1-alpha confidence
f	vector of frequency counts of participants who have the attribute
n	vector of sample sizes

Value

Returns a matrix with the number of rows equal to the number of adjacent pairwise comparisons. The columns are:

- Estimate - estimated proportion difference
- SE - standard error
- LL - one-sided lower limit of the confidence interval
- UL - one-sided upper limit of the confidence interval

Examples

```
f <- c(67, 49, 30, 10)
n <- c(100, 100, 100, 100)
test.mono.prop.bs(.05, f, n)

# Should return:
#   Estimate      SE      LL      UL
# 1 2 0.1764706 0.06803446 0.01359747 0.3393437
# 2 3 0.1862745 0.06726135 0.02525219 0.3472968
```

```
# 3 4 0.1960784 0.05493010 0.06457688 0.3275800
```

test.prop.bs

Hypothesis test of equal proportions in a between-subjects design

Description

Computes a Pearson chi-square test for equal population proportions for a dichotomous response variable in a one-factor between-subjects design.

Usage

```
test.prop.bs(f, n)
```

Arguments

f vector of frequency counts of participants who have the attribute
n vector of sample sizes

Value

Returns a 1-row matrix. The columns are: Chi-square - chi-square test statistic df - degrees of freedom p - p-value

References

Fleiss JL, Paik MC (2003). *Statistical Methods for Rates and Proportions*, 3rd edition. Wiley.

Examples

```
f <- c(35, 30, 15)
n <- c(50, 50, 50)
test.prop.bs (f, n)

# Should return:
#    Chi-square df                    p
# [1,] 17.41071 2 0.0001656958
```

`test.prop.ps`*Hypothesis test for a paired-samples proportion difference*

Description

Computes a continuity-corrected McNemar test for equality of proportions in a paired-samples design. This function requires the frequency counts from a 2 x 2 contingency table for two paired dichotomous measurements.

Usage

```
test.prop.ps(f00, f01, f10, f11)
```

Arguments

<code>f00</code>	number participants with $y = 0$ and $x = 0$
<code>f01</code>	number participants with $y = 0$ and $x = 1$
<code>f10</code>	number participants with $y = 1$ and $x = 0$
<code>f11</code>	number participants with $y = 1$ and $x = 1$

Value

Returns a 1-row matrix. The columns are: Estimate - ML estimate of proportion difference z - z test statistic p - p -value

References

Snedecor GW, Cochran WG (1989). *Statistical Methods*, 8th edition. ISU University Pres, Ames, Iowa.

Examples

```
test.prop.ps(156, 96, 68, 80)

# Should return:
#   Estimate      z      p
# [1,]    0.07 2.108346 0.03500109
```

`test.prop1`*Hypothesis test for a single proportion*

Description

Computes a continuity-corrected z test for a single proportion in a 1-group design.

Usage

```
test.prop1(f, n, h)
```

Arguments

f	number of participants who have the attribute
n	sample size
h	population proportion under null hypothesis

Value

Returns a 1-row matrix. The columns are:

- Estimate - ML estimate of proportion
- z - z test statistic
- p - p-value

References

Snedecor GW, Cochran WG (1989). *Statistical Methods*, 8th edition. ISU University Pres, Ames, Iowa.

Examples

```
test.prop1(9, 20, .2)

# Should return:
#   Estimate      z      p
# [1,]    0.45 2.515576 0.01188379
```

`test.prop2`*Hypothesis test for a 2-group proportion difference*

Description

Computes a continuity-corrected z test for a difference of proportions in in a 2-group design.

Usage

```
test.prop2(f1, f2, n1, n2)
```

Arguments

f1	number of group 1 participants who have the attribute
f2	number of group 2 participants who have the attribute
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a 1-row matrix. The columns are:

- Estimate - ML estimate of proportion difference
- z - z test statistic
- p - p-value

References

Snedecor GW, Cochran WG (1989). *Statistical Methods*, 8th edition. ISU University Pres, Ames, Iowa.

Examples

```
test.prop2(11, 26, 50, 50)

# Should return:
# Estimate      z      p
#      -0.3 2.899726 0.003734895
```

`test.skew`*Computes p-value for test of skewness*

Description

Computes a Monte Carlo p-value (250,000 replications) for the null hypothesis that the sample data come from a normal distribution. If the p-value is small (e.g., less than .05) and the skewness estimate is positive, then the normality assumption can be rejected due to positive skewness. If the p-value is small (e.g., less than .05) and the skewness estimate is negative, then the normality assumption can be rejected due to negative skewness.

Usage

```
test.skew(y)
```

Arguments

`y` vector of quantitative scores

Value

Returns a 1-row matrix. The columns are:

- Skewness - Estimate of skewness coefficient
- p - Monte Carlo two-sided p-value for test of zero skewness

Examples

```
y <- c(30, 20, 15, 10, 10, 60, 20, 25, 20, 30, 10, 5, 50, 40, 95)
test.skew(y)

# Should return:
#   Skewness      p
# [1,]  1.5201 0.0067
```


Index

ci.2x2.mean.bs, 5
ci.2x2.mean.mixed, 6
ci.2x2.mean.ws, 7
ci.2x2.prop.bs, 9
ci.2x2.prop.mixed, 10
ci.agree, 11
ci.agree2, 12
ci.biphi, 13
ci.cod1, 14
ci.cod2, 15
ci.condslope, 16
ci.condslope.log, 17
ci.cor, 18
ci.cor.dep, 19
ci.cor2, 20
ci.cor2.gen, 21
ci.cramer, 22
ci.cronbach, 23
ci.etasqr, 24
ci.fisher, 25
ci.indirect, 25
ci.kappa, 26
ci.lc.gen.bs, 27
ci.lc.glm, 28
ci.lc.mean.bs, 30
ci.lc.median.bs, 31
ci.lc.prop.bs, 32
ci.lc.reg, 33
ci.lc.stdmean.bs, 34
ci.lc.stdmean.ws, 35
ci.mad1, 36
ci.mann, 37
ci.mape, 38
ci.mean.ps, 39
ci.mean1, 40
ci.mean2, 41
ci.median.ps, 42
ci.median1, 43
ci.median2, 44
ci.oddsratio, 45
ci.pairs.prop.bs, 46
ci.pairs.prop1, 47
ci.pbcor, 48
ci.phi, 49
ci.popsiz, 50
ci.prop.ps, 51
ci.prop1, 52
ci.prop2, 53
ci.random.anova1, 54
ci.ratio.mad.ps, 55
ci.ratio.mad2, 56
ci.ratio.mean.ps, 57
ci.ratio.mean2, 58
ci.ratio.median.ps, 59
ci.ratio.median2, 60
ci.ratio.prop.ps, 61
ci.ratio.prop2, 62
ci.reliability, 63
ci.rsqr, 64
ci.sign1, 65
ci.slope.mean.bs, 66
ci.slope.prop.bs, 67
ci.spcor, 68
ci.spear, 69
ci.spear2, 70
ci.stdmean.ps, 71
ci.stdmean.strat, 72
ci.stdmean1, 73
ci.stdmean2, 74
ci.tetra, 75
ci.tukey, 76
ci.var.upper, 77
ci.yule, 78

etasqr.adj, 79
etasqr.gen.2way, 80

iqv, 81

pi.score1, 81
pi.score2, 82

random.sample, 83
random.y, 84
random.yx, 85
randomize, 86

sim.ci.cor, 86
sim.ci.mean.ps, 87
sim.ci.mean1, 89
sim.ci.mean2, 90
sim.ci.median1, 91
sim.ci.spear, 92
size.ci.agree, 93
size.ci.condmean, 94
size.ci.cor, 95
size.ci.cronbach, 96
size.ci.lc.ancova, 97
size.ci.lc.mean.bs, 98
size.ci.lc.mean.ws, 98
size.ci.lc.prop.bs, 99
size.ci.lc.stdmean.bs, 100
size.ci.lc.stdmean.ws, 101
size.ci.mean.ps, 102
size.ci.mean1, 103
size.ci.mean2, 103
size.ci.prop.ps, 104
size.ci.prop1, 105
size.ci.prop2, 106
size.ci.ratio.mean.ps, 106
size.ci.ratio.mean2, 107
size.ci.ratio.prop.ps, 108
size.ci.ratio.prop2, 109
size.ci.rsqr, 110
size.ci.second, 110
size.ci.slope, 111
size.ci.stdmean.ps, 112
size.ci.stdmean2, 113
size.equiv.mean.ps, 114
size.equiv.mean2, 115
size.equiv.prop.ps, 116
size.equiv.prop2, 117
size.interval.cor, 118
size.supinf.mean.ps, 118
size.supinf.mean2, 119
size.supinf.prop.ps, 120
size.supinf.prop2, 121
size.test.cor, 122
size.test.cronbach, 123
size.test.lc.ancova, 124
size.test.lc.mean.bs, 125
size.test.lc.mean.ws, 125
size.test.lc.prop.bs, 126
size.test.mann, 127
size.test.mean.ps, 128
size.test.mean1, 129
size.test.mean2, 130
size.test.prop.ps, 130
size.test.prop1, 131
size.test.prop2, 132
size.test.sign.ps, 133
size.test.sign1, 133
size.test.slope, 134
slope.contrast, 135

test.anova1.bs, 136
test.kurtosis, 137
test.mono.mean.bs, 138
test.mono.prop.bs, 139
test.prop.bs, 140
test.prop.ps, 141
test.prop1, 142
test.prop2, 143
test.skew, 144